22PH Tandem Dual Wheel Pintle

G.V.W.R.	23,900#	Axle	(2) 10,000# Dual Wheel w/ Electric Brakes (Oil Bath)	
G.A.W.R. (Ea. Axle)	10,000#	Supension Heavy Duty 30,000# Adjustable		
Coupler	3" ID Pintle Ring	Tire	ST235/80 R-16 Load Range E Dual	
Safety Chains	3/8" Grd. 70 w/Safety Latch Hook (2 each)	Wheel	16" x 6"; Dual Wheel 8 Bolt	
Jack	Single 12,000# Drop Leg Jack (Bolted On)	Floor	2" Treated Pine or Douglas Fir*	
Tongue	12" I-Beam, 16#	Lights	L.E.D. D.O.T. Stop, Tail, Turn & Clearance	
Top Rail	None	Elec. Plug	7-Way RV	
Frame	12" I-Beam, 16#	Finish	Steel is Cleaned to Ensure a Professional	
Crossmembers	3" Channel	(Prep)	Smooth Finish.	
Side Rail	6" Channel w/Rub Rail, Tie Down Pockets on 24" Centers, and Chain Spools	FINISH	Superior Quality Finish is Applied for a Highly Decorative and Protective Finish.	

* Douglas Fir Available from Caldwell, ID Facility Only


Standard Features

- 3" ID Pintle Ring
- 12,000# Drop Leg Jack- Top Wind (Bolted On)
- 102" Overall Width
- Low Profile Bed, Pierced- Beam Frame
- (2) Side Bed Steps
- 3/8" Heavy Duty Rub Rail
- · Tie Down Pockets Along Sides, 24" On Center
- 1-1/4" Pipe Chain Spools Between Tie Down Pockets
- Dexter Brand Axles
- Oil Bath Hubs
- Forward Self Adjusting Brakes
- Heavy Duty 30,000# Adjustable Suspension by Dexter Axle

- Cambered Axles
- · Grommet Mount Sealed Lighting
- L.E.D. Lighting Package
- Modular Sealed Wiring Harness
- Spare Tire Mount
- 5' Dovetail w/ 5' Double Hinged Spring Assist Flip-Over Ramps
- Complete Break-A-Way System w/Charger
- Radial Tires
- Mudflaps
- Spare Tire & Wheel- Standard Equipped NEW!

Description

Dimensions					
Length	Α	В	С		
20 + 5	240"	180"	60"		
25 + 5	300"	216"	84"		



22PH Tandem Dual Wheel Pintle



Model	Weight*	Description
22PH-20+5	5,600#	102" x 20' + 5' Tandem Dual Wheel Pintle
22PH-25+5	6,100#	102" x 25' + 5' Tandem Dual Wheel Pintle

^{*}Weights shown are for base models without options and are estimates only

Optional Equipment

Category	Description
JACKS	Dual Single-Speed Drop-Leg Jacks
JACKS	Dual 2-Speed Landing Gear
JACKS	Dual Electric Over Hydraulic Jacks
BRAKES	Electric Over Hydraulic Brakes (Drum)
BRAKES	Electric Over Hydraulic Brakes (Disc)
TIRE/WHEEL	Tire Upgrade (ST235/85 R-16 LR-G Dual)
TIRE/WHEEL	Spare Tire Upgrade (ST235/85 R-16 LR-G Dual)
RAMPS	(2) 5' MEGA Ramps
RAMPS	5' Center Pop-Up Dovetail w/ (2) 5' Flip-Over Ramps
RAMPS	(3) 5' Flip-Over Ramps w/Diamond Plate on Bottom
RAMPS	No Dovetail Option (Delete's Dovetail & Ramps)
RAMPS	8' Rear Slide-In Ramps (Straight Deck Only)
BODY	Lockable Lid Over Tool Storage in Tongue
CARGO CONTROL	Low Profile Tool Box 12" x 18" x 36" (Side Mount)
CARGO CONTROL	Sliding Winch Track (Per 6' Section)
CARGO CONTROL	4" Sliding Winch (Each)
CARGO CONTROL	4" Weld-On Winch (Each)
CARGO CONTROL	4" x 30' Strap (Each)
CARGO CONTROL	B40 5/8" D-Ring (Each)





22PH Tandem Dual Wheel Pintle Trailer

The 22PH from Big Tex Trailers is a tandem dual wheel pintle hauler. Standard features include two 10K axles, a spare tire and wheel, an LED lighting package and a low-profile bed with a pierced-beam frame.

SPECS...



AXLE (2) 10,000# Dual Wheel w/ Electric Brakes (Oil

Bath)

JACK 12,000# Drop Leg Jack (Bolted On) **DOVETAIL**

5 Cleated Dovetail w/5 Double Hinged, Spring-Assisted Flip-Over Ramps

G.V.W.R.

25,900#

TIRE ST235/80 R-16 Load Range E Dual **ELEC. PLUG** 7-Way RV **FLOOR** 2" Treated Pine or Douglas Fir* **HITCH TYPE** Pintle Hitch FRAME 12" I-Beam SIDE RAILS 8" Channel w/Rub Rail, Stake Pockets,

and Chain Spools WHEEL 16" x 6"; Black Dual 8 Bolt

SUSPENSION Heavy Duty 30,000# Adjustable FINISH Superior Quality Finish is Applied for a Highly

Decorative and Protective Finish. **CROSSMEMBERS** 3" Channel

LIGHTS L.E.D. D.O.T. Stop, Tail, Turn & Clearance FINISH (Prep) Steel is Cleaned to Ensure a Professional Smooth Finish. **TONGUE** 12" I-Beam, 16#

SAFETY CHAINS 3/8" Grd. 70 w/Safety Latch Hook (2 **COUPLER** 3" ID Pintle Ring

each)

G.A.W.R. (Ea. 15,000#

Axle)

MODELS

102" x 25' + 5' Tandem Dual Wheel Pintle

MODEL DESCRIPTION WEIGHT 22PH-20+5 5,600# 102" x 20' + 5' Tandem Dual Wheel Pintle

& FEATURES

EZ LUBE HUBS

EZ Lube hubs are simple to maintain and completely

LED lighting is brighter and lasts longer.

submersible with no disassembly required.

LED LIGHTING PACKAGE

NEV-R-ADJUST ELECTRIC BRAKES ON ALL HUBS

6,100#

Nev-R-Adjust Brakes ensure safety and automatically adjust to proper clearances during travel.

DEXTER BRAND AXLES

22PH-25+5

Dexter Axles outperform all others for strength and a smooth

GROMMET MOUNT SEALED LIGHTING

Protected wiring, inside the framing or in protected channels,

RADIAL TIRES

Flexible sidewalls result in reduced fuel consumption and produce a softer ride. with access to junctures.

THE 22PH ALSO COMES EQUIPPED WITH:

- 3" ID Pintle Ring
- 12,000# Drop Leg Jack- Top Wind
- 102" Overall Width
- · Low Profile Bed, Pierced- Beam Frame
- · (2) Side Bed Steps
- 3/8" Heavy Duty Rub Rail
- · Stake Pockets Along Sides, 24" On Center
- 1-1/4" Pipe Chain Spools Between Tie Down Pockets
- Dexter Brand Axles
- · Oil Bath Hubs
- · Forward Self Adjusting Brakes
- Heavy Duty 30,000# Adjustable Suspension by Dexter Axle
- · Grommet Mount Sealed Lighting
- · L.E.D. Lighting Package
- · Modular Sealed Wiring Harness
- · Spare Tire Mount
- 5 Dovetail w/ 5 Double Hinged Spring Assist Flip-Over Ramps
- Flip-Over Ramps
- · Complete Break-A-Way System w/Charger
- · Zip Breakaway Cable
- · Radial Tires

- Mudflaps
- Spare Tire & Wheel- Standard Equipped

OPTIONAL EQUIPMENT

CATEGORY DESCRIPTION

BODY Blackwood Rubber Infused Floor

BODY

Lockable Lid Over Tool Storage in Tongue

BRAKES

Electric Over Hydraulic Brakes (Disc)

BRAKES

Electric Over Hydraulic Brakes (Drum)

CARGO CONTROL 4" Sliding Winch
CARGO CONTROL 4" Weld-On Winch
CARGO CONTROL 4" x 30 Strap
CARGO CONTROL B40 5/8" D-Ring

CARGO CONTROL Low Profile Tool Box 12" x 18" x 36" (Side Mount)

CARGO CONTROL Sliding Winch Track (Per 6 Section)

JACK Dual 2-Speed Landing Gear

JACK Dual Electric Over Hydraulic Jacks by Stillwell

JACK Dual Single-Speed Drop-Leg Jacks

RAMPS (2) 5 MEGA Ramps

RAMPS 8 Rear Slide-In Ramps (Straight Deck Only)

RAMPS No Dovetail Option (Deletes Dovetail & Ramps)

TIRE/WHEEL Tire Upgrade (ST235/85 R-16 LR-G Dual) Includes Spare
TIRE/WHEEL Tire Upgrade (ST235/75 R-17.5 LR-H Dual) Includes Spare

Big Tex Trailers reserves the right to change price, design, material and/or specifications without notice or obligation.