



KingQuad 400ASi

BASE MSRP⁰: \$6,549

Specifications

Engine: 376cc (22.94 cubic in.), 4-stroke, air-cooled with SCAS, OHC single cylinder

Bore x Stroke: 82.0 mm x 71.2 mm (3.228 in. x 2.803 in.)

Compression Ratio: 9.0:1

Starter: Electric

Lubrication: Wet sump

Fuel System: Suzuki electronic fuel injection

Transmission: Automatic variable ratio (V-belt), with high/low-range and reverse

Clutch: Dry shoe, automatic, centrifugal type

Driven Wheels: 2WD and 4WD

Final Drive: Shaft drive

Suspension Front: Independent, double wishbone, coil spring, oil damped

Suspension Rear: Swing-arm type, coil spring, oil damped

Brakes Front: Disc brakes, twin rotors

Brakes Rear: Single drum brake

Tires Front: AT25 x 8-12, tubeless type x 2

Tires Rear: AT25 x 10-12, tubeless type x 2

Fuel Tank Capacity: 16.0 L (4.2 US gal.)

Color: Terra Green, Flame Red or Solid Special White No. 2

Suzuki Cycles

Page 1 of 2

http://www.suzukicycles.com/Product%20Lines/ATVs/Products/KingQuad%20400ASi/2020/LT... 8/14/2020

Ignition: Electronic ignition (transistorized)

Headlight: 12V 35/35W (HS1) × 2

Tail Light: 12V 21/5W

Overall Length: 2060 mm (81.1 in.)

Overall Width: 1145 mm (45.1 in.)

Overall Height: 1220 mm (48.0 in.)

Wheelbase: 1270 mm (50.0 in.)

Ground Clearance: 250 mm (9.8 in.)

Seat Height: 840 mm (33.1 in.)

Curb Weight: 265 kg (628 lb.)

Warranty: 12-month unlimited-mileage limited warranty

Extensions: Coverage extension and additional benefits are available

Features

Legal:

Suzuki ATVs may be used only by those aged 16 and older. Suzuki highly recommends that all ATV riders take a training course. We'll even pay for it. For safety and training course information, see your dealer or call the SVIA at 1-800-852-5344. ATVs can be hazardous to operate. Always avoid paved surfaces. Never ride on public roads. Never carry passengers or engage in stunt riding. Avoid excessive speeds. Be extra careful on difficult terrain.

*Manufacturer's Suggested Retail Price (also referred to as "MSRP", "Base MSRP" or the "Starting At" price), excludes taxes, title, license and registration fees, destination freight and delivery charges, dealer fees, and optional equipment.



5SAAK4D3 OL7100785

BODY TYPE

SUZUKI

SHIPPING WEIGHT

DUR-WHEEL A. T. V. H.P. (S.A.E.)

617.0

G.V.W.R.

NO. CYLS. 01

SERIES OR MODEL

25. 1

ENGINE NO K439-215851 NOT FOR MIGHWAY USE

LT-A400FM0

ENG. DISP.

376. O FOR OFF-HIGHWAY USE ONLY I, the undersigned authorized representative of the company, firm or corporation named below, hereby certify that the new vehicle described above is the property of the said company, firm or corporation and is transferred on the above date and under the Invoice Number indicated to the following distributor or dealer. NAME OF DISTRIBUTOR, DEALER, ETC.

AMERI-REGREATNL SPTS LLC DBA ARS POWERSPORTS 4422 US HWY 441 N DKEECHOBEE FL 34972-8639

It is further certified that this was the first transfer of such new vehicle in ordinary trade and commerce.

Suzuki Motor of America, Inc.

Everative Vice President

(SIGNATURE OF AUTHORIZED REPRESENTATIVE)

3251 East Imperial Highway Brea. Galifornia 92821-6722 (AGENT)

A00384934

CITY-STATE