



**Quotation No:** 34070720E  
**Date:** 7/7/2020

Phone: 1-800-433-5384  
Fax: 1-817-453-5445

**Salesman:** Mark Smith  
**Terms:** Net due 10 days  
**Delivery:** 13 weeks.

**Dealer:** **Dobbs Equipment, LLC**  
3005 Hansen Street  
Ft. Myers, FL 33916  
Bus: (239) 334-3627  
Bus Fax: (239) 334-8839  
**Attn. Dave Walsh**

**Interstate model 16BST**

General description:	16,000 lb. capacity tag-along trailer with beavertail & ramps.	Suspension:	Dexter multi-point spring with equalizers.
Load capacity:	16,000 lbs. at 55 M.P.H. (G.V.W.R. 20,750 lbs.)	Axles:	(2) Dexter 8,000 lb. capacity with oil bath hubs.
Overall length:	27'-3"	Brakes:	12-1/4" x 3-3/8" electric with integral break-away system.
Deck length:	20'-0" (16'-6" flat deck + 3'-6" beavertail)	Wheels:	8 hole steel disc.
Deck width:	8'-0"	Tires:	215/75R17.5, (H),
Deck height:	35" unloaded	Ramps:	58" x 21.5" traction with spring assist.
Frame construction:	Mainbeams: W12" x 16 lbs. per ft., grade 50 Hi-tensile. Crossmembers: 6" I-beam x 3.7 lbs per ft., run between mainrails on 24" centers.	Jack:	12,000 lb. drop leg.
Decking:	2" nominal oak secured to crossmembers with 5/16" torque screws. 3/16" Diamond-plate from mainrails to perimeter frame.	Hitch:	4 position cast steel pintle eye, 1-5/8" stock, 2-7/8" I.D.
Headboard:	2" x 5" rectangular tube, full width of trailer.	Tie downs:	(6) heavy duty D-rings, 3 per side.
Standard paint:	Black acrylic enamel. (Optional colors available)	Lights:	12 volt DOT & ICC approved. All lights are sealed beam type and flush mounted in rubber grommets. Wiring is run in flexible neoprene jacket and modular in design. 7 way plug.

**Standard unit, List price: \$10,184.00**

**Factory Installed Options:**

Note: Optional equipment may change standard specifications.

<input checked="" type="checkbox"/> Spare tire & wheel	\$480.00	<input type="checkbox"/> Additional deck length:	_____ ft. @ \$356.00 per ft.
<input checked="" type="checkbox"/> Spare tire carrier:	\$225.00	<input type="checkbox"/> Additional tie down rings:	_____ @ \$35.00 each
<input checked="" type="checkbox"/> Lockable tool box lid:	\$282.00	<input checked="" type="checkbox"/> Stake pockets & rubrail:	\$632.00
<input checked="" type="checkbox"/> 12,000 lb. jack:	Standard	<input checked="" type="checkbox"/> Protected tail lights:	\$235.00
<input type="checkbox"/> 3" safety rail:	\$470.00		
<input type="checkbox"/> Dual 12,000 lb. jacks:	\$370.00		

**Misc. options:**

**Price:**

<input checked="" type="checkbox"/> 20' flat deck + 5' beavertail, (5' extra deck):	\$ 1,781.00
<input checked="" type="checkbox"/> Vertical ramp storage:	\$ 235.00
<input checked="" type="checkbox"/> 16" crossmember spacings:	Included
<input checked="" type="checkbox"/> 25K, 2 speed jack:	\$ 370.00

**NOTES:**

Quotes good for 30 days unless otherwise stated and do not incld. F.E.T., state taxes or licensing fees.

<b>Sub Total:</b>	14,424.00
<b>Less 3% governmental Discount:</b>	13,991.28
<b>Freight:</b>	955.00
<b>Total F.O.B. dealership:</b>	<b>\$ 14,946.28</b>

# **INTERSTATE**

**CONTINUOUS MAIN  
BEAM DESIGN**

**HEAVY DUTY SPRING  
SUSPENSION**

**HEAVY DUTY ELECTRIC  
BRAKES**

**DISC TYPE WHEELS**

**215/75R17.5, (H)  
TIRES**

## **16BST**

**THE  
DEFINITION  
OF VALUE**






TRAILERS, INC. 1101 HERITAGE PARKWAY MANSFIELD, TEXAS 76063

Visit our Web site at [www.interstatetrailers.com](http://www.interstatetrailers.com)

817/453-5402

800/433-5384

Fax: 817/453-5445



## MODEL 16BST

CAPACITY: 16,000# @ 55 MPH

Trailer Weight: 4750#

Overall Length: 27' 3"

Overall Width: 96"/102"

Platform Length: 20' 0"

Platform Height: 35"

Dovetail Length: 42"

Ramp Length: 60"

Ramp Width: 21 1/2"

Decking: 2" Nominal Hardwood

Main Rails:

Crossmembers:

Heavy Duty Axles:

Heavy Duty Brakes:

Jack:

Heavy Duty Suspension:

Tires:

Heavy Duty Wheels:

Lights & Electric:

Hitch:

W12" x 16" A572 Gr 50 - High Tensile

6" Jr. I Beam - High Tensile

(2) 8,000#

Electric 12 1/4" x 3 3/8"

10,000# Top Crank

Spring Type

(4) 215/75R x 17.5 - 16 Ply Radial

(4) 6.00 x 17.5 - 8 Hole Disc

LED Sealed Beam System/ICC &  
DOT Approved

Adjustable Pintle Eye - 4 Position

Break-A-Way Switch System with Gel Cell Battery

Your **INTERSTATE** Dealer Is

Interstate Trailers, Inc. reserves the right to change design, material and/or specifications without notice and without incurring any obligation to such changes.