

AGRICULTURAL PRODUCTS FLEX-WING ROTARY CUTTERS

M15 Flex Wing Rotary Cutter

Equipment for Base Machine

<p>Pull Type 15 Ft. (4.6 m) Cutting Width 3 In. Brush Cutting Capacity Four Gear cases Continuous Horsepower Rating: Splitter 250 HP (186 kW) Wing : 100 HP (75 kW) Peak Horsepower Rating: Splitter 300 HP (224 kW) Wing 210 HP (157 kW) 1-3/4 In. Gear case Input Shafts 2.35 in Gear case output shaft Constant Velocity and Lock-Slide Collar Tractor-to-Cutter Driveline Three Slip Clutches, Tubular Telescoping Driveshaft Members Easy Clean Dome Shaped Replaceable bolt on Wear skid shoes Frames: Deck Thickness: 0.14 in (3.5 mm) 10 gauge Body Depth 10 In. (276 mm) 1/4 In. (6 mm) Side Skirt Thickness (3 gauge) 3-Section Flexible 90 Degrees Up for transportation</p>	<p>Working angles: 22 Degrees Down, 45 Degrees Up Pivot Pins with Single Bushings Grease-able Hinges Blade Tip Speed: 540 rpm: 15,586 fpm, (79.2 m/s) 1000 rpm: 15,837 fpm, (80.5 m/s) Double Leveling Rods for tip adjustment Easy Adjust Wing Leveling Turnbuckles Front and Rear Safety Shields single row chains Safety Tow Chain Hitch Integrated Jack Stand (on rigid casting hitch) Implement Jack SMV Emblem and Support Transport light kit - comply with regulations Fully Assembled Heavy Duty Rating Intermittent, 4-Bolt Wheel Hubs - Six Wheels</p>
--	--

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Marinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

2310P	M15 Flex Wing Rotary Cutter <i>Serial Number 1Y80M15CZJE416000 and above.</i>	401K8187	23,620.00
-------	--	----------	-----------

DESTINATION

0202	United States		In Base Price
0184	Canada		No Added Cost

BLADE ROTATION

2540	Outward Rotation <i>This configuration will deliver an improvement on material dispersion along the width of the machine. Outward rotations is new for the E M and R specs.</i>		No Added Cost
2541	Inward Rotation <i>This configuration of inward rotation is what you had on the HX and CX models, you could expect the same cut quality and material distribution as previous models. Option only available for M15 and R15</i>		In Base Price

GEARBOX

3600	540 RPM -100 hp Gearbox		In Base Price
------	-------------------------	--	---------------

AGRICULTURAL PRODUCTS FLEX-WING ROTARY CUTTERS

M15 Flex Wing Rotary Cutter Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
GEARBOX ...Continued...				
3601		540 RPM - 100 hp Gearbox - Inward rotation		No Added Cost
3602		540 RPM - 125 hp Gearbox - Commercial duty	905K15	670.00
3603		540 RPM - 125 hp Gearbox - Commercial duty - Inward rotation	905K15	670.00
3639		1000 RPM - 100 hp Gearbox		No Added Cost
3640		1000 RPM - 100 hp Gearbox - Inward rotation		No Added Cost
3641		1000 RPM - 125 hp Gearbox - Commercial duty	905K15	670.00
3642		1000 rpm - 125 hp Gearbox - Commercial duty - Inward rotation	905K15	670.00
DRIVELINES				
3510		540 RPM Driveline		In Base Price
3511		540 RPM Driveline - Cat 6		No Added Cost
3539		1000 RPM Driveline - 1 3/8" coupler		No Added Cost
3541		1000 RPM Driveline - 1 3/8" coupler - Cat 6		No Added Cost
3543		1000 RPM Driveline - 1 3/4" coupler		No Added Cost
3545		1000 RPM Driveline - 1 3/4" coupler - Cat 6		No Added Cost
BLADE HOLDER				
2500		Blade Pan		In Base Price
2501		Blade Pan - 125 hp		No Added Cost
2502		Blade Bar - Double blade	695K36	697.00
SUSPENSION				
1200		Spring Suspension		In Base Price
1210		Torsional Suspension	066K76	878.00
TONGUE				
5280		Rigid Casting Tongue		In Base Price
5290		Suspended Tongue	925K35	696.00
HITCH				
5110		Clevis Hitch		In Base Price
5120		Ball Type Hitch	362K06	268.00
5140		Swivel Hitch	653K42	445.00
TIRES				

AGRICULTURAL PRODUCTS FLEX-WING ROTARY CUTTERS

M15 Flex Wing Rotary Cutter

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
TIRES ...Continued...				
Laminated Tires				
3015		6 Laminated Tires - (Double center, single on wings) - Puncture proof <i>For E15, M15, M20, R15, R20 - 6 tires (Double center, single on wing)</i>	273K47	-451.00
3315		8 Laminated Tires - (Double tires on center and wings) - Puncture proof <i>For M15, M20, R15, R20 - 8 tires (Double tires on center and wings)</i>	392K36	307.00
Severe Duty Tires				
3025		6 Pneumatic Tires - (Double center, single on wings) - Severe duty ag tires <i>For E15, M15, M20, R15, R20 - 6 tires (Double center, single on wing)</i>		In Base Price
3325		8 Pneumatic Tires - (Double tires on center and wings) - Severe duty ag tires <i>For M15, M20, R15, R20 - 8 tires (Double tires on center and wings)</i>	856K96	905.00
Foam Filled Tires				
3035		6 Foam-Filled Tires - (Double center, single on wings) - Severe duty ag tires <i>For M15, M20, R15, R20 - 6 tires (Double center, single on wing)</i>	432K76	359.00
3335		8 Foam-Filled Tires - (Double tires on center and wings) - Severe duty ag tires <i>For M15, M20, R15, R20 - 8 tires (Double tires on center and wings)</i>	981K057	1,374.00
OPERATOR'S MANUAL, DECALS, AND LANGUAGE				
9013		French Operator's Manual and Decal Kit		No Added Cost
9037		Spanish Operator's Manual and Decal Kit		No Added Cost
9043		Text Free Operator's Manual and Decal Kit		No Added Cost
BLADES				
9120		Blade Bolt and Bushing Kit <i>Includes 6 bolts, 6 bushings and 6 nuts.</i>	301K60	229.00
WALKING TANDEM				
9300		Walking Tandem Kit <i>Kit just for center section. For full coverage, order 1 additional kit and 2 additional tires/dual tires on wings. Machine is not available with the walking tandem installed, kit to be installed by the dealer.</i>	801K388	1,984.00
INDEPENDENT CONTROL VALVE				
9130		Independent Control Valve - 3 Function with Hoses and ROPS Mounting Bracket(For Separate Wing and Lift Control) <i>Can be used with either open or closed center hydraulics.</i>	706K16	881.00
WING CYLINDER HOSE				
9150		Extra Wing Cylinder Hose	507K3	105.00