## JOHN DEERE COMMERCIAL PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

#### Z930M ZTrak

#### Equipment for Base Machine

25.5 HP\*
Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc,19.0 kW
Full Pressure Lubrication System with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element with Secondary Safety Element
12 Volt with 20 AMP Regulated Charge System
Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake
Steel Channel Frame Operator Presence System
Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt
60 In. 7-Iron PRO Side Discharge Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of

Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot ; Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires (60" & 72") 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter

\*@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc.
The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only.
Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Attachment Code Identifier	Description	List Price Suggested Ref. USD (\$)
	Select One Code From Each Required Category	]
	BASE MACHINE	
	F.O.B. Raleigh, North Carolina	
2167TC	Z930M ZTrak	258K549 11,399.00
	DESTINATION	
001A	North America United States/Canada Requires Operator's Manual - 0443	In Base Price
0195	Mexico Tires & Wheels option codes 1038 and 1039 not orderable in these locations. Requires Operator's Manual - 0443	No Added Cost
	MOWER DECKS	
1502	54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.	502K02 -270.00

Requires Tires & Wheels option code 1036 or 1038.

## JOHN DEERE COMMERCIAL PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z930M ZTrak

#### Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
	e en la companya de l	MOWER DECKS Continued	en hilligger alle signer en la live de la signer en la sig	teacht.
1504		60 In. Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. 60 In. 7-Iron PRO		In Base Price
1503		54 In. Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. 54 In. 7-Iron PRO	00 <b>4</b> K50	600.00
1505		60 In. Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038. 60 In. 7-Iron PRO	506K52	870.00
		SEAT		
2091		Deluxe Comfort Seat with Armrests (24" High Back)		In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	251K46	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	253K71	495.00
		DRIVE WHEELS AND TIRES		
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks		In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	757K11	949.00
		ATTACHMENTS FOR FIELD CONVERSION		
	AM115838	<b>Engine</b> Spark Arrester Screen	252K4	38.49
	LP40112	<b>Lighting</b> Beacon Light Kit	001K88	251.00

# JOHN DEERE COMMERCIAL PRODUCTS COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z930M ZTrak

Continued

Attachment Code Identifier	Description	Ref.	List Price Suggested USD (\$)
DU040000	ATTACHMENTS FOR FIELD CONVERSION Continued	0701/00	000 50
BUC10603	LED Beacon Light Kit	972K08	298.53
BUC10955	LED front work light kit (2) Compatible with Mulch on Demand Decks	982K05	294.26
BUC10864	Miscellaneous Foot peg kit	981K4	21.40
BUC10300	Hitch Kit	222K6	37.46
BUC10584	Jack Kit	791K58	226.84
LPA11548	Sun Canopy	001K20	169.00
BUC10628	Trash Receptacle Kit	361K03	147.66
TCB11248	Trash Receptacle Kit Mounting bracket only. Does NOT include bucket and picker. Must source these items separately.	657K2	103.79
TCB11469	Mulch Kits Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	692K33	333.84
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	682K42	346.69
BUC10649	Seat Arm rest kit - Padded (Set of 2) Compatible only with Fully Adjustable Suspension Seat	213K2	46.01
BTC10907	Isolated Suspension Seat Kit Compatible with MY16 and newer Z900 B,E,M and R gas machines.	<b>4</b> 91K95	279.27
BUC10894	Suspension Seat Kit (High Back 24") Compatible with Model Year 2020 and newer Z900 M gas machines only. Not compatible with Z900 E-spec machines.	975K87	839.96
BTC10286	Striping Kits Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	063K31	472.94