

KUBOTA

[illegible]



KUBOTA

SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 3	QUICK ATTACH BUCKETS (standard duty) <i>continued</i>			
AP-SL74SLC	74" Low Profile, Standard Floor, Bolt-On Cutting Edge, Side Cutter, 15.8 cu-ft heaped capacity		541	\$1,484.00
AP-SL74SLLT	74" Low Profile, Long Floor, Teeth, Side Cutter 19.7 cu-ft heaped capacity		541	\$1,532.00
AP-SL74SLLC	74" Low Profile, Long Floor, Bolt-On Cutting Edge, Side Cutter, 19.7 cu-ft heaped capacity		541	\$1,587.00
	QUICK ATTACH BUCKETS (heavy duty)			
AP-HD68LT	68" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 14.2 cu-ft heaped capacity		541	\$1,423.00
AP-HD68LC	68" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 14.2 cu-ft heaped capacity		541	\$1,423.00
AP-HD68LLT	68" Heavy Duty, Low Profile, Long Floor, Teeth, Side Cutter, 17.9 cu-ft heaped capacity		541	\$1,479.00
AP-HD68LLC	68" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 17.9 cu-ft heaped capacity		541	\$1,480.00
AP-HD74LT	74" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 15.4 cu-ft heaped capacity		541	\$1,588.00
AP-HD74LC	74" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 15.4 cu-ft heaped capacity		541	\$1,649.00
AP-HD74LLT	74" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter 19.2 cu-ft heaped capacity		541	\$1,702.00
AP-HD74LLC	74" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 19.2 cu-ft heaped capacity		541	\$1,763.00
	<i>Refer to Service Parts for replacement side cutters, cutting edges, and teeth on AP Buckets</i>			

SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 4	ACCESSORIES			
K9926	RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance.		3	\$86.00
S6650	14-pin to 14-pin Adapter Harness Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration.		1	\$318.00
S6651	8-pin to 14-pin Adapter Harness Allows a user to control an attachment with an 8-pin Deutsch electrical connector.		1	\$299.00

SSV Grips, Harnesses, and Adapters					
GRIP STYLE	MODEL(s)	14-PIN HARNESS (order from parts) <i>Required on units for attachments that require electrical inputs to control hydraulic solenoids or motors.</i>	MULTIFUNCTION GRIP KIT DIA (order from parts) <i>Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips.</i>	14-PIN TO 14-PIN ADAPTER <i>Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin-out configuration.</i>	8-PIN TO 14-PIN ADAPTER <i>Allows a user to control an attachment with an 8-pin Deutsch electrical connector</i>
 C SSV Hand & Foot Standard Grips	SSV65 Hand & Foot Controls	V1311-97101	V1311-96301	S6650	S6651
	SSV75 Hand & Foot Controls	V1411-97101			
 D SSV ISO Pilot Controls Standard Grips	SSV65 ISO Pilot Controls	V1311-97101	V1311-97301		
	SSV75 ISO Pilot Controls	V1411-97101			

REPLACEMENT CAB/ROPS FOR SSV65

Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes new "bolt-on" style grab handles. Lift-Assist gas struts are not included.

SL6660	Replacement Open ROPS /SSV65 (Hand & Foot CII Units Only)	#N/A	#N/A	#N/A
SL6661A	Replacement Closed Cab/SSV65 (Hand & Foot CII Units Only)		992	\$10,500.00
SL6664	Replacement Open ROPS /SSV65 (ISO Pilot Control Units Only)		948	\$7,250.00
SL6665	Replacement Closed Cab/SSV65 (ISO Pilot Control Units Only)		948	\$10,500.00

SEE REPLACEMENT CAB & ROPS ADOPTION LIST

SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 5	ACCESSORIES Available from Parts			
V1311-96611	H-Pattern Conversion Kit <i>Beginning with SN 50210 for CAB units. Beginning with SN 51252 for ROPS units. (Refer to PIB-2017-034)</i>			\$890.00
V1311-96501	Hydraulic Quick Coupler Conversion Kit			\$962.80
V1311-96601	Self-Leveling			\$643.81
V1311-96701	Ride Control (KSR)			\$1,081.11
V1311-96201	Hazard Lamp & Turn Signals (requires 14 Pin Coupler & Multi-Function Lever Kit)			\$214.60
V1311-96401	Bonnet (Rear Door) Lock Kit			\$46.41
V1311-97101	14 Pin Coupler Harness			\$320.00
V1311-96301	Multi-Function Lever Kit (for Hand & Foot Control Models Only)			\$580.00
V1311-97301	Multi-Function Lever Kit (for ISO Pilot Controls Only)			\$650.00
77700-06360	Wiring Harness, Aircus			\$53.00
77700-06361	Air Ride Seat, requires Aircus Wiring Harness 7770-06360			\$810.00
V1311-96821	SSV Special Application Door Door Completion Kit required for ROPS units			\$3,108.79
V1311-96801	SSV Front Glass Kit			\$1,160.00
PART 5	ACCESSORIES Available from Parts (continued)			
V1311-96811	SSV ROPS Door Completion Kit (needed to install any door on ROPS units) Wiper power harness not avail for ROPS units-TBD			\$290.00
V1311-96841	Single Point Lift Kit			\$2,447.61
PART 6	OTHER ACCESSORIES - (Refer to PARTS for Pricing)			
77700-08974	Rear View Observation Camera Kit			
70000-73274	Engine Block Heater			
77700-04752	Radio AM / FM / WB / MP3			
77700-04757	Radio AM / FM / WB / Bluetooth			
70090-40007	Counterweight (order 4) with the following hardware 01176-51875 Bolt, M16-1x75mm (order 4) 04512-70160 Washer, Lock (order 4) RD451-19180 Washer (order 4)			
77700-07225	Hose Stay			
V1311-28310	10x16.5 Tire Assy (L, 8PR) Over the Tire Width = 66.5"			
V1311-28410	10x16.5 Tire Assy (R, 8PR) Over the Tire Width = 66.5"			
V1411-28310	12x16.5 Tire Assy (L, 10PR) Over the Tire Width = 71.8"			
V1411-28410	12x16.5 Tire Assy (R, 10PR) Over the Tire Width = 71.8"			
V1311-28910	30x6x10 Brawler Tire Assy (L) Replaces Equivalent To Size 10x16.5 with Over the Tire Width = 67.9"			
V1311-28920	30x6x10 Brawler Tire Assy (R) Replaces Equivalent To Size 10x16.5 with Over the Tire Width = 67.9"			
V1411-28910	33x6x11 Brawler Tire Assy (L) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9"			
V1411-28920	33x6x11 Brawler Tire Assy (R) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9"			
V1311-28710	12x16.5 Turf Tire with non-aggressive tread - Over the Tire Width = 73.5"			