

---

**Quote Summary****Prepared For:**Fsa Bid  
FL**Prepared By:**Mark Gulick  
Everglades Equipment Group  
906 Us Hwy 301 North  
Palmetto, FL 34221  
Phone: 941-722-3281  
Mobile: 813-478-2145  
mgulick@evergladesfarmequipment.com

# Item Number 214

**Quote Id:** 22482071  
**Created On:** 03 August 2020  
**Last Modified On:** 27 August 2020  
**Expiration Date:** 10 August 2020

Equipment Summary	Suggested List	Selling Price	Qty	Extended
JOHN DEERE M15 Flex Wing Rotary Cutter	\$ 25,046.00	\$ 18,500.00 X	1 =	\$ 18,500.00
<b>Equipment Total</b>				<b>\$ 18,500.00</b>

---

**Quote Summary**

Equipment Total	\$ 18,500.00
SubTotal	\$ 18,500.00
Est. Service Agreement Tax	\$ 0.00
Total	\$ 18,500.00
Down Payment	(0.00)
Rental Applied	(0.00)
<b>Balance Due</b>	<b>\$ 18,500.00</b>

Salesperson : X \_\_\_\_\_

Accepted By : X \_\_\_\_\_

**JOHN DEERE**

# Selling Equipment



Quote Id: 22482071

JOHN DEERE M15 Flex Wing Rotary Cutter				
Hours:			Suggested List	
Stock Number:			\$ 25,046.00	
			Selling Price	
			\$ 18,500.00	
Code	Description	Qty	Unit	Extended
2310P	M15 Flex Wing Rotary Cutter	1	\$ 23,620.00	\$ 23,620.00
Standard Options - Per Unit				
0202	United States	1	\$ 0.00	\$ 0.00
1200	Spring suspension	1	\$ 0.00	\$ 0.00
2500	Blade pan	1	\$ 0.00	\$ 0.00
2540	Outward Rotation	1	\$ 0.00	\$ 0.00
3035	6 Foam-Filled Tires - (Double center, single on wings) - Severe duty ag tires	1	\$ 359.00	\$ 359.00
3510	540 rpm driveline	1	\$ 0.00	\$ 0.00
3600	540 rpm -100 hp gearbox	1	\$ 0.00	\$ 0.00
5110	Clevis hitch	1	\$ 0.00	\$ 0.00
5280	Rigid casting tongue	1	\$ 0.00	\$ 0.00
Standard Options Total				\$ 359.00
Other Charges				
	Freight	1	\$ 617.00	\$ 617.00
	Setup	1	\$ 450.00	\$ 450.00
Other Charges Total				\$ 1,067.00
Suggested Price				\$ 25,046.00
Customer Discounts				
Customer Discounts Total			\$ -6,546.00	\$ -6,546.00
Total Selling Price				\$ 18,500.00

<b>John Deere M15 Flex Wing Rotary Cutter</b>	
<b>KEY SPECS</b>	
Cutting width	4.6 m15 ft
Cutting capacity (diameter)	76.2 mm3 in.
Tractor PTO HP range	41 kW55 hp
Transport width	9.1 ft (2.8 m) at wing wheels
Deck thickness - upper - lower	10 gauge - 3.4 mm0.135 in.
Shirt thickness	3 gauge - 6 mm0.24 in.
Approx. weight	2283 kg5035 lb
Drivelines - Size - Main	CV ASAE Category 5, splined telescoping profiles
Blade tip speed - 540 rpm - 1000 rpm	87.8 m/s288 fps
Gearboxes	Five years
<b>CAPACITY</b>	
Cutting width	4.6 m15 ft
Cutting height	25.4-406.4 mm1-16 in.
Cutting capacity (diameter)	76.2 mm3 in.
Cutting chamber depth	254 mm10 in.
<b>TRACTOR COMPATIBILITY</b>	
Tractor PTO HP range	41 kW55 hp
Tractor PTO	540 or 1,000 rpm
Static Vert Drawbar Load Rating	
<b>HITCH</b>	
Type	Standard self-level hitch clevis with 57.2-cm (22.5-in.) narrow-profile widthBall-type self-level hitch with 57.2-cm (22.5-in.) narrow-profile width and 2-degree rotation freedom to each sideSwivel hitch
Category	
Hitch width	
Jackstand	Mechanical jackstand in base for all machines. Hydraulically operated height, stays vertical while raising/lowering.
<b>DIMENSIONS</b>	
Transport width	9.1 ft (2.8 m) at wing wheels
Overall width	4.7 m15.4 ft
Overall length	5.3 m17.3 ft
Deck shape	Easy-clean dome-shaped top deck
Deck type	Single dome deck
Deck thickness	10 gauge - 3.4 mm0.135 in.
Shirt thickness	3 gauge - 6 mm0.24 in.
Hinges	Intermittent cast steel segments - greaseable single 2.5-cm (1-in.) diameter full-length hinge pin
Approx. weight	2283 kg5035 lb
<b>DRIVELINES</b>	
Size	MainCV ASAE Category 5, splined telescoping profilesConnectingASAE Category 5, splined telescoping profiles
Protection	ConnectingNo-seize, slip-clutch driveline
<b>GEARCASES</b>	
Number	4
HP rating	TransferContinuous: 186 kW250 hpPeak: 224 kW300 hpCenterContinuous: 75 kW100 hpPeak: 161 kW216 hpOuterContinuous: 75 kW100 hpPeak: 161 kW216 hp
<b>BLADES</b>	
Thickness	13 mm0.5 in.
Width	102 mm4 in.
Type	Suction
Overlap	152 mm6 in.
Blade rotation	
Blade tip speed	540 RPM79.2 m/s259.8 fps1000 RPM80.5 m/s284 fps
Material flow system	
Blade holder	TypeRound stump jumper for maximum protection for blade carrier against obstruction damageOption of double blade bar for extra shredding
<b>HYDRAULICS</b>	
Wing lift	Simultaneous; includes spring assist unfolding
Wing flex	For transport: upward 90 degree (angle)Working angles: upward 45 degree (angle)downward 22 degree (angle)
<b>WHEELS</b>	
Type	Option 14-bolt, laminated: 21x5.25x9Option 24-bolt, 16PR severe-duty ag: 21x7x124-bolt, 16PR severe-duty ag foam filled: 21x7x12
Suspension	Spring suspensionOptional: Torsional suspension
Row width adjustment	Yes
Wing-leveling adjustment	Easy adjust turnbuckle with bearing
<b>SHIELDING</b>	
Front	Single-row chain guard
Rear	Single-row chain guard
<b>WARRANTY</b>	
Gearboxes	Five years
<b>ADDITIONAL INFORMATION</b>	
Date collected	

**WARRANTY FOR NEW JOHN DEERE AGRICULTURAL EQUIPMENT AND  
LIMITED WARRANTY FOR NEW TURF & UTILITY EQUIPMENT (US & CANADA ONLY)**

**A. GENERAL PROVISIONS** – With respect to purchasers in the United States, "John Deere" means Deere & Company, 1 John Deere Place, Moline, IL 61265, and with respect to purchasers in Canada, "John Deere" means John Deere Canada ULC, 295 Hunter Road, P. O. Box 1000, Grimsby, Ontario L3M 4H5. The warranties described below are provided by John Deere to the original purchasers of new Agricultural, Turf and Utility Equipment ("Equipment") purchased from John Deere or authorized John Deere dealers (the "Selling Dealer"). These warranties apply only to Equipment intended for sale in Canada and the US. Under these warranties, John Deere will repair or replace, at its option, any part covered under these warranties which is found to be defective in material or workmanship during the applicable warranty term. Warranty service must be performed by a dealer or service center located in Canada or the US, and authorized by John Deere to sell and/or service the type of Equipment involved (the "Authorized Dealer"). The Authorized Dealer will use only new or remanufactured parts or components furnished or approved by John Deere. Warranty service will be performed without charge to the purchaser for parts and/or labor. However, the purchaser will be responsible for any service call and/or transportation of Equipment to and from the Authorized Dealer's place of business (except where prohibited by law), for any premium charged for overtime labor requested by the purchaser and for any service and/or maintenance not directly related to any defect covered under these warranties. These warranties are transferable, provided an authorized John Deere dealer is notified of the ownership change, and John Deere approves the warranty transfer.

**B. WHAT IS WARRANTED** – Subject to paragraph C, all parts of any new Equipment are warranted for the number of months or operating hours specified below. Each warranty term begins on the date of delivery of the Equipment to the original purchaser, (except for certain agricultural tillage, planting, cultivating, harvesting, and application Equipment which may have a delayed warranty start date, but only if established by John Deere and noted by Selling Dealer on the Purchase Order). **Included In 5E Series Tractor and Compact Utility Tractor Powertrain Warranty - Engine:** cylinder block, cylinder head, valve covers, oil pan, emissions control components, timing gear covers, flywheel housing, and all parts contained therein. **Powertrain:** transmission, transmission case, differential and axle housings, clutch housings, MFWD front axle assembly, and all parts contained therein (does not include external drivelines, dry clutch parts, or steering cylinders). **SWEEPS, SHOVELS, PLOWSHARES, AND DISK BLADES:** A replacement part will be furnished without charge if breakage occurs and the amount of wear is less than the wear limits established by John Deere.

AGRICULTURAL EQUIPMENT	WARRANTY TERM
Tractors	24 Months or 2000 Hours, Whichever Comes First
Tractors used in Heavy Duty Land Leveling applications exceeding 150 hours per year	90 Days
9R Series Tractors factory equipped with Option 0574 used in Heavy Duty Land Leveling applications less than half of the annual usage	24 Months or 2000 Hours, Whichever Comes First
9R Series Tractors factory equipped with Option 0574 used in Heavy Duty Land Leveling applications exceeding half of the annual usage	90 Days
Scraper Special Tractors	24 Months or 2000 Hours, Whichever Comes First
5E Series Tractors	24 Months or 2000 Hours, Whichever Comes First
a) Powertrain on 5E Series Tractors (components as per B above)	60 Months or 2000 Hours, Whichever Comes First
Scrapers	6 Months for MY14 and earlier 12 Months for D Series and MY15 and later
Frontier™ Equipment	12 months
Sugar Cane Harvesters and Loaders	12 months or 1500 hours, Whichever Comes First
All other Equipment (includes Ag Management Solutions (AMS) products)	12 Months
Premium Balers	24 Months or 12,000 bales, Whichever Comes First; First 12 Months, No Bale Limitation
Large Square Balers	12 Months, No Bale Limitation
a) Powertrain on Large Square Balers	24 Months or 20,000 bales, Whichever Comes First
Hagie Manufacturing Company LLC Sprayers and Detasslers	24 Months or 1000 Hours, Whichever Comes First
Engines in Self-Propelled Equipment except Tractors*	24 Months or 2000 Hours, Whichever Comes First
*Engine Items Covered in months 13 through 24 – Engine block, cylinder head, rocker arm cover, timing gear cover, crankcase pan and all parts enclosed within these units. Also included are the fuel injection pump, turbocharger, water pump, torsion damper, manifolds, and engine oil cooler. All other engine related items are not covered in months 13 through 24.	
TURF & UTILITY EQUIPMENT	WARRANTY TERM
1) Z200 Series and Z425 EZtrak™ Mowers, Z300 Series and Z525E ZTrak™ Mowers, and 100 Series Tractors**	24 Months or 120 Hours, Whichever Comes First
2) S200 Series Tractors**	36 Months or 200 Hours, Whichever Comes First
3) X300 Series Tractors; Z400 Series EZtrak™ Mowers and Z500M Series ZTrak™ Mowers (Except Z425 and Z525E)**	48 Months or 300 Hours, Whichever Comes First
4) X500 Series Tractors; Z700E and Z500R Series ZTrak™ Mowers, and Z600 Series EZtrak™ Mowers**	48 Months or 500 Hours, Whichever Comes First
5) X700 Series Tractors**	48 Months or 700 Hours, Whichever Comes First
6) Z700M Series ZTrak™ Mowers**	48 Months or 750 Hours, Whichever Comes First
7) Z700R Series ZTrak™ Mowers**	48 Months or 1000 Hours, Whichever Comes First
8) JS Series Residential Walk-Behind Mowers	24 Months in Private Residential – Personal Use or 90 Days in Any Other Application
9) Wide Area Mowers, Front Mower Traction Units and Mower Decks, QuikTrak™ Mowers, Commercial Walk Behind Mowers	24 Months
10) Z900B, Z900E, and Z900M Series ZTrak™ Mowers	36 Months or 1200 Hours, Whichever Comes First; First 24 Months, No Hour Limitation
11) Z997, Z900A Series and Z900R Series ZTrak™ Mowers	36 Months or 1500 Hours, Whichever Comes First; First 24 Months, No Hour Limitation
12) Compact Utility Tractors	24 Months or 2000 Hours, Whichever Comes First
a) Powertrain on Compact Utility Tractors (components as per B above)	72 Months or 2000 Hours, Whichever Comes First
b) Compact Utility Tractor Loaders D120, 120R, 220R, 300E, 300R, 320R, 400E, 440R	24 Months
13) GATOR™ Utility Vehicles	12 Months or 1000 Hours, Whichever Comes First
14) Except as provided above, all other Implements/Attachments sold separately or purchased on the same Purchase Order as Equipment listed in 9 through 13	12 Months
15) All other Turf & Utility Equipment	24 Months in Private Residential - Personal Use or 12 Months in Any Other Application

\*\*Implements/Attachments purchased on the same Purchase Order as the Equipment listed will be covered by the Equipment's warranty terms. Implements/Attachments purchased separately will be covered by the warranty term on line 14.

**C. (I) ITEMS COVERED SEPARATELY** – (1) Tires, rubber tracks and batteries; (2) John Deere Hand Held-Portable products; (3) When applicable, a separate emissions warranty statement will be provided by Selling Dealer.

**(II) WHAT IS NOT WARRANTED** – Pursuant to the terms of these warranties, JOHN DEERE IS NOT RESPONSIBLE FOR THE FOLLOWING: (1) Used Equipment; (2) Any Equipment that has been altered or modified in ways not approved by John Deere, including, but not limited to, setting injection pump fuel delivery above John Deere specifications, modifying combine grain tanks, and modifying self-propelled sprayers with unapproved wheels, tracks, tanks or booms; (3) Depreciation or damage caused by normal wear, lack of reasonable and proper maintenance, failure to follow operating instructions/recommendations; misuse, lack of proper protection during storage, vandalism, the elements or collision or accident; (4) Normal maintenance parts and/or service, including but not limited to, oil, filters, coolants and conditioners, cutting parts, belts, brake and clutch linings; (5) Any Utility Vehicle used for racing or other competitive purpose; (6) Chains on Premium Balers.

**D. SECURING WARRANTY SERVICE** – To secure warranty service the purchaser must, (1) Report the Equipment defect to an Authorized Dealer and request warranty service within the applicable warranty term; (2) Present evidence of the warranty start date with valid proof of purchase; and (3) Make the Equipment available to an Authorized Dealer within a reasonable time.

**E. NO IMPLIED WARRANTY, REPRESENTATION OR CONDITION** – To the extent permitted by law, neither John Deere nor any company affiliated with it makes any warranties, representations, conditions or promises express or implied as to the quality, performance or freedom from defect of the Equipment covered by these warranties other than those set forth above, AND NO STATUTORY OR IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY OR FITNESS ARE MADE. TO THE EXTENT LEGALLY REQUIRED, ANY IMPLIED WARRANTIES OR CONDITIONS SHALL BE LIMITED IN DURATION TO THE APPLICABLE PERIOD OF WARRANTY SET FORTH ON THIS PAGE. THE PURCHASER'S ONLY REMEDIES IN CONNECTION WITH THE BREACH OR PERFORMANCE OF ANY WARRANTY ON JOHN DEERE EQUIPMENT ARE THOSE SET FORTH ON THIS PAGE. IN NO EVENT WILL THE DEALER, JOHN DEERE OR ANY COMPANY AFFILIATED WITH JOHN DEERE BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. (Note: Some jurisdictions do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages so the above limitations and exclusions may not apply to you.) In the event the above warranty fails to correct purchaser's performance problems caused by defects in workmanship and/or materials, purchaser's exclusive remedy shall be limited to payment by John Deere of actual damages in an amount not to exceed the amount paid for the Equipment. This warranty gives you specific legal rights, and you may also have other rights which vary from jurisdiction to jurisdiction.

**F. NO DEALER WARRANTY** THE DEALER HAS NO AUTHORITY TO MAKE ANY WARRANTY, REPRESENTATION, CONDITION OR PROMISE ON BEHALF OF JOHN DEERE, OR TO MODIFY THE TERMS OR LIMITATIONS OF THIS WARRANTY IN ANY WAY.

**G.** If further information is desired, contact Selling Dealer or John Deere at 1-866-993-3373 (Agricultural) or 1-800-537-8233 (Turf & Utility Equipment).