

Quote Summary

Prepared For:

Fsa Bid
FL

Prepared By:

Mark Gulick
Everglades Equipment Group
906 Us Hwy 301 North
Palmetto, FL 34221
Phone: 941-722-3281
Mobile: 813-478-2145
mgulick@evergladesfarmequipment.com

Item Number 425

Quote Id: 22483859
Created On: 03 August 2020
Last Modified On: 07 August 2020
Expiration Date: 10 August 2020

Equipment Summary	Suggested List	Selling Price	Qty	Extended
JOHN DEERE 3035D Compact Utility Tractor	\$ 21,815.00	\$ 18,900.00 X	1 =	\$ 18,900.00
Equipment Total				\$ 18,900.00

Quote Summary

Equipment Total	\$ 18,900.00
SubTotal	\$ 18,900.00
Est. Service Agreement Tax	\$ 0.00
Total	\$ 18,900.00
Down Payment	(0.00)
Rental Applied	(0.00)
Balance Due	\$ 18,900.00

Salesperson : X _____

Accepted By : X _____

Quote Id: 22483859

JOHN DEERE 3035D Compact Utility Tractor				
Hours:			Suggested List	
Stock Number:			\$ 21,815.00	
			Selling Price	
			\$ 18,900.00	
Code	Description	Qty	Unit	Extended
1690LV	3035D Compact Utility Tractor	1	\$ 21,008.00	\$ 21,008.00
Standard Options - Per Unit				
0202	United States	1	\$ 0.00	\$ 0.00
0409	English North American Operators Manual and Decal Kit	1	\$ 0.00	\$ 0.00
1795	Less Loader	1	\$ 0.00	\$ 0.00
4061	Less iMatch Quick Hitch	1	\$ 0.00	\$ 0.00
4110	Draft Links - Flat Bar (Standard)	1	\$ 0.00	\$ 0.00
4310	Rear Drawbar	1	\$ 0.00	\$ 0.00
5211	11.20-24 6PR R1 Bar	1	\$ 0.00	\$ 0.00
6211	7-14 6PR R1 Bar	1	\$ 0.00	\$ 0.00
Standard Options Total				\$ 0.00
Value Added Services Total				\$ 0.00
Other Charges				
	Freight	1	\$ 557.00	\$ 557.00
	Setup	1	\$ 250.00	\$ 250.00
Other Charges Total				\$ 807.00
Suggested Price				\$ 21,815.00
Customer Discounts				
Customer Discounts Total			\$ -2,915.00	\$ -2,915.00
Total Selling Price				\$ 18,900.00

John Deere 3035D Compact Tractor

KEY SPECS

Engine power (gross)	25.5 kW34.7 hp
Power take-off (PTO) power	23 kW30.8 hp
Steering hydraulics	16.8 L/min4.4 gpm
Implement hydraulics	22.4 L/min5.9 gpm
Hitch type	Category 1
Lift capacity, 24-in. behind link arms	757.4 kg1670 lb
Standard transmission; forward/reverse	8F/8R synchromesh shuttle shift gear transmission
Cruise control	No
Approximate shipping weight (open-station; cab)	1275 kg2811 lb
Wheelbase	157.4 cm62 in.

ENGINE

Family	
Manufacturer	Yanmar
Engine model	3TNV88C-KJPT
Engine power (gross)	25.5 kW34.7 hp
Power take-off (PTO) power	23 kW30.8 hp
Rated engine speed	2400 rpm
Type	
Injection pump type	High pressure common rail direct injection
Aspiration	Natural
Emissions compliance	Final Tier 4
Cylinders/displacement	3 / 1.64 L3 / 100.2 cu in.
Number of cylinders	Three
Cylinder liners	Cast-in-block
Bore and stroke	88 x 90 mm3.46 x 3.54 in.
Compression ratio	19.1:1
Lubrication	Pressurized
Cooling system	Water pump
Air cleaner	Dual element
Engine torque at rated speed	87 Nm64.2 lb-ft
Fuel tank capacity	36.7 L9.7 U.S. gal.

ELECTRICAL

Battery size	600 CCA
Alternator (12-V)	55 amp
Starter size	1.4 kW1.9 hp

FUEL SYSTEM

Type	High pressure common rail direct injection
------	--

Fuel consumption

TRANSMISSION

Standard transmission; forward/reverse	8F/8R synchromesh shuttle shift gear transmission
Optional transmission; forward/reverse	
Left-hand reverser	Yes
Transmission gear ranges	4 gears and 2 ranges
Final drive	Spur Gear
Brakes	Wet disc
Steering	Power steering
Clutch, wet/dry	
Clutch disk diameter wet clutch	
Axle capacity	Front880 kg1940 lbRear1600 kg3527 lb
Creeper	No
Cruise control	No
Differential lock	Yes
Drawbar maximum vertical load	

HYDRAULICS

Type	Open center
Pump rated output	Steering16.8 L/min4.4 gpmImplement22.4 L/min5.9 gpm39.2 L/min10.3 gpm
Pump type	Single gear
Maximum operating pressure	172.4 bar2500 psi
Draft control sensing	Position control
Remote control valves available	Up to two (optional)
3-POINT HITCH	
Type	Category 1
Lift capacity, 24-in. behind link arms	757.4 kg1670 lb
POWER TAKE-OFF (PTO)	
Standard	540 rpm at 2400 rpm
Optional	
Control	Mechanical
Clutch	Transmission
Brake (for mid and rear PTO)	Wet disc
Engagement method	
FLUID CAPACITIES	
Crankcase with filter	4.5 L4.8 qt
Transmission and hydraulic system	33 L34.8 qt
FINAL DRIVE	
Type	Bull Gear
Differential lock	
OPERATOR STATION	
Rollover protective structure	TypeFoldableASABE S478
Platform - flat/straddle	Semi-flat
Gear shift location - console/floor	Right-hand side
CAB	
Compliance	
Visibility	
Air conditioning, temperature differential	
Doors	
Noise rating	
Seat equipment	
DIMENSIONS	
Wheelbase	157.4 cm62 in.
Front axle clearance	35 cm14 in.
Turning radius with brakes	1.63 m5.3 ft
Turning radius without brakes	
Limited slip differential	
Approximate shipping weight (open-station; cab)	1275 kg2811 lb
TIRES	
Front	Farm - 7-14Turf - 27x8.5-15R4 - 25x8.5-14
Rear	Farm - 11.2-24Turf - 41x14-20R4 - 15-19.5
Front tread range	
Rear tread spacing	
MISCELLANEOUS	
Toolbox	Yes
Tilt steering wheel	No
12-V Outlet	No
ADDITIONAL INFORMATION	
Date collected	

**WARRANTY FOR NEW JOHN DEERE AGRICULTURAL EQUIPMENT AND
LIMITED WARRANTY FOR NEW TURF & UTILITY EQUIPMENT (US & CANADA ONLY)**

A. GENERAL PROVISIONS – With respect to purchasers in the United States, "John Deere" means Deere & Company, 1 John Deere Place, Moline, IL 61265, and with respect to purchasers in Canada, "John Deere" means John Deere Canada ULC, 295 Hunter Road, P. O. Box 1000, Grimsby, Ontario L3M 4H5. The warranties described below are provided by John Deere to the original purchasers of new Agricultural, Turf and Utility Equipment ("Equipment") purchased from John Deere or authorized John Deere dealers (the "Selling Dealer"). These warranties apply only to Equipment intended for sale in Canada and the US. Under these warranties, John Deere will repair or replace, at its option, any part covered under these warranties which is found to be defective in material or workmanship during the applicable warranty term. Warranty service must be performed by a dealer or service center located in Canada or the US, and authorized by John Deere to sell and/or service the type of Equipment involved (the "Authorized Dealer"). The Authorized Dealer will use only new or remanufactured parts or components furnished or approved by John Deere. Warranty service will be performed without charge to the purchaser for parts and/or labor. However, the purchaser will be responsible for any service call and/or transportation of Equipment to and from the Authorized Dealer's place of business (except where prohibited by law), for any premium charged for overtime labor requested by the purchaser and for any service and/or maintenance not directly related to any defect covered under these warranties. These warranties are transferable, provided an authorized John Deere dealer is notified of the ownership change, and John Deere approves the warranty transfer.

B. WHAT IS WARRANTED – Subject to paragraph C, all parts of any new Equipment are warranted for the number of months or operating hours specified below. Each warranty term begins on the date of delivery of the Equipment to the original purchaser, (except for certain agricultural tillage, planting, cultivating, harvesting, and application Equipment which may have a delayed warranty start date, but only if established by John Deere and noted by Selling Dealer on the Purchase Order). **Included In 5E Series Tractor and Compact Utility Tractor Powertrain Warranty - Engine:** cylinder block, cylinder head, valve covers, oil pan, emissions control components, timing gear covers, flywheel housing, and all parts contained therein. **Powertrain:** transmission, transmission case, differential and axle housings, clutch housings, MFWD front axle assembly, and all parts contained therein (does not include external drivelines, dry clutch parts, or steering cylinders). **SWEEPS, SHOVELS, PLOWSHARES, AND DISK BLADES:** A replacement part will be furnished without charge if breakage occurs and the amount of wear is less than the wear limits established by John Deere.

AGRICULTURAL EQUIPMENT	WARRANTY TERM
Tractors	24 Months or 2000 Hours, Whichever Comes First
Tractors used in Heavy Duty Land Leveling applications exceeding 150 hours per year	90 Days
9R Series Tractors factory equipped with Option 0574 used in Heavy Duty Land Leveling applications less than half of the annual usage	24 Months or 2000 Hours, Whichever Comes First
9R Series Tractors factory equipped with Option 0574 used in Heavy Duty Land Leveling applications exceeding half of the annual usage	90 Days
Scraper Special Tractors	24 Months or 2000 Hours, Whichever Comes First
5E Series Tractors	24 Months or 2000 Hours, Whichever Comes First
a) Powertrain on 5E Series Tractors (components as per B above)	60 Months or 2000 Hours, Whichever Comes First
Scrapers	6 Months for MY14 and earlier 12 Months for D Series and MY15 and later
Frontier™ Equipment	12 months
Sugar Cane Harvesters and Loaders	12 months or 1500 hours, Whichever Comes First
All other Equipment (includes Ag Management Solutions (AMS) products)	12 Months
Premium Balers	24 Months or 12,000 bales, Whichever Comes First; First 12 Months, No Bale Limitation
Large Square Balers	12 Months, No Bale Limitation
a) Powertrain on Large Square Balers	24 Months or 20,000 bales, Whichever Comes First
Hagie Manufacturing Company LLC Sprayers and Detasslers	24 Months or 1000 Hours, Whichever Comes First
Engines in Self-Propelled Equipment except Tractors*	24 Months or 2000 Hours, Whichever Comes First
*Engine Items Covered in months 13 through 24 – Engine block, cylinder head, rocker arm cover, timing gear cover, crankcase pan and all parts enclosed within these units. Also included are the fuel injection pump, turbocharger, water pump, torsion damper, manifolds, and engine oil cooler. All other engine related items are not covered in months 13 through 24.	
TURF & UTILITY EQUIPMENT	WARRANTY TERM
1) Z200 Series and Z425 EZtrak™ Mowers, Z300 Series and Z525E ZTrak™ Mowers, and 100 Series Tractors**	24 Months or 120 Hours, Whichever Comes First
2) S200 Series Tractors**	36 Months or 200 Hours, Whichever Comes First
3) X300 Series Tractors; Z400 Series EZtrak™ Mowers and Z500M Series ZTrak™ Mowers (Except Z425 and Z525E)**	48 Months or 300 Hours, Whichever Comes First
4) X500 Series Tractors; Z700E and Z500R Series ZTrak™ Mowers, and Z600 Series EZtrak™ Mowers**	48 Months or 500 Hours, Whichever Comes First
5) X700 Series Tractors**	48 Months or 700 Hours, Whichever Comes First
6) Z700M Series ZTrak™ Mowers**	48 Months or 750 Hours, Whichever Comes First
7) Z700R Series ZTrak™ Mowers**	48 Months or 1000 Hours, Whichever Comes First
8) JS Series Residential Walk-Behind Mowers	24 Months in Private Residential – Personal Use or 90 Days in Any Other Application
9) Wide Area Mowers, Front Mower Traction Units and Mower Decks, QuikTrak™ Mowers, Commercial Walk Behind Mowers	24 Months
10) Z900B, Z900E, and Z900M Series ZTrak™ Mowers	36 Months or 1200 Hours, Whichever Comes First; First 24 Months, No Hour Limitation
11) Z997, Z900A Series and Z900R Series ZTrak™ Mowers	36 Months or 1500 Hours, Whichever Comes First; First 24 Months, No Hour Limitation
12) Compact Utility Tractors	24 Months or 2000 Hours, Whichever Comes First
a) Powertrain on Compact Utility Tractors (components as per B above)	72 Months or 2000 Hours, Whichever Comes First
b) Compact Utility Tractor Loaders D120, 120R, 220R, 300E, 300R, 320R, 400E, 440R	24 Months
13) GATOR™ Utility Vehicles	12 Months or 1000 Hours, Whichever Comes First
14) Except as provided above, all other Implements/Attachments sold separately or purchased on the same Purchase Order as Equipment listed in 9 through 13	12 Months
15) All other Turf & Utility Equipment	24 Months in Private Residential - Personal Use or 12 Months in Any Other Application

**Implements/Attachments purchased on the same Purchase Order as the Equipment listed will be covered by the Equipment's warranty terms. Implements/Attachments purchased separately will be covered by the warranty term on line 14.

C. (I) ITEMS COVERED SEPARATELY – (1) Tires, rubber tracks and batteries; (2) John Deere Hand Held-Portable products; (3) When applicable, a separate emissions warranty statement will be provided by Selling Dealer.

(II) WHAT IS NOT WARRANTED – Pursuant to the terms of these warranties, JOHN DEERE IS NOT RESPONSIBLE FOR THE FOLLOWING: (1) Used Equipment; (2) Any Equipment that has been altered or modified in ways not approved by John Deere, including, but not limited to, setting injection pump fuel delivery above John Deere specifications, modifying combine grain tanks, and modifying self-propelled sprayers with unapproved wheels, tracks, tanks or booms; (3) Depreciation or damage caused by normal wear, lack of reasonable and proper maintenance, failure to follow operating instructions/recommendations; misuse, lack of proper protection during storage, vandalism, the elements or collision or accident; (4) Normal maintenance parts and/or service, including but not limited to, oil, filters, coolants and conditioners, cutting parts, belts, brake and clutch linings; (5) Any Utility Vehicle used for racing or other competitive purpose; (6) Chains on Premium Balers.

D. SECURING WARRANTY SERVICE – To secure warranty service the purchaser must, (1) Report the Equipment defect to an Authorized Dealer and request warranty service within the applicable warranty term; (2) Present evidence of the warranty start date with valid proof of purchase; and (3) Make the Equipment available to an Authorized Dealer within a reasonable time.

E. NO IMPLIED WARRANTY, REPRESENTATION OR CONDITION – To the extent permitted by law, neither John Deere nor any company affiliated with it makes any warranties, representations, conditions or promises express or implied as to the quality, performance or freedom from defect of the Equipment covered by these warranties other than those set forth above, AND NO STATUTORY OR IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY OR FITNESS ARE MADE. TO THE EXTENT LEGALLY REQUIRED, ANY IMPLIED WARRANTIES OR CONDITIONS SHALL BE LIMITED IN DURATION TO THE APPLICABLE PERIOD OF WARRANTY SET FORTH ON THIS PAGE. THE PURCHASER'S ONLY REMEDIES IN CONNECTION WITH THE BREACH OR PERFORMANCE OF ANY WARRANTY ON JOHN DEERE EQUIPMENT ARE THOSE SET FORTH ON THIS PAGE. IN NO EVENT WILL THE DEALER, JOHN DEERE OR ANY COMPANY AFFILIATED WITH JOHN DEERE BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. (Note: Some jurisdictions do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages so the above limitations and exclusions may not apply to you.) In the event the above warranty fails to correct purchaser's performance problems caused by defects in workmanship and/or materials, purchaser's exclusive remedy shall be limited to payment by John Deere of actual damages in an amount not to exceed the amount paid for the Equipment. This warranty gives you specific legal rights, and you may also have other rights which vary from jurisdiction to jurisdiction.

F. NO DEALER WARRANTY THE DEALER HAS NO AUTHORITY TO MAKE ANY WARRANTY, REPRESENTATION, CONDITION OR PROMISE ON BEHALF OF JOHN DEERE, OR TO MODIFY THE TERMS OR LIMITATIONS OF THIS WARRANTY IN ANY WAY.

G. If further information is desired, contact Selling Dealer or John Deere at 1-866-993-3373 (Agricultural) or 1-800-537-8233 (Turf & Utility Equipment).