



State Certified
CMC #052392
PCC #048371

5440 NW 78th Avenue / Miami, Florida 33166 / Phone 305-592-8730 / Fax 305-592-6571 / 800-274-8730

JOBBERS EQUIPMENT WAREHOUSE, INC.

Florida Sheriffs Association

Cooperative Purchasing Program

BID-Contract FSA20-EQU18.0 HEAVY EQUIPMENT

Description:

Item #: 534

Group: VEHICLE LIFT - Stationary - 4 Column, Alignment Lift with Front/Rear Jacks and Integrated Turntables and Slip Plates 15K

Make: Challenger Lifts

Model: AR4115XAO

Model #: AR4115XAO

Description:

Capacity 15,000 lbs.

Open Front

Max. Wheelbase 210"

Rise Height 78"

Overall Length 277.75"

Overall Width 142"

Inside Columns: 120" Front/ 125.5" Rear

Between Columns 222.5"

Height of Columns 99.5" Front / 98" Rear

Width of Runways 22"

Height of Runways 7"

Width Between Runways 43"

Max. 2 Wheel Alignment - 195"

Max. 4 Wheel Alignment - 68" - 158"

Air Supply Required 90-120 psi

Motor / Voltage 2HP, 208v-230v, 60Hz , 1Ph

Speed or Rise 85 s

Min. Recomm. Bay Size 12' x 26'

ALI/ETL Certified: Yes

Colors Available Red, Blue, Black


15,000 LB. 4-POST LIFT

4115 MODEL*



**NEW WIDER
RUNWAYS**

*Model#: AR4115EAO (shown)



4-Post Flat Deck General Service and Alignment Rack
Package 15,000 Lb. capacity

THE 4115 EXPERIENCE

Designed with productivity and safety in mind, our newly improved 15,000 lb 4-Post Lift would be a great addition to any shop floor. With several configurations available, you're sure to find the lift to meet your needs.

Increase your customer base with this lift as it can accommodate and

service a wide range of vehicles. Anything from a small passenger car to a medium-duty truck, and even medium-sized vans. All while boosting workplace safety with our open front design, assisting technicians moving around a vehicle's frame.

CHALLENGERLIFTS.COM

CL Challenger Lifts



FEATURES & BENEFITS:

- All-new and wider 22" runways.
- Open and closed front design for **better ergonomics**, allowing **easy access to adjustment points** on both standard or long length runway racks.
- Improved 4-wheel alignment wheelbase for extended alignment capabilities allowing you to **service both long and short wheelbase vehicles**.
- Louvered approach ramps prevent wheelspin and are more effective than diamond tread or abrasive strips.
- Keep your shop looking **stylish & clean** with our new and improved all enclosed front column and crossbeam design. Expect a **longer and smoother operational life** with our UHMW internally encapsulated slide block.
- Compatible with the industry's latest imaging alignment systems.
- 17 locking positions with improved lock design.
- *Optional Alignment kit includes: rolling jacks, internal airline system, & stainless steel turn plates*

Model Number	4115EFO	4115XFO	4115EFX	4115AFX	AR4115EAO	AR4115XAO	AR4115EAX	AR4115XAX
Lifting Capacity	15,000 lbs.	15,000 lbs.	15,000 lbs.	15,000 lbs.	15,000 lbs.	15,000 lbs.	15,000 lbs.	15,000 lbs.
Open or Closed Front	Open	Open	Closed	Closed	Open	Open	Closed	Closed
Rise Height	78"	78"	78"	78"	78"	78"	78"	78"
A Overall Length	250.75"	277.75"	246"	273.75"	250.75"	277.75"	246"	273.75"
B Overall Width	142"	142"	142"	142"	142"	142"	142"	142"
C Inside Columns	Front: 120" Rear: 125.5"	Front: 120" Rear: 125.5"	125.5"	125.5"	Front: 120" Rear: 125.5"	Front: 120" Rear: 125.5"	125.5"	125.5"
D Between Columns	195"	222.5"	196"	223.5"	195"	222.5"	196"	223.5"
E Height of Columns	Front: 99.5" Rear: 98"	Front: 99.5" Rear: 98"	98"	98"	Front: 99.5" Rear: 98"	Front: 99.5" Rear: 98"	98"	98"
F Height of Runways	7"	7"	7"	7"	7"	7"	7"	7"
G Width of Runways	22"	22"	22"	22"	22"	22"	22"	22"
H Width Between Runways	43"	43"	40" / 43"	40" / 43"	43"	43"	40" / 43"	40" / 43"
I Max. Wheelbase ¹	182.5"	210"	182.5"	210"	182.5"	210"	182.5"	210"
J Rise Height	78"	78"	78"	78"	78"	78"	78"	78"
Max. 2 Wheel Alignment	N/A	N/A	N/A	N/A	195"	195"	195"	195"
Max. 4 Wheel Alignment	-	-	-	-	68" - 158"	68" - 158"	68" - 158"	68" - 158"
Air Supply Required	90-120 psi	90-120 psi	90-120 psi	90-120 psi	90-120 psi	90-120 psi	90-120 psi	90-120 psi
Motor / Voltage ²	2HP, 208v-230v, 60Hz, 1Ph							
Lifting Time	85 s	85 s	85 s	85 s	85 s	85 s	85 s	85 s
Min. Recomm. Bay Size	12' x 24'	12' x 26'	12' x 24'	12' x 26'	12' x 24'	12' x 26'	12' x 24'	12' x 26'

¹ Maximum wheelbase is based on a tire diameter of 30".

² Optional 3 phase electrical also available. Standard lift colors are Red, Blue or Black. Optional colors available.



Challenger Lifts, Inc. reserves the right to make changes to specifications without notice and without making changes retroactive. Unloading, installation and oil not included.

© Challenger Lifts, Inc., 2020. All Rights Reserved.
CL4115.v1