

1. OPERATING WEIGHT: a. 8800 LBS. GVWR  
b. Empty weight-5900 LBS
2. ENGINE/TRANSMISSION: 78 hp b. Hydrostatic drive
3. BRAKES/TIRES a. Drum type brakes [ power assist]  
b. Front tire size 6.50 R10 Radial  
c. Rear tire size 225/75 R10 Radial
4. SWEEPER DIMENSIONS:a. Height: 72"  
b. Width: 52"  
c. Length: 162"
5. HOPPER: a. 2.3 cubic yard capacity ✓
6. GUTTER BROOMS: a. Equipped with left and right side gutter brooms  
b. Front mounted 33.5" diameter  
c. Overall sweeping width 122"
7. WATER SYSTEM a. 66 gal recirculation water system capacity  
b. 40 gal clean water system capacity
8. LIGHTING / SAFETY a. Lighting package to enable vehicle to operate on the road  
b. Work lights for operation of vehicle at night  
c. Amber warning beacon  
d. Intermittent wipers
9. COMFORT ITEMS: a. Cab to be air conditioned and heated  
b. Suspension type operator seat
10. INSTRUMENTATION: a. Full instrumentation to monitor operation of vehicle
11. FAN UNIT: a. Centrifugal type fan  
b. Wear resistant blades

# CITY CAT



## Key specifications

- Articulated steering
- 25 mph top speed
- 1 t payload / 3.5 t gross weight
- 2 m<sup>3</sup> hopper volume
- 2700 mm sweeping width
- 425 l water volume
- Drivable with just a car license
- PM2.5/10 4-star certified



## MANUFACTURER CERTIFICATION

FSA20-VEL28.0 Pursuit, Administrative & Other Vehicles,  
FSA20-VEH18.0 Heavy Vehicles  
FSA 20-EQU18.0 Heavy Equipment

This is to certify that Pats Pump & Blower is the manufacturer  
(Vendor/Respondent's Name) or a  
manufacturer's authorized dealer of HiVac Corporation  
(Manufacturer/Brand Name)  
in the State of Florida.

By:

Manufacturer Name: HiVac Corporation

Address: 117 Industry Road

City, State, Zip: Marietta Ohio 45750

Office Phone: 740.374.2306

Mobile Phone: \_\_\_\_\_

E-mail: kparks@hi-vac.com

Signature: \_\_\_\_\_

Title: \_\_\_\_\_

**PLEASE NOTE:** This certification form must be executed by an authorized employee of the manufacturer ONLY. Dealers/Representatives are not authorized to execute this certification form on behalf of the manufacturer. The manufacturer must execute this certification form even if they are offering their own products. Failure to submit this certification form with your response as required shall result in the disqualification of the response.