



Florida Sheriff's Association Contract # FSA20-EQU18.0, Item# 439
Towmaster® Trailers Model TC-16 Deck Over

Base Model	TC-16 Deck Over
Deck Length	Deck Length 20 ft
Beavertail	5 ft Cleated Style Beavertail
Decking Type	2" Nominal Oak Wood
Deck Height	36" Deck Height
Width	102" Wide Overall Width
Axles	(2) 8K Oil Bath
Brakes	Electric Brakes with Break-Away Battery
Tires	(4) 215/75R x17.5 (H)
Wheels	(4) White Mod
Jack	12K, Drop Leg Jack
Lights	LED
Plug	7 Pole RV
Hitch/Neck	3" Pintle Ring
Ramps	(2) 5 ft Cleat Style
Ramps	2-Way Spring-Assist Ramps
Ramp Color	Equipment Red
Trailer Color	Equipment Black
Tie Downs	Rub Rail & Stake Pockets
Option	Lockable Storage Tray Lid
Option	Spare Tire Mounting Bracket
Option	Spare Tire & Wheel 215/75Rx17.5 (H)
Capacity	16,000 Lbs.
GVWR	21,900 Lbs.



AMERICA'S BEST TRAILER




Description:

The economical TC-16 is a great trailer for mid-sized equipment. It's built on the Towmaster I-beam frame and features 3-inch I-beam crossmembers, 8'-6" wide oak wood deck, 5-foot angle-iron beavertail and 5-foot one-way spring assist ramps. Sealed wiring and grommet mounted incandescent lights are standard.

Quick Specs:

- 36" deck height (empty)
- 8'-6" wide white oak deck
- 20' deck
- 5' angle-iron beavertail
- D-ring tie-downs
- Electric brakes
- Spring suspension
- One-way spring-assist ramps



Go directly to our web site with your smart phone. Scan this tag with your phone's camera using the app at <http://gettag.mobi>

towmaster.com

800-462-4517

U.S.A. BUILT EMPLOYEE OWNED



Single-wheel tandem axle. 8K Dexter Torflex axles with rubber-ride suspension.



Angle-iron beavertail and ramps provide excellent traction for loading and unloading.



One-way spring-assist ramps and grommet mounted incandescent lights.



**GALVANIZING
AVAILABLE**




Photos may show optional equipment.

**Deck-Over
TC-16**

TC-16

AMERICA'S BEST TRAILER



SPECIFICATIONS

S=Standard O=Optional

TC-16

CAPACITY / DIMENSIONS

Capacity Rating (lbs/kg)	16,000 / 7258			
GVWR (lbs/kg)	21,900 / 9934			
GAWR (lbs/kg)	16,000 / 7257			
Approx. Weight (lbs/kg)	5,900 / 2676			
Deck Length (ft-in/mm)	20-0 / 6096			
Overall Length (ft-in/mm)	31-5 / 9576			
Deck Height (empty)(in/mm)	36 / 914			
Overall Width (ft-in/mm)	8-6 / 2591			

TONGUE

Tongue Length (ft-in/mm)	5-0 / 1524			
Storage Tray	S			
Storage Tray Lid	O			
Pintle Ring (in)	3"			
High-Tensile Safety Chain (size - in)	3/8 Grade 70			
Bolt-on Drop-Leg Parking Jack	12K			

FRAME / RAMPS

Main Beam	W10 x 17, Gr. 50			
One-Piece Cold-Formed Frame Rails	S			
Crossmembers	3" Jr I-beam			
Headboard (in/mm)	5.5 / 140			
Channel Side Rails (in/mm)	6 / 152			
Deck Material	2" nom. White Oak			
Tie Downs	D-rings			
Tie Downs (Total/Side)	8 / 4			
Beavertail (ft-in / mm) (angle-degrees)	5-0 / 1524 (14)			
Beavertail Type	Angle-Iron			
Ladder Style Ramps (ft-in x in/mm)	5-0 x 21 / 1524 x 533			
Off-the-Ground Spring Assist	S			

SUSPENSION / TIRES

Slipper Spring Suspension	S			
No. of Axles	2			
Axle Capacity (each) (lbs/kg)	8,000 / 3629			
Axle Spread (in/mm)	34 / 864			
Hubs	Standard Lube			
Electric Brakes w/Forward Adjust	S			
Battery Break-Away Kit w/Tow Charger	S			
Brake Size (in/mm)	12.25x3.38 / 311x86			
Wheels (in/mm)	17.5x6.75 / 445x171			
Wheel Bolt Pattern	8-bolt			
Tires / Load Range Rating	215/75R x 17.5 / H			

STANDARD EQUIPMENT

- Adjustable hitch height
- Weather resistant sealed modular wiring
- Grommet mounted incandescent lights
- Registration holder
- Rust inhibiting primer
- Durable, rust inhibiting top coat
- Die-cut UV resistant vinyl decals
- DOT conspicuity tape
- Mud flaps
- Adjustable ramp width spacing
- RV electrical plug
- Trailer color: Equipment black
- Ramp color: Equipment red


OPTIONAL EQUIPMENT

Other options may be available

See your dealer or visit our web site for details

- 2-5/16" ball coupler
- Gooseneck hitch
- 6-pole round electrical plug
- Storage tray lid
- 8K electric winch
- Additional tie-downs
- D-ring tie-downs
- E-Z Lube hubs
- Spare tire and wheel mount
- Spare tire and wheel
- Ramp lift springs
- Several ramp options available
- LED lights
- Color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal
- Galvanizing

Download these PDF specs to your smart phone. Scan this tag with your phone's camera using the app at <http://gettag.mobi>



*Listed GVWR, weights, and dimensions are for reference only. Manufacturer reserves the right to change models and specifications as they see fit. See our web site or your local authorized dealer for more information.

U.S.A. DESIGNED AND BUILT IN LITCHFIELD, MN

www.towmaster.com

800-462-4517

©Towmaster, Inc. 03/2012