Prepared for: Mr. Jason Bennett, Director of Business Development, NC Sheriff's Association

2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235



Client Proposal

Prepared by: SPENCER WOOD Office: 336-668-2401

Quote ID: NCSA11X3E

Date: 08/28/2021



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina

2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

As Configured Vehicle

Code **Description MSRP**

Base Vehicle

08/28/2021

\$38,380.00 X3E Base Vehicle Price (X3E)

Packages

N/C 630A Order Code 630A

Includes:

- Engine: 6.2L 2-Valve SOHC EFI NA V8 (Flex-Fuel)

- Transmission: TorqShift 10-Speed Automatic 10R140 with neutral idle and selectable drive modes: normal, tow/haul, eco, deep sand/snow and slippery

- 3.73 Axle Ratio

- GVWR: 10,900 lb Payload Package - Tires: LT275/65Rx18E BSW A/S

Spare may not be the same as road tire.
- Wheels: 18" Argent Painted Steel
Includes painted hub covers/center ornaments.

- HD Vinyl 40/20/40 Split Bench Seat

Includes center armrest, cupholder, storage and driver's side manual lumbar.

- Radio: AM/FM Stereo w/MP3 Player

Includes 6 speakers.

SYNC Communications & Entertainment System Includes enhanced voice recognition, 911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls.

Powertrain

Included 996 Engine: 6.2L 2-Valve SOHC EFI NA

V8 (Flex-Fuel)

Included 44G Transmission: TorqShift 10-Speed

Automatic

10R140 with neutral idle and selectable drive modes: normal, tow/haul, eco, deep sand/snow and

slippery.

Included X37 3.73 Axle Ratio

Included **STDGV** GVWR: 10,900 lb Payload Package

Complete restrictions/requirements not available.

Wheels & Tires

Included **TCH** Tires: LT275/65Rx18E BSW A/S

Spare may not be the same as road tire.

Included 64F Wheels: 18" Argent Painted Steel

Includes painted hub covers/center ornaments.

Seats & Seat Trim

Included HD Vinyl 40/20/40 Split Bench Seat Α

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

As	Configur	ed Vehi	cle (con	it'd)

Code **Description MSRP**

Includes center armrest, cupholder, storage and driver's side manual lumbar.

Other Options

STD **PAINT** Monotone Paint Application

STD 168" Wheelbase 168WB

Included **STDRD** Radio: AM/FM Stereo w/MP3 Player

Includes 6 speakers.

Includes:
- SYNC Communications & Entertainment System
Includes enhanced voice recognition, 911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-

charging USB port and steering wheel audio controls.

Emissions

STD 425 50-State Emissions System

Interior Color

N/C AS 01 Medium Earth Gray

Exterior Color

N/C Z1 01 Oxford White

SUBTOTAL \$38,380.00

Destination Charge \$1,695.00

TOTAL \$40,075.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/28/2021 274099308

2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

Selected Equip & Specs

Dimensions

• Exterior length: 253.3" • Cab to axle: 60.0" • Exterior width: 80.0" • Exterior height: 78.3" • Wheelbase: 168.0" • Front track: 68.3" • Rear track: 68.1" • Turning radius: 28.5' • Rear tire outside width: 79.6" • Min ground clearance: 8.6" • Front legroom: 43.9" • Rear legroom: 33.5" • Front headroom: 40.8" • Rear headroom: 40.3" • Front hiproom: 62.5" • Rear hiproom: 64.7" • Front shoulder room: 66.7" • Rear shoulder room: 65.8" • Passenger volume: 116.0cu.ft. • Cargo volume: 31.6cu.ft.

Powertrain

• 385hp 6.2L SOHC 16 valve V-8 engine with variable valve control, SMPI • Recommended fuel : regular unleaded • federal • TorqShift 10 speed automatic transmission with overdrive • Rear-wheel drive • Fuel Economy Cty: N/A • Fuel Economy Highway: N/A

Suspension/Handling

• Front Twin I-Beam independent suspension with anti-roll bar, HD shocks • Rear Stirling rigid axle leaf spring suspension with anti-roll bar, HD shocks • Firm ride Suspension • Hydraulic power-assist re-circulating ball Steering • Front and rear 18 x 8 argent steel wheels • LT275/65SR18 EBSW AS front and rear tires

Body Exterior

• 4 doors • Reverse opening left rear passenger • Reverse opening right rear passenger • Driver and passenger , manual folding door mirrors • Black door mirrors • Black bumpers • Trailer harness • Clearcoat paint • Front and rear 18 x 8 wheels • 2 front tow hook(s)

Convenience

• Manual air conditioning with air filter • Manual front windows • Manual door locks • Manual tilt steering wheel • Manual telescopic steering wheel • Day-night rearview mirror • FordPass Connect 4G internet access • 911 Assist emergency SOS • Wireless phone connectivity • AppLink smart device integration • 2 1st row LCD monitors • Front and rear cupholders • Passenger visor mirror • Full overhead console • Upfitter switches

Seats and Trim

• Seating capacity of 6 • Front 40-20-40 split-bench seat • 4-way driver seat adjustment • Manual driver lumbar support • 4-way passenger seat adjustment • Centre front armrest with storage • 60-40 folding rear split-bench seat

Entertainment Features

• AM/FM stereo radio • SYNC external memory control • Steering wheel mounted radio controls • 4 speakers • Streaming audio • Fixed antenna

Lighting, Visibility and Instrumentation

• Halogen aero-composite headlights • Delay-off headlights • Auto on/off headlights • Variable intermittent front windshield wipers • Light tinted windows • Front reading lights • Tachometer • Oil pressure gauge • Compass • Outside temperature display • Low tire pressure warning • Trip computer • Trip odometer

Director of Business Development, NC Sheriff's Association





2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

Selected Equip & Specs (cont'd)

Safety and Security

• 4-wheel ABS brakes • Brake assist with hill hold control • 4-wheel disc brakes • AdvanceTrac w/Roll Stability Control Electronic stability control • ABS and driveline traction control • Dual front impact airbag supplemental restraint system with passenger cancel • Dual seat mounted side impact airbag supplemental restraint system • Safety Canopy System curtain 1st and 2nd row overhead airbag supplemental restraint system • Manual door locks • Manually adjustable front head restraints • 3 manually adjustable rear head restraints

Dimensions

General Weights			
Curb Payload		GVWR	10,900 lbs.
Front Weights			
Front GAWR	•	Front curb weight	
Front axle capacity Front tire/wheel capacity		Front spring rating	4,400 lbs.
Rear Weights			
Rear GAWR	6,780 lbs.	Rear curb weight	2,425 lbs.
Rear axle capacity Rear tire/wheel capacity	•	Rear spring rating	6,780 lbs.
Trailering Type			
Harness	Yes	Trailer sway control	Yes
General Trailering			
5th-wheel towing capacity Towing capacity		Gooseneck towing capacity GCWR	
Fuel Tank type			
Capacity	40 gal.		
Off Road			
Min ground clearance	9 "		
Interior cargo			
Cargo volume	31.6 cu.ft.	Maximum cargo volume	31.6 cu.ft.
Rear Frame			
Height loaded	27 "	Height unloaded	32 "
Powertrain			
Engine Type			
Block material	Iron	Cylinders	V-8

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





Oora)

2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

·	
Selected Equip & Specs (cont'd) Head material Aluminum Injection Sequential MPI Orientation Longitudinal Valves per cylinder 2 Variable valve control Yes	Ignition Spark Liters 6.2L Recommended fuel Regular unleaded Valvetrain SOHC
Engine Spec Bore 4.02" Displacement 379 cu.in.	Compression ratio 9.8:1 Stroke 3.74"
Engine Power SAEJ1349 AUG2004 compliant Yes Torque 430 ftlb @ 3,800 RPM	Output 385 HP @ 5,750 RPM
Alternator	
Type HD	Amps
Battery Amp hours 72 Run down protection Yes	Cold cranking amps 650
Transmission Electronic control Yes Overdrive Yes Type Automatic	Lock-up Yes Speed 10
Transmission Gear Ratios	
1st 4.696 3rd 2.146 5th 1.52 7th 1 9th 0.689 Reverse Gear ratios 4.866	2nd 2.985 4th 1.769 6th 1.275 8th 0.854 10th 0.616
Transmission Extras Driver selectable mode Yes Oil cooler Regular duty	Sequential shift control SelectShift
Drive Type Type Rear-wheel	
Drive Feature Traction control ABS and driveline	
Drive Axle Ratio 3.73	
Exhaust	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

Selected Equip & Specs (cont'd) Material Stainless steel Emissions CARB Federal fuel Economy Fuel type Gasoline	System type Single
Driveability	
Brakes ABS 4-wheel Type 4-wheel disc Brake Assistance	ABS channels 4 Vented discs Front and rear
Brake assist Yes	Hill hold control Yes
Suspension Control	
Ride Firm	Electronic stability control Stability control with anti-roll
Front Suspension Independence Twin I-Beam independent	Anti-roll bar Regular
Front Spring	
Type Coil	Grade Regular
Front Shocks	
Type HD	
Rear Suspension	
Independence Stirling rigid axle Anti-roll bar Regular	Type Leaf
Rear Spring	
TypeLeaf	Grade HD
Rear Shocks	
Type HD	
Steering	
Activation Hydraulic power-assist	Type Re-circulating ball
Steering Specs # of wheels 2	
Exterior	
Front Whoolo	

E

Front Wheels

Director of Business Development, NC Sheriff's Association





2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

Title Level. 200 Quote ID. NOOATTAGE	
Selected Equip & Specs (cont'd) Diameter 18"	Width 8.00"
Rear Wheels	
Diameter	Width 8.00"
Front and Rear Wheels	
Appearance Argent Covers Hub	Material Steel
Front Tires	
Aspect 65 Sidewalls BSW Tread AS Width 275mm RPM 652	Diameter18"SpeedSTypeLTLT load ratingE
Rear Tires	
Aspect 65 Sidewalls BSW Tread AS Width 275mm RPM 652	Diameter18"SpeedSTypeLTLT load ratingE
Wheels	
Front track 68.3" Turning radius 28.5' Rear tire outside width 79.6"	Rear track 68.1" Wheelbase 168.0"
Body Features	
Body material Aluminum Front tow hook(s) 2	Side impact beams Yes
Body Doors	
Door count 4 Right rear passenger Reverse opening	Left rear passenger Reverse opening
Exterior Dimensions	
Length253.3"Body height78.3"Axle to end of frame47.2"Frame yield strength (psi)50000.0Front bumper to Front axle38.3"Front bumper to back of cab146.3"	Body width 80.0" Cab to axle 60.0" Frame section modulus 12.7cu.in. Frame rail width 34.1" Cab to end of frame 107.2"

Safety

Airbags

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





(Tord)

2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

Selected Equip & Specs (cont'd) Driver front-impact Yes Overhead Safety Canopy System curtain 1st and 2nd row Passenger side-impact Seat mounted	Driver side-impact Seat mounted Passenger front-impact Cancellable
Seatbelt	
Height adjustable Front	
Seating	
Passenger Capacity	
Capacity 6	
Front Seats	
Split 40-20-40	Type Split-bench
Driver Seat	
Fore/aft Manual Way direction control 4	Reclining Manual Lumbar support Manual
Passenger seat	
Fore/aft Manual Way direction control 4	Reclining Manual
Front Head Restraint	
Control Manual	Type Adjustable
Front Armrest	
Centre Yes	Storage Yes
Rear Seats	
Descriptor Split-bench Folding 60-40 Type Fixed	Facing Front Folding position Fold-up cushion
Rear Head Restraints	
Control Manual Number 3	Type Adjustable
Front Seat Trim	
Material Vinyl	Back material Vinyl
Rear Seat Trim Group	
Material Vinyl	Back material Carpet
Convenience	

Convenience

AC And Heat Type

Director of Business Development, NC Sheriff's Association





2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

Price Level: 235 Quote ID: NCSATTX3E	
Selected Equip & Specs (cont'd) Air conditioning Manual Underseat ducts Yes	Air filter Yes
Audio System	
Radio AM/FM stereo Seek-scan Yes	Radio grade Regular External memory control SYNC
Audio Speakers	
Speaker type Regular	Speakers 4
Audio Controls	
Steering wheel controls Yes Streaming audio Bluetooth yes	Voice activation Yes
Audio Antenna	
Type Fixed	
LCD Monitors	
1st row	Primary monitor size (inches) 4.2
Convenience Features	
12V DC power outlet 3 Wireless phone connectivity Bluetooth Upfitter switches Yes	Emergency SOS 911 Assist Smart device integration App link
Door Lock Activation	
Type Manual	
Door Locks Extra FOB Controls	
Remote engine start Smart device only	
Instrumentation Type	
Appearance Analog	
Instrumentation Gauges	
Tachometer Yes Engine temperature Yes Engine hour meter Yes	Oil pressure Yes Transmission fluid temp Yes
Instrumentation Warnings	
Oil pressure Yes Battery Yes Key Yes Door ajar Yes Brake fluid Yes	Engine temperatureYesLights onYesLow fuelYesService intervalYesLow tire pressureYes
Instrumentation Displays	
Clock In-radio display	Compass Yes

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

elected Equip & Specs (cont'd) Exterior temp Yes	Systems monitor	Yes
Instrumentation Feature	- ,	
Trip computer Yes	Trip odometer	Yes
Steering Wheel Type		
Material Urethane Telescoping Manual	Tilting	Manual
Front Side Windows Window 1st row activation Manual		
Windows Rear Side 2nd row activation Fixed		
Window Features		
Tinted Light		
Front Windshield Wiper Variable intermittent		
Rear Windshield		
Window Fixed		
terior		
Passenger Visor		
Mirror Yes		
Rear View Mirror		
Day-night Yes		
Headliner		
Coverage Full	Material	Cloth
Floor Trim		
Coverage Full	Covering	Vinyl/rubber
Trim Feature		
Gear shifter material Urethane	Interior accents	Chrome
Lighting		
Dome light type Fade Variable IP lighting Yes	Front reading	Yes
Overhead Console Storage		
Storage Yes	Type	Full
Storage		

Director of Business Development, NC Sheriff's Association





Ford

2022 F-350 Chassis 4x2 SD Super Cab 168" WB SRW XL (X3E)

Price Level: 235 | Quote ID: NCSA11X3E

Selected Equip & Spe	cs (cont'd)		
Front Beverage holder(s)	Ýes	Glove box	<u> </u>
Illuminated		Rear yes	
Instrument panel	Covered bin	Dashboard	Yes
Legroom			
Front	43.9"	Rear	
Headroom			
Front	40.8"	Rear	40.3"
Hip Room			
Front	62.5"	Rear	64.7"
Shoulder Room			
Front	66.7"	Rear	65.8"
Interior Volume			
Passenger volume			