Prepared for: Mr. Jason Bennett, Director of Business Development, NC Sheriff's Association
2022 F-650 Diesel Crew Cab Base (W6D) Price Level: 215
Client Proposa

Prepared by: SPENCER WOOD Office: 336-668-2401

Quote ID: NCSA29W6D3

Date: 08/29/2021



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD



2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

As	Config	ured	Vehicle
	<u> </u>	,	

Code **Description MSRP**

Base Vehicle

08/29/2021

\$74,120.00 W₆D Base Vehicle Price (W6D)

Engines

STD 99C 6.7L Power Stroke V8 Turbo Diesel -

270 HP @ 2400 RPM

Includes Engine Exhaust Brake and manual regen capability. Torque: 700

ft.lbs. @ 1500 rpm.

Governed RPM: 3200. Includes CARB clean idle label - may be removed if un-necessary.

N/C 425 50-State Emissions

Transmissions

STD 44G Ford TorqShift HD 6-Speed

Automatic - Double Overdrive, less

PTO Provision - Park Pawl

determined by Rear Axle Ratio and

Tire Size

Front Wheels & Tires

STD 643 Wheels, Front 22.5x8.25 White

Powder Coated Steel, 10-Hole

(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.

STD T₂B Tires, Front Two 11R22.5G

Goodyear Fuel Max RSA (497

rev/mile)

Rear Wheels & Tires

STD 663 Wheels, Rear 22.5x8.25 White

Powder Coated Steel, 10-Hole

(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.

STD R₂B Tires, Rear Four 11R22.5G

Goodyear Fuel Max RSA (497

rev/mile)

Brakes

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association



08/29/2021

Code



MSRP

STD

2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

As Configured	d Vehicle	(cont'd)
		()

Description

67H Hydraulic Brake System - Bosch

HydroMax w/Traction Control

Full power with automatic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3" (Bosch) DSSA type rear axle mounted parking brake, Orscheln lever control, right of driver and hand operated park brake lever.

Front Axle and Suspension

43A 8,500 lb. Cap. Non-Driving - Dana D- STD

850F

61B Taper-Leaf Springs, Parabolic - 8,500 STD

lb. Cap

2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.

Rear Axle and Suspension

472 17,500 lb. Single-Speed - Dana S17STD

140

Single reduction with Gentech Quiet Gears and 190 wheel ends. NOTE: When specifying an axle

ratio, check performance guidelines for startability and gradeability.

68M Multi-Leaf Springs - 19,000 lb. Cap STD

11-leaf. Includes 2,000 lb auxiliary springs for load stabilization.

X6D 6.50 Axle Ratio N/C

PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.

Wheelbase

182WB 182" Wheelbase/72" CA/49" AF/270" STD

OAL

Frame

534 Single Channel - Straight 'C' 12.64 STD

SM, 50,000 PSI

632,000 RBM. High strength low alloy steel; 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x

Exhaust

91G Under Cab, Right Side Outlet, STD

Switchback-Style

Single, horizontal muffler, right side, under cab, outside of frame rail with rear discharge.

Fuel Tanks

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





08/29/2021

2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

As	Configured	Vehicle ((cont'd))
			(

Code	Description	MSRP
65E	Fuel Tank - LH 65 Gallon	STD
	Rectangular - Aluminum	
12	12 Gal. Single Tank Fuel Fill.	\$0.00
	Mandatory Charge Applied, Based	
	On Tank Selection	

Electrical / Alternator / Battery

STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	Included
STDBAT	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD
	12 Volt, Motorcraft.	

Seats

88A	30/0/30 Fixed Driver & Fixed	STD
	Passenger w/Consolette - Vinyl	
87C	60/40 Rear Bench Seat w/Flip-Up	STD
	Cushion and Fold-Down Back	

Trim will match selected driver seat material.

Cab Interior

588

Cab Interior	
600A	Preferred Equipment Package 600A N/C
	Includes: - Bumper, Front - Black, Full Width - Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals - Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals - Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals - Manual Regen Initiation - Driver Interface in Message Center - Engine Exhaust Brake - Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5 - Painted Grille - Plastic - Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights - Tow Hooks, Front (2) - Frame-Mounted, Painted Black - Four Body Builder Switches - Mounted in Center Instrument Panel With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25 Floor Covering - Black Vinyl - Intelligent Oil Life Monitor - Steering Column - Tilt / Telescoping - Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls - Body Builder Wiring - At Back of Cab, Combined Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, park lamps, back up lamps. Also includes 2 additional pass through wires to cab.

Radio: AM/FM Stereo w/2 Speakers,

USB input, Clock Display and

Bluetooth

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association



TOTAL



08/29/2021 2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

As	Configured	l Vehicle	(cont'd)	
			()	,

Code	Description	MSRP
Cab Exterior		
54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width Integral spot mirror, sail type, manual fold, solid black finish.	STD
Miscellaneous		
PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD
Interior Color		
E_01	Gray	N/C
Exterior Color		
YZ_01	Oxford White	N/C
SUBTOTAL		\$74,120.00
Destination Charge		\$2,095.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

5

\$76,215.00

Director of Business Development, NC Sheriff's Association



2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

Selected Equip & Specs

Dimensions

• Exterior length: 270.0" • Cab to axle: 72.0" • Exterior width: 96.7" • Exterior height: 92.9" • Wheelbase: 182.0" • Front track: 80.5" • Rear track: 72.6" • Rear tire outside width: 96.0" • Front legroom: 41.4" • Rear legroom: 42.1" • Front headroom: 40.7" • Rear headroom: 40.8" • Front hiproom: 67.6" • Rear hiproom: 67.6" • Front shoulder room: 68.0" • Rear shoulder room: 68.0"

Powertrain

- 270hp 6.7L OHV 32 valve intercooled turbo V-8 engine with diesel direct injection Recommended fuel : diesel federal
- 6 speed automatic transmission with overdrive Rear-wheel drive Fuel Economy Cty: N/A Fuel Economy Highway: N/A 65.0 gal. rectangular Left front fuel tank Fuel/water separator Standard rear differential Right mounted horizontal muffler Right mounted horizontal tailpipe * **Park Pawl: PRNDM**

Suspension/Handling

• Front non-independent leaf spring suspension • Rear rigid axle leaf spring suspension • Hydraulic power-assist recirculating ball Steering • Front and rear 22.5 x 8.25 wheels • 11.0R22.5 AS front and rear tires • Dual rear wheels • Rubber auxiliary rear springs

Body Exterior

• 4 doors • Conventional left rear passenger • Conventional right rear passenger • Driver and passenger , manual folding door mirrors • Black door mirrors • Black bumpers • Side steps • Clearcoat paint • Straight front bumper ends • Hood mounted grille • Front and rear 22.5 x 8.25 white steel wheels with 10 wheel studs • 2 front tow hook(s)

Convenience

• Manual air conditioning • Cruise control with steering wheel controls • Manual windows • Manual door locks • Manual tilt steering wheel • Manual telescopic steering wheel • Wireless phone connectivity • Front cupholders • Passenger visor mirror • Dual electric horn • Automatic gearshift steering column lever • Upfitter switches

Seats and Trim

• Seating capacity of 5 • Fixed driver seat • Fixed passenger seat • Driver and passenger armrests • 60-40 folding rear split-bench seat • Bucket driver seat, Bucket passenger seat • Driver seat folding back, passenger seat fixed back • Low back seats • Driver seat with 4 way direction control, passenger seat with 2 way direction control • Manual fore/aft seats

Entertainment Features

• AM/FM stereo radio • Auxiliary audio input • Steering wheel mounted radio controls • 2 speakers • Streaming audio • Fixed antenna

Lighting, Visibility and Instrumentation

• Halogen aero-composite headlights • Delay-off headlights • Auto on/off headlights • Variable intermittent front windshield wipers • Speed sensitive wipers • Light tinted windows • Rear reading lights • Tachometer • Oil pressure gauge • Oil temperature gauge • Trip computer • Trip odometer * **PRNDM**

Director of Business Development, NC Sheriff's Association





ODFW)

2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

Selected Equip & Specs (cont'd)

Safety and Security

• 4-wheel ABS brakes • Hill hold control • Hydraulic disc brakes • ABS traction control • Manual door locks • With stolen vehicle tracking system

Dimensions

General Weights	
Curb 10,386 lbs. Rear GAWR 17500 lbs. GCWR 50000 lbs.	Front GAWR 8500 lbs. GVWR 26000 lbs.
Front Weights	
Front curb weight 7,016 lbs. Front spring rating 8,500 lbs.	Front axle capacity 8,500 lbs. Front tire/wheel capacity 12,350 lbs.
Rear Weights	
Rear curb weight 3,370 lbs. Rear spring rating 19,000 lbs.	Rear axle capacity 17,500 lbs. Rear tire/wheel capacity 23,360 lbs.
Fuel Tank type	
Left front Fuel tank capacity 65.01 gal.	
Front Frame	
Height loaded	Height unloaded
Rear Frame	
Height loaded	Height unloaded 38 "
Powertrain	
Engine Type	
Block material Iron	Cylinders V-8
Head material Aluminum	Ignition Compression
Injection Diesel direct injection Orientation Longitudinal	Liters 6.7L Recommended fuel Diesel
Valves per cylinder 4	Valvetrain OHV
Forced induction Intercooled turbo	
Engine Spec	
Bore 3.90" Displacement 406 cu.in.	Compression ratio 16.2:1 Stroke 4.25"
Engine Power	
Output 270 HP @ 2,400 RPM Governed RPM 3,200	Torque

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

Selected	Equip	& Specs	(cont'd))
----------	-------	---------	----------	---

Alternator	
Type HD	Amps
Battery	
Cold cranking amps 1,500	Location Forward right
Step	Type Dual
Transmission	
Electronic control Yes	Lock-up Yes
Overdrive Yes	Speed 6
Type Automatic	
Transmission Gear Ratios	
1st	2nd 2.318
3rd	4th 1.149
5th 0.858 Reverse Gear ratios 3.128	6th 0.674
Transmission Torque Converter	
Stall ratio 1.85	
Transmission Extras	
Driver selectable mode Tow/Haul Mode Oil cooler Regular duty	Sequential shift control Yes
Drive Type	
Type Rear-wheel	
Drive Feature	
Traction control ABS	
Drive Axle	
* Ratio 6.5	
Exhaust	
Material Aluminized steel	System type Single
Emissions	
CARB Federal	
Engine Retarder	
Type Yes	
Driveability	
Brakes	
ABS 4-wheel	ABS channels 4
	2 •

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

·	
Selected Equip & Specs (cont'd) Type Hydraulic disc	Vented discs Front and rear
Brake Assistance Hill hold control Yes	
Suspension Control Ride Regular	
Front Suspension Independence Non-independent	TypeLeaf
Front Spring	
Type Tapered leaf	Grade Regular
Front Shocks	
Type Regular	
Rear Suspension	
Independence Rigid axle	Type Leaf
Rear Spring	
Type Multi-leaf Auxiliary Rubber	Grade Regular
Steering	
Activation Hydraulic power-assist	Type Re-circulating ball
Steering Specs	
# of wheels 2	
Exterior	
Front Wheels	
Diameter 22.5"	Width 8.25"
Rear Wheels	
Diameter 22.5" Dual Yes	Width 8.25"
Front Tires	
Aspect 82 Sidewalls BSW Width 11.0"	Diameter22.5"TreadASLT load ratingG
RPM	
Rear Tires	20.5"
Aspect 82 Sidewalls BSW Width 11.0"	Diameter22.5"TreadASLT load ratingG

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

File Level. 213 Quote ID. NOSA23WODS	
Selected Equip & Specs (cont'd) RPM 497	
Wheels	
Front track 80.5" Turning radius (to curb) 25' Wheelbase 182.0"	Rear track72.6"Turning radius (to bumper)27'Rear tire outside width96.0"
Body Features	
Front splash guards Yes Side steps Yes	Body material Composite/galvanized steel Front tow hook(s) 2
Body Doors	
Door count 4 Right rear passenger Conventional	Left rear passenger Conventional
Exterior Dimensions	
Length270.0"Body height92.9"Axle to end of frame49.0"Frame yield strength (psi)50000.0Frame rail width3.1"Max RBM (inlbs.)665,500.0Front bumper to Front axle39.0"	Body width 96.7" Cab to axle 72.0" Frame section modulus 12.6cu.in. Frame rail depth 10.1" Frame rail thickness 0.3" Frame rail section 9.5" Nominal RBM (inlbs.) 632,000.0
Safety	
Seatbelt Height adjustable Front	
Seating	
Passenger Capacity	
Capacity 5	
Driver Seat	
Type Bucket Back type Low Fore/aft Manual	Back Folding Way direction control 4
Passenger Seat	
Type Bucket Back type Low Fore/aft Manual	Back Fixed Way direction control 2
Front Armrest	
Driver Yes	Passenger Yes

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

Selected Equip & Specs (cont'd)

Selected Equip & Specs (Cont d)	
Rear Seats Descriptor Split-bench Folding 60-40 Type Fixed	Facing Front Folding position Fold-up cushion
Front Seat Trim Material Vinyl	Back material Carpet
Rear Seat Trim Group	Saok material
Material Vinyl	Back material Carpet
Convenience	
AC And Heat Type	
Air conditioning Manual	
Audio System	
Auxiliary audio input Yes	Radio AM/FM stereo
Radio grade Regular	Seek-scan Yes
Audio Speakers	Speakers 2
Speaker type Regular	Speakers
Audio Controls Steering wheel controls Yes	Streaming audio Yes
Audio Antenna	Streaming additional Tes
Type Fixed	
Cruise Control	
Cruise control With steering wheel controls	
Convenience Features	
Driver foot rest Yes	12V DC power outlet 2
* Wireless phone connectivity Yes	Horn Dual electric
Upfitter switches Yes	
Door Lock Activation	
Type Manual	
Instrumentation Type	
Appearance Analog	
Instrumentation Gauges	
Tachometer Yes Engine temperature Yes	Oil pressure Yes Oil temperature Yes
Transmission fluid temp Yes	Engine hour meter Yes
•	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-650 Diesel Crew Cab Base (W6D)

Price Level: 215 | Quote ID: NCSA29W6D3

Selected Equip & Specs (cont'd)

selected Equip & Specs (cont d)	
Instrumentation Warnings Oil pressure Yes Lights on Yes Low fuel Yes Service interval Yes Transmission fluid temp Yes	Battery Yes Key Yes Door ajar Yes Brake fluid Yes
Instrumentation Displays Clock In-radio display	
Instrumentation Feature	
Trip computer Yes * Shift indicator PRNDM	Trip odometer Yes
Steering Wheel Type	
Material Urethane Telescoping Manual	Tilting Manual
Front Side Windows Window 1st row activation Manual	
Windows Rear Side 2nd row activation Manual	
Window Features Tinted Light	
Front Windshield Wiper Variable intermittent	Speed sensitive wipers Yes
Rear Windshield Window Fixed	
Automatic Gearshift Location Steering column lever	
nterior	

Interior

Mirror	Yes		
Headliner			
Coverage	Full	Material	Cloth
Floor Trim			

Coverage Trim Feature

Passenger Visor

..................Full

12

Covering Vinyl/rubber

Director of Business Development, NC Sheriff's Association



L



Dashboard

Yes

2022 F-650 Diesel Crew Cab Base (W6D)

Selected Equip & Specs (cont'd)

Instrument panel Bin

Price Level: 215 | Quote ID: NCSA29W6D3

Gear shifter material Urethan	e
Lighting	
Dome light type Delay Variable IP lighting Yes	
Floor Console Storage	
Type Partia	ıl
Storage	
Front Beverage holder(s)	S Glove box Yes

Legroom			
Front	41.4"	Rear	42.1
Headroom			

Headroom			
Front	40.7"	Rear	40.8"

Hip Room			
Front	67.6"	Rear	67.6"

Shoulder Room Front 68.0" 68.0"

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.