

Prepared for: Mr. Jason Bennett, Director of Business Development, NC Sheriff's Association

2022 F-650 Diesel Regular Cab Base (F6D)

Price Level: 215

Client Proposal

Prepared by:

SPENCER WOOD

Office: 336-668-2401

Quote ID: NCSA31F6D3

Date: 08/29/2021



Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Diesel Regular Cab Base (F6D)**

Price Level: 215 | Quote ID: NCSA31F6D3

As Configured Vehicle

Code	Description	MSRP
Base Vehicle		
F6D	Base Vehicle Price (F6D)	\$69,455.00
Engines		
99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM Includes Engine Exhaust Brake and manual regen capability. Torque: 700 ft.lbs. @ 1500 rpm. <i>Governed RPM: 3200. Includes CARB clean idle label - may be removed if un-necessary.</i>	STD
425	50-State Emissions	N/C
Transmissions		
44G	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - Park Pawl determined by Rear Axle Ratio and Tire Size	STD
Front Wheels & Tires		
643	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i>	STD
T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
Rear Wheels & Tires		
663	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i>	STD
R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
Brakes		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Diesel Regular Cab Base (F6D)**

Price Level: 215 | Quote ID: NCSA31F6D3

As Configured Vehicle (cont'd)

Code	Description	MSRP
67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control <i>Full power with automatic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3" (Bosch) DSSA type rear axle mounted parking brake, Orscheln lever control, right of driver and hand operated park brake lever.</i>	STD

Front Axle and Suspension

43A	8,500 lb. Cap. Non-Driving - Dana D-850F	STD
61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap <i>2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.</i>	STD

Rear Axle and Suspension

472	17,500 lb. Single-Speed - Dana S17-140 <i>Single reduction with Gentech Quiet Gears and 190 wheel ends. NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.</i>	STD
68M	Multi-Leaf Springs - 19,000 lb. Cap <i>11-leaf. Includes 2,000 lb auxiliary springs for load stabilization.</i>	STD
X6D	6.50 Axle Ratio PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.	N/C

Wheelbase

158WB	158" Wheelbase/84" CA/49" AF/246" OAL	STD
-------	---------------------------------------	-----

Frame

534	Single Channel - Straight 'C' 12.64 SM, 50,000 PSI <i>632,000 RBM. High strength low alloy steel; 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x 8.0mm).</i>	STD
-----	--	-----

Exhaust

91G	Under Cab, Right Side Outlet, Switchback-Style <i>Single, horizontal muffler, right side, under cab, outside of frame rail with rear discharge.</i>	STD
-----	--	-----

Fuel Tanks

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Diesel Regular Cab Base (F6D)**

Price Level: 215 | Quote ID: NCSA31F6D3

As Configured Vehicle (cont'd)

Code	Description	MSRP
65B	Fuel Tank - LH 50 Gallon Rectangular - Aluminum	STD
12	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	\$0.00

Electrical / Alternator / Battery

STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	Included
STDBAT	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box <i>12Volt, Motorcraft.</i>	STD

Seats

88A	30/0/30 Fixed Driver & Fixed Passenger w/Console - Vinyl	STD
-----	---	-----

Cab Interior

600A	Preferred Equipment Package 600A <i>Includes:</i> <i>- Bumper, Front - Black, Full Width</i> <i>- Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals</i> <i>- Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals</i> <i>- Manual Regen Initiation - Driver Interface in Message Center</i> <i>- Engine Exhaust Brake</i> <i>- Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5</i> <i>- Painted Grille - Plastic</i> <i>- Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights</i> <i>- Tow Hooks, Front (2) - Frame-Mounted, Painted Black</i> <i>- Four Body Builder Switches - Mounted in Center Instrument Panel</i> <i>With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25.</i> <i>- Floor Covering - Black Vinyl</i> <i>- Intelligent Oil Life Monitor</i> <i>- Steering Column - Tilt / Telescoping</i> <i>- Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls</i> <i>- Body Builder Wiring - At Back of Cab, Combined</i> <i>Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop,</i> <i>park lamps, back up lamps. Also includes 2 additional pass through wires to cab.</i>	N/C
588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD

Cab Exterior

54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD
-----	--	-----

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Diesel Regular Cab Base (F6D)**

Price Level: 215 | Quote ID: NCSA31F6D3

As Configured Vehicle (cont'd)

Code	Description	MSRP
<i>Integral spot mirror, sail type, manual fold, solid black finish.</i>		
Miscellaneous		
PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD
Interior Color		
E_01	Gray	N/C
Exterior Color		
YZ_01	Oxford White	N/C
SUBTOTAL		\$69,455.00
Destination Charge		\$2,095.00
TOTAL		\$71,550.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308



2022 F-650 Diesel Regular Cab Base (F6D)

Price Level: 215 | Quote ID: NCSA31F6D3

Selected Equip & Specs

Dimensions

• Exterior length: 246.0" • Cab to axle: 84.0" • Exterior width: 96.7" • Exterior height: 92.9" • Wheelbase: 158.0" • Front track: 80.5" • Rear track: 72.6" • Rear tire outside width: 96.0" • Front legroom: 41.4" • Front headroom: 40.7" • Front hiproom: 67.6" • Front shoulder room: 68.0"

Powertrain

• 270hp 6.7L OHV 32 valve intercooled turbo V-8 engine with diesel direct injection • Recommended fuel : diesel • federal • 6 speed automatic transmission with overdrive • Rear-wheel drive • Fuel Economy Cty: N/A • Fuel Economy Highway: N/A • 50.0 gal. rectangular Left front fuel tank • Fuel/water separator • Standard rear differential • Right mounted horizontal muffler • Right mounted horizontal tailpipe • **Park Pawl: PRNDM**

Suspension/Handling

• Front non-independent leaf spring suspension • Rear rigid axle leaf spring suspension • Hydraulic power-assist re-circulating ball Steering • Front and rear 22.5 x 8.25 wheels • 11.0R22.5 AS front and rear tires • Dual rear wheels • Rubber auxiliary rear springs

Body Exterior

• 2 doors • Driver and passenger , manual folding door mirrors • Black door mirrors • Black bumpers • Side steps • Clearcoat paint • Straight front bumper ends • Hood mounted grille • Front and rear 22.5 x 8.25 white steel wheels with 10 wheel studs • 2 front tow hook(s)

Convenience

• Manual air conditioning • Cruise control with steering wheel controls • Manual front windows • Manual door locks • Manual tilt steering wheel • Manual telescopic steering wheel • Wireless phone connectivity • Front cupholders • Passenger visor mirror • Dual electric horn • Automatic gearshift steering column lever • Upfitter switches

Seats and Trim

• Seating capacity of 2 • Fixed driver seat • Fixed passenger seat • Driver and passenger armrests • Bucket driver seat, Bucket passenger seat • Driver seat folding back, passenger seat fixed back • Low back seats • Driver seat with 4 way direction control, passenger seat with 2 way direction control • Manual fore/aft seats

Entertainment Features

• AM/FM stereo radio • Auxiliary audio input • Steering wheel mounted radio controls • 2 speakers • Streaming audio • Fixed antenna

Lighting, Visibility and Instrumentation

• Halogen aero-composite headlights • Delay-off headlights • Auto on/off headlights • Variable intermittent front windshield wipers • Speed sensitive wipers • Light tinted windows • Front reading lights • Tachometer • Oil pressure gauge • Oil temperature gauge • Trip computer • Trip odometer • **PRNDM**

Safety and Security

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Diesel Regular Cab Base (F6D)**

Price Level: 215 | Quote ID: NCSA31F6D3

Selected Equip & Specs (cont'd)

• 4-wheel ABS brakes • Hill hold control • Hydraulic disc brakes • ABS traction control • Manual door locks • With stolen vehicle tracking system

Dimensions*General Weights*

Curb	9,669 lbs.	Front GAWR	8500 lbs.
Rear GAWR	17500 lbs.	GVWR	26000 lbs.
GCWR	50000 lbs.		

Front Weights

Front curb weight	6,218 lbs.	Front axle capacity	8,500 lbs.
Front spring rating	8,500 lbs.	Front tire/wheel capacity	12,350 lbs.

Rear Weights

Rear curb weight	3,451 lbs.	Rear axle capacity	17,500 lbs.
Rear spring rating	19,000 lbs.	Rear tire/wheel capacity	23,360 lbs.

Fuel Tank type

Left front Fuel tank capacity	50.01 gal.
-------------------------------------	------------

Front Frame

Height loaded	36 "	Height unloaded	37 "
---------------------	------	-----------------------	------

Rear Frame

Height loaded	36 "	Height unloaded	38 "
---------------------	------	-----------------------	------

Powertrain*Engine Type*

Block material	Iron	Cylinders	V-8
Head material	Aluminum	Ignition	Compression
Injection	Diesel direct injection	Liters	6.7L
Orientation	Longitudinal	Recommended fuel	Diesel
Valves per cylinder	4	Valvetrain	OHV
Forced induction	Intercooled turbo		

Engine Spec

Bore	3.90"	Compression ratio	16.2:1
Displacement	406 cu.in.	Stroke	4.25"

Engine Power

Output	270 HP @ 2,400 RPM	Torque	700 ft.-lb @ 1,500 RPM
Governed RPM	3,200		

Alternator

Type	HD	Amps	200
------------	----	------------	-----

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Diesel Regular Cab Base (F6D)**

Price Level: 215 | Quote ID: NCSA31F6D3

Selected Equip & Specs (cont'd)**Battery**Cold cranking amps 1,500
Step YesLocation Forward right
Type Dual**Transmission**Electronic control Yes
Overdrive Yes
Type AutomaticLock-up Yes
Speed 6**Transmission Gear Ratios**1st 3.974
3rd 1.516
5th 0.858
Reverse Gear ratios 3.1282nd 2.318
4th 1.149
6th 0.674**Transmission Torque Converter**

Stall ratio 1.85

Transmission ExtrasDriver selectable mode Tow/Haul Mode
Oil cooler Regular duty

Sequential shift control Yes

Drive Type

Type Rear-wheel

Drive Feature

Traction control ABS

Drive Axle

* Ratio 6.5

Exhaust

Material Aluminized steel

System type Single

Emissions

CARB Federal

Engine Retarder

Type Yes

Driveability**Brakes**ABS 4-wheel
Type Hydraulic discABS channels 4
Vented discs Front and rear**Brake Assistance**

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Diesel Regular Cab Base (F6D)**

Price Level: 215 | Quote ID: NCSA31F6D3

Selected Equip & Specs (cont'd)

Hill hold control Yes

Suspension Control

Ride Regular

Front Suspension

Independence Non-independent Type Leaf

Front Spring

Type Tapered leaf Grade Regular

Front Shocks

Type Regular

Rear Suspension

Independence Rigid axle Type Leaf

Rear Spring

Type Multi-leaf Grade Regular

Auxiliary Rubber

Steering

Activation Hydraulic power-assist Type Re-circulating ball

Steering Specs

of wheels 2

Exterior**Front Wheels**

Diameter 22.5" Width 8.25"

Rear Wheels

Diameter 22.5" Width 8.25"

Dual Yes

Front Tires

Aspect 82 Diameter 22.5"

Sidewalls BSW Tread AS

Width 11.0" LT load rating G

RPM 497

Rear Tires

Aspect 82 Diameter 22.5"

Sidewalls BSW Tread AS

Width 11.0" LT load rating G

RPM 497

Wheels

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021



274099308

2022 F-650 Diesel Regular Cab Base (F6D)

Price Level: 215 | Quote ID: NCSA31F6D3

Selected Equip & Specs (cont'd)

Front track 80.5"
 Turning radius (to curb) 22'
 Wheelbase 158.0"

Rear track 72.6"
 Turning radius (to bumper) 24'
 Rear tire outside width 96.0"

Body Features

Front splash guards Yes
 Side steps Yes

Body material Composite/galvanized steel
 Front tow hook(s) 2

Body Doors

Door count 2

Exterior Dimensions

Length 246.0"
 Body height 92.9"
 Axle to end of frame 49.0"
 Frame yield strength (psi) 50000.0
 Frame rail width 3.1"
 Max RBM (in.-lbs.) 665,500.0
 Front bumper to Front axle 39.0"

Body width 96.7"
 Cab to axle 84.0"
 Frame section modulus 12.6cu.in.
 Frame rail depth 10.1"
 Frame rail thickness 0.3"
 Frame rail section 9.5"
 Nominal RBM (in.-lbs.) 632,000.0

Seating**Passenger Capacity**

Capacity 2

Driver Seat

Type Bucket
 Back type Low
 Fore/aft Manual

Back Folding
 Way direction control 4

Passenger Seat

Type Bucket
 Back type Low
 Fore/aft Manual

Back Fixed
 Way direction control 2

Front Armrest

Driver Yes

Passenger Yes

Front Seat Trim

Material Vinyl

Back material Carpet

Convenience**AC And Heat Type**

Air conditioning Manual

Audio System

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021



274099308

2022 F-650 Diesel Regular Cab Base (F6D)

Price Level: 215 | Quote ID: NCSA31F6D3

Selected Equip & Specs (cont'd)

Auxiliary audio input Yes
 Radio grade Regular

Radio AM/FM stereo
 Seek-scan Yes

Audio Speakers

Speaker type Regular

Speakers 2

Audio Controls

Steering wheel controls Yes

Streaming audio Yes

Audio Antenna

Type Fixed

Cruise Control

Cruise control With steering wheel controls

Convenience Features

Driver foot rest Yes

* **Wireless phone connectivity** **Yes**

Upfitter switches Yes

12V DC power outlet 2

Horn Dual electric

Door Lock Activation

Type Manual

Instrumentation Type

Appearance Analog

Instrumentation Gauges

Tachometer Yes

Engine temperature Yes

Transmission fluid temp Yes

Oil pressure Yes

Oil temperature Yes

Engine hour meter Yes

Instrumentation Warnings

Oil pressure Yes

Lights on Yes

Low fuel Yes

Service interval Yes

Transmission fluid temp Yes

Battery Yes

Key Yes

Door ajar Yes

Brake fluid Yes

Instrumentation Displays

Clock In-radio display

Instrumentation Feature

Trip computer Yes

* **Shift indicator** **PRNDM**

Trip odometer Yes

Steering Wheel Type

Material Urethane

Telescoping Manual

Tilting Manual

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Diesel Regular Cab Base (F6D)**

Price Level: 215 | Quote ID: NCSA31F6D3

Selected Equip & Specs (cont'd)*Front Side Windows*

Window 1st row activation Manual

Window Features

Tinted Light

Front Windshield

Wiper Variable intermittent Speed sensitive wipers Yes

Rear Windshield

Window Fixed

Automatic Gearshift

Location Steering column lever

Interior*Passenger Visor*

Mirror Yes

Headliner

Coverage Full Material Cloth

Floor Trim

Coverage Full Covering Vinyl/rubber

Trim Feature

Gear shifter material Urethane

Lighting

Dome light type Delay Front reading Yes

Variable IP lighting Yes

Floor Console Storage

Type Partial

Storage

Front Beverage holder(s) Yes Glove box Yes

Instrument panel Bin Dashboard Yes

Legroom

Front 41.4"

Headroom

Front 40.7"

Hip Room

Front 67.6"

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD
08/29/2021

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |
274099308



2022 F-650 Diesel Regular Cab Base (F6D)

Price Level: 215 | Quote ID: NCSA31F6D3

Selected Equip & Specs (cont'd)

Shoulder Room

Front 68.0"

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.