Prepared for: Mr. Jason Bennett, Director of Business Development, NC Sheriff's Association	
2022 F-650 Gas SuperCab Base (X6B) Price Level: 215	

## **Client Proposal**

Prepared by: SPENCER WOOD Office: 336-668-2401

Quote ID: NCSA40X6B3

Date: 08/29/2021



Director of Business Development, NC Sheriff's Association





2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

As	Confid	gured	Ve	hicle
		7 0 0 0.		

Code **Description MSRP** 

**Base Vehicle** 

\$61,495.00 X6B Base Vehicle Price (X6B)

**Engines** 

STD 99N 7.3L 2V DEVCT NA PFI V8 Gas -

350 HP @ 3900 rpm

Torque: 468 ft.lbs. @ 3900 rpm.

N/C 50-State Emissions 425

**Transmissions** 

STD 44P Ford TorqShift HD 6-Speed

> Automatic - Double Overdrive, less PTO Provision, with Park Pawl

Front Wheels & Tires

STD 645 Wheels, Front 19.5x6.75 White

Powder Coated Steel, 8-Hole

(275MM BC) hub piloted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.

STD T9A Tires. Front Two 245/70R19.5G

Hankook AH35 (628 rev/mile)

**Rear Wheels & Tires** 

STD 665 Wheels, Rear 19.5x6.75 White

Powder Coated Steel, 8-Hole

(275MM BC) hub piloted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.

STD R9A Tires, Rear Four 245/70R19.5G

Hankook AH35 (621 rev/mile)

Includes:

- GVWR Limit: 25,600 lbs.

**Brakes** 

STD 67H Hydraulic Brake System - Bosch

HydroMax w/Traction Control

Full power with automatic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3" (Bosch) DSSA type rear axle mounted parking brake, Orscheln lever control, right of driver and hand operated park brake lever.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association



Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina

08/29/2021

STD

2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

As Configured Vehicle (cont'd)

Code **Description MSRP** 

Front Axle and Suspension

43A 8,500 lb. Cap. Non-Driving - Dana D-

850F

STD 61B Taper-Leaf Springs, Parabolic - 8,500

2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.

**Rear Axle and Suspension** 

STD 471 13,500 lb. Single-Speed

Single reduction with 190 wheel ends. NOTE: When specifying an axle ratio, check performance

guidelines for startability and gradeability.

STD 68K Multi-Leaf Springs - 15,500 lb. Cap

10-leaf. Includes 2,000 lb auxiliary springs for load stabilization.

N/C X<sub>5</sub>D 5.57 Axle Ratio

Wheelbase

STD 179WB 179" Wheelbase/84" CA/63" AF/281"

OAL

**Frame** 

STD 537 Single Channel - 10.75 SM, 80,000

860,000/520,000 RBM. 9.125" x 3.062" x 0.312" (231.8mm x 77.8mm x 8.0mm) w/transition to 6.500" x 3.062" x 0.312" (165.1mm x 77.8mm x 8.0mm).

**Exhaust** 

STD 91H Single, Horizontal Muffler - Frame

Mounted Right Side Back of Cab

w/Catalytic Converter Downward facing, outlet tip.

**Fuel Tanks** 

STD 65A Fuel Tank - LH 50 Gallon - Steel

\$0.00 12 12 Gal. Single Tank Fuel Fill.

Mandatory Charge Applied, Based

On Tank Selection

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD



08/29/2021

2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

As Configured Vehicle (cont'd)

Code **Description MSRP** 

**Electrical / Alternator / Battery** 

Included **STDALT** Extra Heavy Duty Alternator - 12-Volt,

> 210 Amp Mitsubishi Extra heavy duty 12 Volt.

STD **STDBAT** Battery - One 900 CCA, Includes

Steel Battery Box

12Volt, Motorcraft.

**Seats** 

STD 88A 30/0/30 Fixed Driver & Fixed

Passenger w/Consolette - Vinyl

STD 87B 60/40 Rear Bench Seat w/Bolster and

Flip-Up Cushion

Trim will match selected driver seat material.

**Cab Interior** 

N/C 600A Preferred Equipment Package 600A

Bumper, Front - Black, Full Width

 Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals
 Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals - Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi

Extra heavy duty 12 Volt. - Painted Grille - Plastic

- Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights

- Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights
- Tow Hooks, Front (2) - Frame-Mounted, Painted Black
- Floor Covering - Black Vinyl
- Intelligent Oil Life Monitor
- Steering Column - Tilt / Telescoping
- Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls
- Body Builder Wiring - At Back of Cab, Combined

Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, stop lamps, park lamps, back up lamps. Also includes 2 additional pass through wires to cab.

STD 588 Radio: AM/FM Stereo w/2 Speakers,

USB input, Clock Display and

Bluetooth

**Cab Exterior** 

STD 54H Mirrors, Dual - Rectangular, XL2020 -

96" Width

Integral spot mirror, sail type, manual fold, solid black finish.

**Miscellaneous** 

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

As	Configured	Vehicle (	(cont'd)
			( /

As Configured ver	,	
Code	Description	MSRP
PAINT	Paint Type - Environmentally	STD
	Friendly, "3 - Wet System"	
Interior Color		
E_01	Gray	N/C
<b>Exterior Color</b>		
YZ_01	Oxford White	N/C
SUBTOTAL		\$61,495.00
Destination Charge		\$2,095.00
TOTAL		\$63,590.00

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina 08/29/2021 274099308

.....

2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

## Selected Equip & Specs

#### **Dimensions**

• Exterior length: 281.0" • Cab to axle: 84.0" • Exterior width: 96.7" • Exterior height: 88.3" • Wheelbase: 179.0" • Front track: 84.0" • Rear track: 72.6" • Rear tire outside width: 96.0" • Front legroom: 41.4" • Rear legroom: 31.6" • Front headroom: 40.7" • Rear headroom: 38.1" • Front hiproom: 67.6" • Rear hiproom: 67.3" • Front shoulder room: 68.0" • Rear shoulder room: 68.1"

#### **Powertrain**

- 350hp 7.3L OHV 16 valve V-8 engine with variable valve control, SMPI Recommended fuel: regular unleaded federal
- TorqShift-G 6 speed automatic transmission with overdrive Rear-wheel drive Fuel Economy Cty: N/A Fuel Economy Highway: N/A 50.0 gal. rectangular Left front fuel tank Standard rear differential Right mounted horizontal muffler Right mounted horizontal tailpipe Park Pawl: PRNDM

#### Suspension/Handling

• Front non-independent leaf spring suspension • Rear rigid axle leaf spring suspension • Hydraulic power-assist recirculating ball Steering • Front and rear 19.5 x 6.75 wheels • Metric measure truck tire245/70R19.5 GBSW AS front and rear tires • Dual rear wheels • Tapered rear frame

#### **Body Exterior**

• 4 doors • Reverse opening left rear passenger • Reverse opening right rear passenger • Driver and passenger , manual folding door mirrors • Black door mirrors • Black bumpers • Side steps • Clearcoat paint • Straight front bumper ends • Hood mounted grille • Front and rear 19.5 x 6.75 white steel wheels with 8 wheel studs • 2 front tow hook(s)

#### Convenience

• Manual air conditioning • Cruise control with steering wheel controls • Manual front windows • Manual door locks • Manual tilt steering wheel • Manual telescopic steering wheel • Wireless phone connectivity • Front cupholders • Passenger visor mirror • Dual electric horn • Automatic gearshift steering column lever

#### **Seats and Trim**

• Seating capacity of 5 • Fixed driver seat • Fixed passenger seat • Driver and passenger armrests • 60-40 folding rear bench seat • Bucket driver seat, Bucket passenger seat • Driver seat folding back, passenger seat fixed back • Low back seats • Driver seat with 4 way direction control, passenger seat with 2 way direction control • Manual fore/aft seats

#### **Entertainment Features**

• AM/FM stereo radio • Auxiliary audio input • Steering wheel mounted radio controls • 2 speakers • Streaming audio • Fixed antenna

#### **Lighting, Visibility and Instrumentation**

• Halogen aero-composite headlights • Delay-off headlights • Auto on/off headlights • Variable intermittent front windshield wipers • Speed sensitive wipers • Light tinted windows • Tachometer • Oil pressure gauge • Oil temperature gauge • Trip computer • Trip odometer • PRNDM

Director of Business Development, NC Sheriff's Association





### 2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

# Selected Equip & Specs (cont'd)

### **Safety and Security**

• 4-wheel ABS brakes • Hill hold control • Hydraulic disc brakes • ABS traction control • Manual door locks • With stolen vehicle tracking system

#### **Dimensions**

General Weights			
Curb Rear GAWR GCWR	13500 lbs.	Front GAWR GVWR	
Front Weights			
Front curb weight Front spring rating	•	Front axle capacity Front tire/wheel capacity	
Rear Weights			
Rear curb weight Rear spring rating	•	Rear axle capacity  Rear tire/wheel capacity	
Fuel Tank type			
Left front Fuel tank capacity	50.01 gal.		
Front Frame			
Height loaded		Height unloaded	33 "
Rear Frame			
Height loaded		Height unloaded	33 "
Powertrain			
Engine Type			
Block material Head material Injection Orientation Valves per cylinder Variable valve control	Aluminum Sequential MPI Longitudinal 2	Cylinders Ignition Liters Recommended fuel Valvetrain	Spark 7.3L Regular unleaded
Engine Power			
Output 350 HF	P @ 3,900 RPM	Torque 468	ftlb @ 3,900 RPM
Alternator			
Туре	HD	Amps	210
Battery			
Cold cranking amps	900	Location	Forward right

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

Selected Equip & Specs (cont'd) Step Yes	
Transmission  Electronic control Yes Overdrive Yes Type Automatic	Lock-up Yes Speed 6
Transmission Gear Ratios	
1st       3.974         3rd       1.516         5th       0.858         Reverse Gear ratios       3.128	2nd       2.318         4th       1.149         6th       0.674
Transmission Torque Converter	
Stall ratio 2.00	
Transmission Extras  Driver selectable mode Tow/Haul Mode	Oil cooler Regular duty
Drive Type	
Type Rear-wheel	
Drive Feature Traction control ABS	
Drive Axle	
* Ratio 5.57	
Exhaust	
Material Non stainless steel	System type Single
Emissions	
CARB Federal	
Driveability	
Brakes	
ABS 4-wheel Type Hydraulic disc	ABS channels 4 Vented discs Front and rear
Brake Assistance Hill hold control Yes	
Suspension Control	
Ride Regular	
Front Suspension	
Independence Non-independent	Type Leaf

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

# Selected Equip & Specs (cont'd)

Selected Equip & Spec	3 (Conta)	
Front Spring	T 11 (	D. J.
Type	I apered leaf	Grade Regular
Front Shocks		
Type	Regular	
Rear Suspension		
Independence	Rigid axle	Type Leaf
Rear Spring		
Type	Multi-leaf	Grade Regular
Steering		
Activation Hydra	ulic power-assist	Type Re-circulating ball
Steering Specs		
# of wheels	2	
Exterior		
Front Wheels		
Diameter	19.5"	Width 6.75"
Rear Wheels		
Diameter Dual		Width 6.75"
Front Tires		
Aspect		Diameter 19.5"
Sidewalls Width		Tread AS LT load rating G
RPM		Li load rating
Rear Tires		
Aspect	70	Diameter 19.5"
Sidewalls		Tread AS
Width RPM	004	LT load rating G
Wheels		
Front track	84.0"	Rear track 72.6"
Turning radius (to curb)		Turning radius (to bumper) 26'
Wheelbase	179.0"	Rear tire outside width 96.0"
Body Features	• •	
Front splash guards Side steps		Body material Composite/galvanized steel Front tow hook(s)

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





Gora

2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

# Selected Equip & Specs (cont'd)

Body Doors	
Door count 4 Right rear passenger Reverse opening	Left rear passenger Reverse opening
Exterior Dimensions	
Length281.0"Body height88.3"Axle to end of frame63.0"Frame yield strength (psi)80000.0Frame rail width3.1"Max RBM (inlbs.)917,600.0Tapered end frame rail depth6.5"Front bumper to Front axle39.0"	Body width 96.7" Cab to axle 84.0" Frame section modulus 10.7cu.in. Frame rail depth 9.1" Frame rail thickness 0.3" Frame rail section 8.5" Tapered end frame rail width 3.1" Nominal RBM (inlbs.) 860,000.0
Safety	
Seatbelt Height adjustable Front	
Seating	
Passenger Capacity	
Capacity 5	
Driver Seat	
Type Bucket Back type Low Fore/aft Manual	Back Folding Way direction control 4
Passenger Seat	
Type Bucket Back type Low Fore/aft Manual	Back Fixed Way direction control 2
Front Armrest	
Driver Yes	Passenger Yes
Rear Seats	
Descriptor Bench Folding 60-40 Type Fixed	Facing Front Folding position Fold-up cushion
Front Seat Trim	
Material Vinyl	Back material Carpet
Rear Seat Trim Group	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





Oora)

2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

Selected Equip & Specs (cont'd)  Material Vinyl	Back material Carpet
Convenience	
AC And Heat Type Air conditioning Manual	
Audio System  Auxiliary audio input  Radio grade  Regular	Radio AM/FM stereo Seek-scan Yes
Audio Speakers Speaker type Regular	Speakers 2
Audio Controls Steering wheel controls Yes	Streaming audio Yes
Audio Antenna  Type Fixed	
Cruise Control With steering wheel controls	
Convenience Features	
Driver foot rest Yes * Wireless phone connectivity Yes	12V DC power outlet 2 Horn Dual electric
Door Lock Activation  Type Manual	
Instrumentation Type	
Appearance Analog	
Instrumentation Gauges Tachometer Yes Engine temperature Yes Transmission fluid temp Yes	Oil pressure Yes Oil temperature Yes Engine hour meter Yes
Instrumentation Warnings	
Oil pressure Yes Lights on Yes Low fuel Yes Service interval Yes Transmission fluid temp Yes	Battery Yes Key Yes Door ajar Yes Brake fluid Yes
Instrumentation Displays Clock In-radio display	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association



Floor Console Storage

Type Storage Partial

Front Beverage holder(s) Yes



2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

Selected Equip & Specs (cont'd)	
Instrumentation Feature	
Trip computer Yes Shift indicator PRNDM	Trip odometer Yes
Steering Wheel Type	
Material Urethane Telescoping Manual	Tilting Manual
Front Side Windows	
Window 1st row activation Manual	
Windows Rear Side	
2nd row activation Fixed	
Window Features	
Tinted Light	
Front Windshield	
Wiper Variable intermittent	Speed sensitive wipers Yes
Rear Windshield	
Window Fixed	
Automatic Gearshift	
Location Steering column lever	
Interior	
Passenger Visor	
Mirror Yes	
Headliner	
Coverage Full	Material Cloth
Floor Trim	
Coverage Full	Covering Vinyl/rubber
Trim Feature	
Gear shifter material Urethane	
Lighting	
Dome light type Delay	Variable IP lighting Yes

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

12

Yes

Glove box







2022 F-650 Gas SuperCab Base (X6B)

Price Level: 215 | Quote ID: NCSA40X6B3

Selected Equip & Specs (cont'd) Instrument panel Bin	Dashboard Yes
Legroom Front 41.4"	Rear
Headroom Front 40.7"	Rear
Hip Room Front 67.6"	Rear 67.3"
Shoulder Room Front 68.0"	Rear 68.1"