| Prepared for: Mr. Jason Bennett, Director of Business Development, NC Sheriff's | Association |
|---|-----------------|
| | |
| | |
| | |
| | |
| | |
| 2022 F-750 Diesel Crew Cab Base (W7D) Price Level: 215 | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | Client Proposal |
| | • |

Prepared by: SPENCER WOOD Office: 336-668-2401

Quote ID: NCSA41W7D3

Date: 08/29/2021



Director of Business Development, NC Sheriff's Association





2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

| As | Confi | aured ' | Vehicle |
|----|-------------|---------|---------|
| , | • • • • • • | 90100 | |

Code **Description MSRP**

Base Vehicle

\$76,010.00 W7D Base Vehicle Price (W7D)

Engines

STD 99C 6.7L Power Stroke V8 Turbo Diesel -

270 HP @ 2400 RPM

Includes Engine Exhaust Brake and manual regen capability. Torque: 700

ft.lbs. @ 1500 rpm.

Governed RPM: 3200. Includes CARB clean idle label - may be removed if un-necessary.

N/C 425 50-State Emissions

Transmissions

STD 44G Ford TorqShift HD 6-Speed

> Automatic - Double Overdrive, less PTO Provision, less Park Pawl

Front Wheels & Tires

STD 643 Wheels, Front 22.5x8.25 White

Powder Coated Steel, 10-Hole

(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.

STD T2B Tires, Front Two 11R22.5G

Goodyear Fuel Max RSA (497

rev/mile)

Rear Wheels & Tires

STD 663 Wheels, Rear 22.5x8.25 White

Powder Coated Steel, 10-Hole

(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.

STD R₂B Tires, Rear Four 11R22.5G

Goodyear Fuel Max RSA (497

rev/mile)

Brakes

STD 67H Hydraulic Brake System - Bosch

HydroMax w/Traction Control

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

08/29/2021



STD

2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

As Configured Vehicle (cont'd)

Code **Description MSRP**

> Full power with automatic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3" (Bosch) DSSA type rear axle mounted parking brake, Orscheln lever control, right of driver and

hand operated park brake lever.

Front Axle and Suspension

STD 43N 10,000 lb. Cap. Non-Driving - Dana

E-1002I - I-Beam Type

STD 61C Taper-Leaf Springs, Parabolic -

10,000 lb. Cap

2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.

Rear Axle and Suspension

STD 475 21,000 lb. Single Reduction - Open -

Dana / Spicer 21060S

NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.

68P Multi-Leaf Springs - 21,000 lb. Cap

11-leaf. Includes 2,000 lb auxiliary springs for load stabilization.

N/C X6D 6.50 Axle Ratio

Wheelbase

STD 182" Wheelbase/72" CA/49" AF/270" 182WB

OAL

Frame

STD 535 Single Channel - Straight 'C' 15.14

SM, 80,000 PSI

1,211,200 RBM. High strength low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x

9.5mm). Includes

- GVWR Limit: 37,000 lbs.

Exhaust

STD 91G Under Cab, Right Side Outlet,

Switchback-Style

Single, horizontal muffler, right side, under cab, outside of frame rail with rear discharge.

Fuel Tanks

STD 65E Fuel Tank - LH 65 Gallon

Rectangular - Aluminum

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD



08/29/2021

2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

| As | Configured | Vehicle | (cont'd) |) |
|----|------------|---------|----------|---|
| | | | () | , |

Description Code **MSRP**

12 Gal. Single Tank Fuel Fill. 12

Mandatory Charge Applied, Based

On Tank Selection

Electrical / Alternator / Battery

Included STDALT Extra Heavy Duty Alternator - 12-Volt,

200 Amp Denso SC5

STD **STDBAT** Battery - Two 750 CCA, 1500 Total,

Includes Steel Battery Box

12Volt, Motorcraft.

Seats

STD 88A 30/0/30 Fixed Driver & Fixed

Passenger w/Consolette - Vinyl

STD 87C 60/40 Rear Bench Seat w/Flip-Up

Cushion and Fold-Down Back

Trim will match selected driver seat material.

Cab Interior

600A Preferred Equipment Package 600A N/C

\$0.00

Includes:

Bumper, Front - Black, Full Width
Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals
Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals

- Manual Regen Initiation - Driver Interface in Message Center

Engine Exhaust Brake

- Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5

 Painted Grille - Plastic
 Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights
 Tow Hooks, Front (2) - Frame-Mounted, Painted Black
 Four Body Builder Switches - Mounted in Center Instrument Panel With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25.

- Floor Covering - Black Vinyl

- Intelligent Oil Life Monitor

Steering Column - Tilt / Telescoping
 Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls

- Body Builder Wiring - At Back of Cab, Combined

Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop,

park lamps, back up lamps. Also includes 2 additional pass through wires to cab.

Radio: AM/FM Stereo w/2 Speakers,

USB input, Clock Display and

Bluetooth

Cab Exterior

588

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

4

STD

Director of Business Development, NC Sheriff's Association





Carolina

2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

| As | Configured | Vehicle (| (cont'd) | |
|----|------------|-----------|----------|--|
| | | | () | |

| Code | Description | MSRP |
|-----------------------|---|-------------|
| 54H | Mirrors, Dual - Rectangular, XL2020 - 96" Width Integral spot mirror, sail type, manual fold, solid black finish. | STD |
| Miscellaneous | | |
| PAINT | Paint Type - Environmentally Friendly, "3 - Wet System" | STD |
| Interior Color | | |
| E_01 | Gray | N/C |
| Exterior Color | | |
| YZ_01 | Oxford White | N/C |
| SUBTOTAL | | \$76,010.00 |
| Destination Charge | | \$2,095.00 |
| TOTAL | | \$78,105.00 |

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021 274099308

2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

Selected Equip & Specs

Dimensions

• Exterior length: 270.0" • Cab to axle: 72.0" • Exterior width: 96.7" • Exterior height: 94.3" • Wheelbase: 182.0" • Front track: 83.8" • Rear track: 72.6" • Rear tire outside width: 96.0" • Front legroom: 41.4" • Rear legroom: 42.1" • Front headroom: 40.7" • Rear headroom: 40.8" • Front hiproom: 67.6" • Rear hiproom: 67.6" • Front shoulder room: 68.0" • Rear shoulder room: 68.0"

Powertrain

- 270hp 6.7L OHV 32 valve intercooled turbo V-8 engine with diesel direct injection Recommended fuel : diesel federal
- 6 speed automatic transmission with overdrive Rear-wheel drive Fuel Economy Cty: N/A Fuel Economy Highway: N/A 65.0 gal. rectangular Left front fuel tank Fuel/water separator Standard rear differential Right mounted horizontal muffler Right mounted horizontal tailpipe

Suspension/Handling

• Front non-independent leaf spring suspension • Rear rigid axle leaf spring suspension • Hydraulic power-assist recirculating ball Steering • Front and rear 22.5 x 8.25 wheels • 11.0R22.5 AS front and rear tires • Dual rear wheels • Rubber auxiliary rear springs

Body Exterior

• 4 doors • Conventional left rear passenger • Conventional right rear passenger • Driver and passenger , manual folding door mirrors • Black door mirrors • Black bumpers • Side steps • Clearcoat paint • Straight front bumper ends • Hood mounted grille • Front and rear 22.5 x 8.25 white steel wheels with 10 wheel studs • 2 front tow hook(s)

Convenience

• Manual air conditioning • Cruise control with steering wheel controls • Manual windows • Manual door locks • Manual tilt steering wheel • Manual telescopic steering wheel • Wireless phone connectivity • Front cupholders • Passenger visor mirror • Dual electric horn • Automatic gearshift steering column lever • Upfitter switches

Seats and Trim

• Seating capacity of 5 • Fixed driver seat • Fixed passenger seat • Driver and passenger armrests • 60-40 folding rear split-bench seat • Bucket driver seat, Bucket passenger seat • Driver seat folding back, passenger seat fixed back • Low back seats • Driver seat with 4 way direction control, passenger seat with 2 way direction control • Manual fore/aft seats

Entertainment Features

• AM/FM stereo radio • Auxiliary audio input • Steering wheel mounted radio controls • 2 speakers • Streaming audio • Fixed antenna

Lighting, Visibility and Instrumentation

• Halogen aero-composite headlights • Delay-off headlights • Auto on/off headlights • Variable intermittent front windshield wipers • Speed sensitive wipers • Light tinted windows • Rear reading lights • Tachometer • Oil pressure gauge • Oil temperature gauge • Trip computer • Trip odometer • RNDM

Director of Business Development, NC Sheriff's Association





n Carolina I

2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

Selected Equip & Specs (cont'd)

Safety and Security

• 4-wheel ABS brakes • Hill hold control • Hydraulic disc brakes • ABS traction control • Manual door locks • With stolen vehicle tracking system

Dimensions

| General Weights | | | |
|---------------------------------------|------------|---|----------------------------|
| Curb Rear GAWR GCWR | 21000 lbs. | | 10000 lbs. 31000 lbs. |
| Front Weights | | | |
| Front curb weight Front spring rating | • | Front axle capacity Front tire/wheel capacity | |
| Rear Weights | | | |
| Rear curb weight Rear spring rating | • | Rear axle capacity Rear tire/wheel capacity | 21,000 lbs. 23,360 lbs. |
| Fuel Tank type | | | |
| Left front Fuel tank capacity | 65.01 gal. | | |
| Front Frame | | | |
| Height loaded | 35 " | Height unloaded | 37 " |
| Rear Frame | | | |
| Height loaded | 36 " | Height unloaded | |
| Powertrain | | | |
| Engine Type | | | |
| Block material | | Cylinders | |
| Head material | | <u> </u> | Compression |
| Injection Diese Orientation | - | | 6.7L Diesel |
| Valves per cylinder | | | OHV |
| Forced induction Ir | | | |
| Engine Spec | | | |
| Bore Displacement | | | 16.2:1 4.25" |
| Engine Power | | | |
| Output 270 HF Governed RPM | • | Torque | 700 ftlb @ 1,500 RPM |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

| Alternator | |
|--------------------------------------|------------------------------|
| Type HD | Amps |
| Battery | |
| Cold cranking amps 1,500 | Location Forward right |
| Step Yes | TypeDual |
| Transmission | |
| Electronic control Yes | Lock-up Yes |
| Overdrive Yes | Speed 6 |
| Type Automatic | |
| Transmission Gear Ratios | |
| 1st 3.974 | 2nd 2.318 |
| 3rd 1.516 5th 0.858 | 4th 1.149 6th 0.674 |
| Reverse Gear ratios 3.128 | 0.07 |
| Transmission Torque Converter | |
| Stall ratio 1.85 | |
| Transmission Extras | |
| Driver selectable mode Tow/Haul Mode | Sequential shift control Yes |
| Oil cooler Regular duty | |
| Drive Type | |
| Type Rear-wheel | |
| Drive Feature | |
| Traction control ABS | |
| Drive Axle | |
| * Ratio 6.5 | |
| Exhaust | |
| Material Aluminized steel | System type Single |
| Emissions | |
| CARB Federal | |
| Engine Retarder | |
| Type Yes | |
| iveability | |
| Brakes | |
| 4h l | 400 |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

ABS 4-wheel

ABS channels

Director of Business Development, NC Sheriff's Association





2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

| · | |
|--|---|
| Selected Equip & Specs (cont'd) Type Hydraulic disc | Vented discs Front and rear |
| Brake Assistance Hill hold control Yes | |
| Suspension Control | |
| Ride Regular | |
| Front Suspension | |
| Independence Non-independent | Type Leaf |
| Front Spring | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| Type Tapered leaf | Grade Regular |
| Front Shocks | |
| Type Regular | |
| Rear Suspension | |
| Independence Rigid axle | Type Leaf |
| Rear Spring | 71 |
| Type | Grade Regular |
| Auxiliary Rubber | |
| Steering | |
| Activation Hydraulic power-assist | Type Re-circulating ball |
| Steering Specs | |
| # of wheels 2 | |
| Exterior | |
| Front Wheels | |
| Diameter 22.5" | Width 8.25" |
| Rear Wheels | |
| Diameter 22.5" | Width 8.25" |
| Dual Yes | |
| Front Tires | |
| Aspect 82 | Diameter 22.5" |
| Sidewalls BSW Width 11.0" | Tread AS LT load rating G |
| RPM 497 | 21 1000 1011119 |
| Rear Tires | |
| Aspect 82 | Diameter 22.5" |
| Sidewalls BSW | Tread AS |
| Width | LT load rating G |
| | |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

| Selected Equip & Specs (cont'd) RPM 497 | |
|---|---|
| Wheels | |
| Front track 83.8" Turning radius (to curb) 25' Wheelbase 182.0" | Rear track72.6"Turning radius (to bumper)26'Rear tire outside width96.0" |
| Body Features | |
| Front splash guards Yes Side steps Yes | Body material Composite/galvanized steel Front tow hook(s) |
| Body Doors | |
| Door count 4 Right rear passenger Conventional | Left rear passenger Conventional |
| Exterior Dimensions | |
| Length 270.0" Body height 94.3" Axle to end of frame 49.0" Frame yield strength (psi) 80000.0 Frame rail width 3.1" Max RBM (inlbs.) 1,275,200.0 Front bumper to Front axle 39.0" | Body width 96.7" Cab to axle 72.0" Frame section modulus 15.1cu.in. Frame rail depth 10.3" Frame rail thickness 0.4" Frame rail section 9.5" Nominal RBM (inlbs.) 1,211,200.0 |
| Safety | |
| Seatbelt | |
| Height adjustable Front | |
| Seating | |
| Passenger Capacity | |
| Capacity5 | |
| Driver Seat | |
| Type Bucket Back type Low Fore/aft Manual | Back Folding Way direction control 4 |
| Passenger Seat | |
| Type Bucket Back type Low Fore/aft Manual | Back Fixed Way direction control 2 |
| Front Armrest | |
| Driver Yes | Passenger Yes |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

Selected Equip & Specs (cont'd)

| Rear Seats | , | | |
|--|----------------|-----------------------------------|---------------|
| Descriptor | Split-bench | Facing | Front |
| Folding | | Folding position Folding | d-up cushion |
| Type | Fixed | | |
| Front Seat Trim | | | |
| Material | Vinyl | Back material | Carpet |
| Rear Seat Trim Group | | | |
| Material | Vinyl | Back material | Carpet |
| Convenience | | | |
| AC And Heat Type | | | |
| Air conditioning | Manual | | |
| Audio System | | | |
| Auxiliary audio input | | Radio A | |
| Radio grade | Regular | Seek-scan | Yes |
| Audio Speakers | | | |
| Speaker type | Regular | Speakers | 2 |
| Audio Controls | | | |
| Steering wheel controls | Yes | Streaming audio | Yes |
| Audio Antenna | | | |
| Type | Fixed | | |
| Cruise Control | | | |
| Cruise control With steering | wheel controls | | |
| Convenience Features | | | |
| Driver foot rest | | 12V DC power outlet | |
| * Wireless phone connectivity | ····· Yes | Horn | Dual electric |
| Upfitter switches | Yes | | |
| Door Lock Activation | | | |
| Type | Manual | | |
| Instrumentation Type | | | |
| Appearance | Analog | | |
| Instrumentation Gauges | | | |
| Tachometer | | Oil pressure | |
| Engine temperature Transmission fluid temp | | Oil temperature Engine hour meter | |
| | | | |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

| Selected Equip & Specs (cont'd) | |
|--|---|
| Instrumentation Warnings Oil pressure Yes Lights on Yes Low fuel Yes Service interval Yes | Battery Yes Key Yes Door ajar Yes Brake fluid Yes |
| Transmission fluid temp Yes | |
| Instrumentation Displays | |
| Clock In-radio display | |
| Instrumentation Feature Trip computer Shift indicator RNDM | Trip odometer Yes |
| Steering Wheel Type | |
| Material Urethane Telescoping Manual | Tilting Manual |
| Front Side Windows Window 1st row activation Manual | |
| Windows Rear Side | |
| 2nd row activation Manual | |
| Window Features | |
| Tinted Light | |
| Front Windshield | |
| Wiper Variable intermittent | Speed sensitive wipers Yes |
| Rear Windshield | |
| Window Fixed | |
| Automatic Gearshift | |
| Location Steering column lever | |
| nterior | |
| | |

In

Passenger Visor

| Mirror | Yes | | |
|--------------|------|----------|--------------|
| Headliner | | | |
| Coverage | Full | Material | Cloth |
| Floor Trim | | | |
| Coverage | Full | Covering | Vinyl/rubber |
| Trim Feature | | | |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Director of Business Development, NC Sheriff's Association





2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215 | Quote ID: NCSA41W7D3

| Selected Equip 8 | & Specs (| (cont'd) |
|------------------|-----------|----------|
|------------------|-----------|----------|

| Gear shifter material | Urethane | |
|---|----------|-----------------------------|
| Lighting | | |
| Dome light type Variable IP lighting | • | Rear reading Yes |
| Floor Console Storage | | |
| Туре | Partial | |
| Storage | | |
| Front Beverage holder(s) Instrument panel | | Glove box Yes Dashboard Yes |
| Legroom | | |
| Front | 41.4" | Rear 42.1" |
| Headroom | | |
| Front | 40.7" | Rear 40.8" |
| Hip Room | | |
| Front | 67.6" | Rear 67.6" |
| Shoulder Room | | |

68.0"

13

68.0"