Prepared for: Mr. Jason Bennett, Director of Business Development, NC Sheriff's Association

2022 F-750 Gas Regular Cab Base (F7A) Price Level: 215

### **Client Proposal**

1

Prepared by: SPENCER WOOD Office: 336-668-2401 Quote ID: NCSA46F7A3 Date: 08/29/2021



Director of Business Development, NC Sheriff's Association



 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

### 2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

# As Configured Vehicle

Code	Description	MSRP
Base Vehicle		
F7A	Base Vehicle Price (F7A)	\$62,100.00
Engines		
99N	7.3L 2V DEVCT NA PFI V8 Gas - 350 HP @ 3900 rpm	STD
	Torque: 468 ft.lbs. @ 3900 rpm.	
425	50-State Emissions	N/C
Transmissions		
44P	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision, less Park Pawl	STD
Front Wheels & Tires		
643	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole (285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs	STD
Т2В	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
Rear Wheels & Tires		
663	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole (285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs	STD
R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
Brakes		
67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control Full power with automatic adjustment, 4-channel ABS antilock brake system. Include (Bosch) DSSA type rear axle mounted parking brake, Orscheln lever control, right of hand operated park brake lever.	

Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

### 2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

# As Configured Vehicle (cont'd)

Code	Description	MSRP
Front Axle and Suspens	ion	
43N	10,000 lb. Cap. Non-Driving - Dana E-1002l - I-Beam Type	STD
61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap 2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting sho	STD
Rear Axle and Suspension	on	
475	21,000 lb. Single Reduction - Open - Dana / Spicer 21060S NOTE: When specifying an axle ratio, check performance guidelines for	STD
68P	Multi-Leaf Springs - 21,000 lb. Cap 11-leaf. Includes 2,000 lb auxiliary springs for load stabilization.	STD
X7A	7.17 Axle Ratio	N/C
Wheelbase		
158WB	158" Wheelbase/84" CA/49" AF/246" OAL	STD
Frame		
535	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI 1,211,200 RBM. High strength low alloy steel. 10.250" x 3.092" x 0.375	STD
	9.5mm). Includes: - GVWR Limit: 37,000 lbs.	
Exhaust		
91H	Single, Horizontal Muffler - Frame Mounted Right Side Back of Cab w/Catalytic Converter Downward facing, outlet tip.	STD
Fuel Tanks		
65A	Fuel Tank - LH 50 Gallon - Steel	STD



Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

**Miscellaneous** 

# As Configured Vehicle (cont'd)

Code	Description	MSRP
12	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	\$0.00
Electrical / Alternator / B	attery	
STDALT	Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi Extra heavy duty 12 Volt.	Included
STDBAT	Battery - One 900 CCA, Includes Steel Battery Box 12 Volt, Motorcraft.	STD
Seats		
88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD
Cab Interior		
600A	Preferred Equipment Package 600A	N/C
	<ul> <li>Includes:</li> <li>Bumper, Front - Black, Full Width</li> <li>Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals</li> <li>Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals</li> <li>Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi</li> <li>Extra heavy duty 12 Volt.</li> <li>Painted Grille - Plastic</li> <li>Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights</li> <li>Tow Hooks, Front (2) - Frame-Mounted, Painted Black</li> <li>Floor Covering - Black Vinyl</li> <li>Intelligent Oil Life Monitor</li> <li>Steering Wheel - Black PVC w/Integral Cruise Control Switches, include</li> <li>Body Builder Wiring - At Back of Cab, Combined</li> <li>Includes sealed connectors for 2 ground circuits, with combined left/stop stop lamps, park lamps, back up lamps. Also includes 2 additional pass the</li> </ul>	o, combined right/stop, hrough wires to cab.
588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD
Cab Exterior		
54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width Integral spot mirror, sail type, manual fold, solid black finish.	STD
Missellenseurs		



Director of Business Development, NC Sheriff's Association



 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

### 2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

# As Configured Vehicle (cont'd)

Code	Description	MSRP
PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD
Interior Color		
E_01	Gray	N/C
Exterior Color		
YZ_01	Oxford White	N/C
SUBTOTAL		\$62,100.00
Destination Charge		\$2,095.00
TOTAL		\$64,195.00

Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

# Selected Equip & Specs

### Dimensions

• Exterior length: 246.0" • Cab to axle: 84.0" • Exterior width: 96.7" • Exterior height: 92.9" • Wheelbase: 158.0" • Front track: 83.8" • Rear track: 72.6" • Rear tire outside width: 96.0" • Front legroom: 41.4" • Front headroom: 40.7" • Front hiproom: 67.6" • Front shoulder room: 68.0"

### **Powertrain**

• 350hp 7.3L OHV 16 valve V-8 engine with variable valve control, SMPI • Recommended fuel : regular unleaded • federal

• TorqShift-G 6 speed automatic transmission with overdrive • Rear-wheel drive • Fuel Economy Cty: N/A • Fuel Economy Highway: N/A • 50.0 gal. rectangular Left front fuel tank • Standard rear differential • Right mounted horizontal muffler • Right mounted horizontal tailpipe

### Suspension/Handling

• Front non-independent leaf spring suspension • Rear rigid axle leaf spring suspension • Hydraulic power-assist recirculating ball Steering • Front and rear 22.5 x 8.25 wheels • 11.0R22.5 AS front and rear tires • Dual rear wheels • Rubber auxiliary rear springs

### **Body Exterior**

• 2 doors • Driver and passenger , manual folding door mirrors • Black door mirrors • Black bumpers • Side steps • Clearcoat paint • Straight front bumper ends • Hood mounted grille • Front and rear 22.5 x 8.25 white steel wheels with 10 wheel studs • 2 front tow hook(s)

### Convenience

• Manual air conditioning • Cruise control with steering wheel controls • Manual front windows • Manual door locks • Manual tilt steering wheel • Manual telescopic steering wheel • Wireless phone connectivity • Front cupholders • Passenger visor mirror • Dual electric horn • Automatic gearshift steering column lever

### **Seats and Trim**

• Seating capacity of 2 • Fixed driver seat • Fixed passenger seat • Driver and passenger armrests • Bucket driver seat, Bucket passenger seat • Driver seat folding back, passenger seat fixed back • Low back seats • Driver seat with 4 way direction control, passenger seat with 2 way direction control • Manual fore/aft seats

### **Entertainment Features**

• AM/FM stereo radio • Auxiliary audio input • Steering wheel mounted radio controls • 2 speakers • Streaming audio • Fixed antenna

### Lighting, Visibility and Instrumentation

• Halogen aero-composite headlights • Delay-off headlights • Auto on/off headlights • Variable intermittent front windshield wipers • Speed sensitive wipers • Light tinted windows • Front reading lights • Tachometer • Oil pressure gauge • Oil temperature gauge • Trip computer • Trip odometer • RNDM

### Safety and Security



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021 274099308

2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

# Selected Equip & Specs (cont'd)

• 4-wheel ABS brakes • Hill hold control • Hydraulic disc brakes • ABS traction control • Manual door locks • With stolen vehicle tracking system

### **Dimensions**

General	Weights

Curb Rear GAWR GCWR	21000 lbs.	Front GAWR GVWR	
Front Weights			
Front curb weight Front spring rating		Front axle capacity Front tire/wheel capacity	
Rear Weights			
Rear curb weight Rear spring rating		Rear axle capacity Rear tire/wheel capacity	
Fuel Tank type			
Left front Fuel tank capacity	50.01 gal.		
Front Frame			
Height loaded		Height unloaded	
Rear Frame			
Height loaded		Height unloaded	
Powertrain			
Engine Type			
Block material Head material Injection Orientation Valves per cylinder Variable valve control	Aluminum Sequential MPI Longitudinal 2	Cylinders Ignition Liters Recommended fuel Valvetrain	Spark 7.3L Regular unleaded
Engine Power			
Output	IP @ 3,900 RPM	Torque 468	3 ftlb @ 3,900 RPM
Alternator			
Туре	HD	Amps	
Battery			
Cold cranking amps		Location	Forward right



Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

# Selected Equip & Specs (cont'd)

Type Tapered leaf	Grade Regular
Front Spring	
Front Suspension Independence Non-independent	Type
Ride Regular	
Suspension Control	
Brake Assistance Hill hold control Yes	
Brakes ABS 4-wheel Type Hydraulic disc	ABS channels 4 Vented discs Front and rear
Driveability	
Emissions CARB Federal	
Exhaust Material Non stainless steel	System type Single
Drive Axle * Ratio 7.17	
Traction control ABS	
Drive Feature	
Type Rear-wheel	
Drive Type	
Transmission Extras Driver selectable mode Tow/Haul Mode	Oil cooler Regular duty
Transmission Torque Converter Stall ratio 2.00	
1st       3.974         3rd       1.516         5th       0.858         Reverse Gear ratios       3.128	2nd       2.318         4th       1.149         6th       0.674
Transmission Gear Ratios	
Selected Lquip & Specs (control)Electronic controlYesOverdriveYesTypeAutomatic	Lock-up Yes Speed 6



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021 274099308

# 2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

# Selected Equip & Specs (cont'd)

Front Shocks	
Type Regular	
Rear Suspension	
Independence Rigid axle	Туре
Rear Spring	
Type Multi-leaf Auxiliary Rubber	Grade
Steering	
Activation Hydraulic power-assist	Туре
Steering Specs	
# of wheels	
Exterior	
Front Wheels	
Diameter 22.5"	Width
Rear Wheels	
Diameter 22.5"	Width
Dual Yes	
Front Tires	
Aspect 82	Diame
Sidewalls BSW Width 11.0"	Tread LT loa
RPM 497	LTIO
Rear Tires	
Aspect 82	Diame
Sidewalls	Tread
Width 11.0" RPM 497	LT loa
Wheels	
Front track 83.8"	Rear t
Turning radius (to curb) 22'	Turnin
Wheelbase 158.0"	Rear t
Body Features	
Front splash guards Yes	Body r
Side steps Yes	Front t
Body Doors	

Туре	Leaf
Grade	Regular

Туре	Re-circulating ball
------	---------------------

Width	8.25"

Width 8.25	1
------------	---

Diameter	22.5"
Tread	AS
LT load rating	G

Diameter	22.5"
Tread	AS
LT load rating	G

Rear track	72.6"
Turning radius (to bumper)	
Rear tire outside width	96.0"

Body material	Composite/ga	Ivanized steel
Front tow hook(s)		



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD 08/29/2021

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 274099308

## 2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

#### Selected Equip & Specs (cont'd) Door count 2

### **Exterior Dimensions**

Length	246.0"
Body height	
Axle to end of frame	49.0"
Frame yield strength (psi)	80000.0
Frame rail width	
Max RBM (inlbs.)	1,275,200.0
Front bumper to Front axle	

### Seating

### Passenger Canacity

Passenger Capacity	
Capacity	2
Driver Seat	
Туре	Bucket
Back type	
Fore/aft	
Passenger Seat	
Туре	Bucket
Back type	Low
Fore/aft	Manual
Front Armrest	

Front Armrest	
Driver	Yes
Front Seat Trim	
Material	Vinyl

### Convenience

### AC And Heat Type

Air conditioning Manual

### Audio System

Auxiliary audio input	Yes
Radio grade	Regular
Audio Speakers	
Speaker type	Regular
Audio Controls	
Steering wheel controls	Yes
Audio Antenna	

Body width	96.7"
Cab to axle	84.0"
Frame section modulus	15.1cu.in.
Frame rail depth	
Frame rail thickness	0.4"
Frame rail section	9.5"
Nominal RBM (inIbs.)	1,211,200.0

Back	olding
Way direction control	

Back	Fixed
Way direction control	2

Passenger	 	 	 	Yes

Back material	Carpet
---------------	--------

Radio	
Seek-scan	Yes
	0
Speakers	· · · · · · · · · · · · · · · · · · ·
Streaming audio	Yes
5	





Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

# Selected Equip & Specs (cont'd)

### Cruise Control

#### Convenience Features

* Wireless phone connectivity Y	
Driver foot rest	′es

### Door Lock Activation

Туре		Manual
Instrumentation	Туре	

Appearance Analog

#### Instrumentation Gauges

Tachometer	Yes
Engine temperature	Yes
Transmission fluid temp	Yes

#### Instrumentation Warnings

Oil pressure	Yes
Lights on	Yes
Low fuel	Yes
Service interval	Yes
Transmission fluid temp	Yes

### Instrumentation Displays

Clock	In-radio	display
-------	----------	---------

### Instrumentation Feature

Trip computer Shift indicator	
Steering Wheel Type	
Material U Telescoping	
Front Side Windows	
Window 1st row activation	Manual
Window Features	
Tinted	Light

# Front Windshield Wiper Variable intermittent

### Rear Windshield

12V DC power outlet 2 Horn Dual electric

Oil pressure	Yes
Oil temperature	Yes
Engine hour meter	Yes

Battery	Yes
Кеу	Yes
Door ajar	Yes
Brake fluid	Yes

Trip odometer		Yes
---------------	--	-----

Tilting Manual

Speed sensitive wipers

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Yes



Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

# 2022 F-750 Gas Regular Cab Base (F7A)

Price Level: 215 | Quote ID: NCSA46F7A3

# Selected Equip & Specs (cont'd)

vvindow	Fixed
Automatic Gearshift	
Location	Steering column lever

#### Interior

Passenger Visor	
Mirror	Yes
Headliner	
Coverage	Full
Floor Trim	
Coverage	Full
Trim Feature	
Gear shifter material	Urethane
Lighting	
Dome light type	Delay
Variable IP lighting	Yes
Floor Console Storage	
Туре	Partial
Storage	
Front Beverage holder(s)	Yes
Instrument panel	Bin
Legroom	
Front	
Headroom	
Front	40.7"
Hip Room	
Front	67.6"
Shoulder Room	
Front	68.0"

Material		Cloth
----------	--	-------

Covering Vinyl/rubber

Front reading		Yes
---------------	--	-----

Glove box	 	 Yes
Dashboard		 Yes

