#### NCSA Contract discount of 6% on all option pricing




Prepared by: Jeff Williams 08/07/2021

Four Seasons Ford Inc. | 601 Duncan Hill Rd Hendersonville North Carolina | 287922722

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215


Available Op		Description	MCDD
Selected	Code	Description	MSRP
General Info			
	ORDER1	Initial Order Date: TBA	N/C
Engines			
$\checkmark$	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD
	_	Exhaust Brake and manual regen capability. Torque: 700 0. Includes CARB clean idle label - may be removed if un-necessary.	) ft.lbs. @ 1500 rpm.
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00
	•	Exhaust Brake and manual regen capability. Torque: 725  O. Includes CARB clean idle label - may be removed if un-necessary.	5 ft.lbs. @ 1500 rpm.
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00
	_	Exhaust Brake and manual regen capability. Torque: 750 0. Includes CARB clean idle label - may be removed if un-necessary.	) ft.lbs. @ 1500 rpm.
$\checkmark$	425	50-State Emissions	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$60.00
	98R Allows Driver to Inhib	Active Regen Control  oit Automatic Regen until Regen can be performed in a Safe location.	\$205.00
	916	Speed Limit - 65mph	N/C
	917	Speed Limit - 70mph	N/C





Price Level: 215


	Options (cont'c	•	
Selected	Code	Description	MSRP
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00
	For use as an Ai	r Source when Air Brakes are not selected.	
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00
Transmissions	3		
	44G	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - Park Pawl determined by Rear Axle Ratio and Tire Size	STD
	41A	Transmission Power Take-Off Provision w/LiveDrive Capability and Tow/Haul	\$895.00
Front Wheels 8	& Tires		
$\checkmark$	645 (275MM BC) hub pi	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole loted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	STD





Price Level: 215


	Options (cont'd		
Selected	Code	Description	MSRP
	648	Wheels, Front 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides	\$470.00
	<b>646</b> (285.75MM BC) hub	Wheels, Front 19.5x7.5 White Powder Coated Steel, 10-Hole piloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.	\$25.00
	64D	Wheels, Front 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$630.00
$\checkmark$	T9A	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	STD
	TGK	Tires, Front Two 245/70R19.5H Michelin XZE (619 rev/mile)	\$70.00
	T9F	Tires, Front Two 245/70R19.5H Hankook AH35 (628 rev/mile)	\$40.00
	Т9В	Tires, Front Two 265/70R19.5G Hankook AH35 (613 rev/mile)	\$75.00
Rear Wheels	& Tires		
$\checkmark$	665 (275MM BC) hub pil	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole oted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	STD
	668	Wheels, Rear 19.5x6.75 Aluminum, 8- Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$705.00
	With white steel whe		





Price Level: 215


	ptions (cont'd)	Available C
Description	Code	Selected
Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	66A	
	Inner wheel is aluminu	
Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole	666	
ted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.	(285.75MM BC) hub p	
Wheels, Rear 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	66D	
Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	66B Inner wheel is aluminu	
Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)	60W	
Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only)	60X	
Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	R9A	$\checkmark$
S.	Includes: - GVWR Limit: 25,600	
Tires, Rear Four 245/70R19.5G Hankook DH35 (632 rev/mile)	R9C	
	Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount  m.  Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole iloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.  Wheels, Rear 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides  Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides  m.  Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)  Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only)  Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	Meels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount  Inner wheel is aluminum.  666 Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole (285.75MM BC) hub piloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.  66D Wheels, Rear 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides  66B Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides  Inner wheel is aluminum.  60W Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)  60X Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only)  R9A Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)





Price Level: 215

Available C	Options (cont'd	)	
Selected	Code	Description	MSRP
	R9B	Tires, Rear Four 265/70R19.5G Hankook AH35 (613 rev/mile)	\$150.00
	R9D	Tires, Rear Four 265/70R19.5G Hankook DH35 (614 rev/mile)	\$100.00
	R9F	Tires, Rear Four 245/70R19.5H Hankook AH35 (621 rev/mile)	\$80.00
	R9E	Tires, Rear Four 245/70R19.5H Hankook DH35 (632 rev/mile)	\$165.00
	RGK	Tires, Rear Four 245/70R19.5H Michelin XZE (619 rev/mile)	\$165.00
Brakes			
$\checkmark$	67H  Full power with autorear axle mounted p	Hydraulic Brake System - Bosch HydroMax w/Traction Control matic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3 arking brake, Orscheln lever control, right of driver and hand operated pa	STD 3" (Bosch) DSSA type ark brake lever.
	152  Mounted at rear of fi	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop rame, for combined trailer stop, tail, turn, marker light circuits. Includes el	\$100.00
	accommodation pac	kage with cab connections for mounting customer installed electric brake	e unit.
	154	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop	\$100.00
	Mounted at rear of fi accommodation pac	rame, for separate trailer stop, tail, turn, marker light circuits. Includes ele kage with cab connections for mounting customer installed electric brake	ectric trailer brake e unit.
	67A	Air Brakes - Straight Truck w/Traction Control	\$2,180.00





Price Level: 215

## Available Options (cont'd)

Selected Code Description MSRP

Meritor Q-Plus with ABS, Bendix Anti-Lock Brake System, 4-channel. Includes 15" x 4" front brakes, dual direct reading air pressure gauges, brake lines color coded nylon, Bendix 13.2 CFM capacity air compressor, instrument panel mounted yellow knob parking brake control valve, automatic slack adjusters front and rear, two rear spring parking air brake chambers mounted on front of rear axle, three drain valves and two air tanks (Reference Body Builders Book for location). Rear brake size and components dependent upon axle selection. Uses existing ABS system to minimize wheel slipping during acceleration. Usage determined by the air brake package selected. (Should NEVER be used with Hi-Rail Train Systems). Includes:


- Air Dryer, Bendix AD/IS w/Heater
Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or stand alone engine air compressor).

62D Air Dryer, Bendix AD/IS w/Heater
\$460.00

62D  Mounted left frame rail (compressor).	Air Dryer, Bendix AD/IS w/Heater (for Hydraulic brake diesel applications that include air suspension or s	\$460.00 tand alone engine air
18H	Electronic Stability Control	Variable
98B	Special Build Requirement - Low - 38" to 48" Center of Gravity	N/C
98C	Special Build Requirement - Medium - 48" to 58" Center of Gravity	N/C
98E	Special Build Requirement - High - 58" to 68" Center of Gravity	N/C
98F	Special Build Requirement - Tanker High - 58" to 68" Center of Gravity	N/C
98J	Special Build Requirement - Tanker Medium - 48" to 58" Center of Gravity	N/C
158 Includes air lines to real	Trailer Air Brake Package r of frame, hand control valve and tractor protection valve.	\$365.00
	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop se, for separate trailer stop, tail, turn, marker light circuits (compatible was with separate ston/turn)	\$100.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.


amber or side turn lamps with separate stop/turn).





Price Level: 215

Available C	options (cont'd	1)	
Selected	Code	Description	MSRP
	159	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop	\$100.00
	Mounted at rear of f lights).	rame, for combined trailer stop, tail, turn (compatible with trailers that use c	combined stop, tail, turn
Front Axle and	Suspension		
$\checkmark$	43A	8,500 lb. Cap. Non-Driving - Dana D- 850F	STD
$\checkmark$	61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	STD
	2-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.	
	15S	Front Stabilizer Bar	\$490.00
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00
	61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	\$125.00
	2-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.	
Rear Axle and	Suspension		
$\checkmark$	<b>471</b> Single reduction wit. startability and grad	13,500 lb. Single-Speed h 190 wheel ends. NOTE: When specifying an axle ratio, check performance eability.	STD ce guidelines for
	472	17,500 lb. Single-Speed - Dana S17- 140	\$165.00
	Single reduction wit performance guideli	h Gentech Quiet Gears and 190 wheel ends. NOTE: When specifying an a. ines for startability and gradeability.	xle ratio, check
	18P	Driveshaft Upgrade	\$185.00






Price Level: 215

# Available Options (cont'd)

Selected	Code	Description	MSRP
	A heavy duty drive line is optional. Heavy duty drive line components are required in more demanding such as higher torque engines or deep reduction low gear(s). The heavier SPL-140 driveshaft is powed dependent and should be used when more durability is required by the vocation or customer.		
	68K	Multi-Leaf Springs - 15,500 lb. Cap	STD
		100 lb auxiliary springs for load stabilization.	
	68M	Multi Loof Springs 10,000 lb Cap	\$110.00
		Multi-Leaf Springs - 19,000 lb. Cap 100 lb auxiliary springs for load stabilization.	,
	68C	Air Suspension - 12,000 lb. Cap	\$1,035.00
	Includes:	ension leveling valve. Rear - Double Acting	
	68D	Air Suspension - 19,000 lb. Cap	\$1,105.00
	Includes:	ension leveling valve. Rear - Double Acting	
	68Z	Air Suspension Dump Valve	\$205.00
	68Y	Air Suspension Leveling Valve, 1 Additional Valve Provides Dual Height	\$330.00
	961	Shock Absorbers, Rear - Double Acting	\$165.00
	607	Lube, Rear Axle, EmGard 75W-90, Synthetic Oil	\$100.00
$\checkmark$	X4A	4.10 Axle Ratio	N/C
	PRNDM/RNDM (	determined by Rear Axle Ratio and Tire Size.	
	X4S	4.56 Axle Ratio	N/C
	PRNDM/RNDM (	determined by Rear Axle Ratio and Tire Size.	
	X4G	4.88 Axle Ratio	N/C





Price Level: 215

escription MSI	•	Options (cont'd)	Available Selected
	Code Description  PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.		
5.29 Axle Ratio	5.29 Axle	X5B	
by Rear Axle Ratio and Tire Size.	M determined by Rear A	PRNDM/RNDM d	
5.57 Axle Ratio	5.57 Axle	X5D	
by Rear Axle Ratio and Tire Size.	M determined by Rear A	PRNDM/RNDM d	
			Wheelbase
194" Wheelbase/84" CA/63" AF/296" S DAL	194" Whe	194WB	$\checkmark$
218" Wheelbase/108" CA/75" AF/332" \$430 DAL	218" Whe	218WB	
254" Wheelbase/144" CA/96" AF/389" \$875 DAL	254" Whe	254WB	
			Frame
Single Channel - 10.75 SM, 80,000 PSI S 062" x 0.312" (231.8mm x 77.8mm x 8.0mm) w/transition to 6.500" x 3.062" x am).	•	<b>537</b> 860,000/520,000 RB 0.312" (165.1mm x 7	$\checkmark$
Sumper, Front - Full Width, Chrome  Plated Steel - (Included in (90E)  Exterior Appearance Group)	Plated St	765	
Sumper, Front - Delete - Also Deletes -\$135  Mounting Brackets	•	76X	
Γow Hooks - Delete -\$70	Tow Hool	76Y	




Prepared by: Jeff Williams 08/07/2021

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215


Selected	Code	Description	MSRF		
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00		
	86B	Grille, Fixed - Black/Gray	\$125.00		
Exhaust					
$\checkmark$	91 <b>G</b>	Under Cab, Right Side Outlet, Switchback-Style	STE		
	Single, horizontal mi	uffler, right side, under cab, outside of frame rail with rear discharge.			
	91B	Back of Cab, Right Side Outlet, Torpedo-Style	N/C		
	Single, horizontal muffler/pipe, inline, right side exhaust with underbody exit, in front of axle.				
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00		
		selection of this Exhaust could reduce the available CA dim uffler, right side under cab outside of frame rail with vertical exhaust passe turnout exit.			
Fuel Tanks					
$\checkmark$	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	STE		
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00		
$\checkmark$	12	12 Gal. Single Tank Fuel Fill.  Mandatory Charge Applied, Based On  Tank Selection	\$0.00		





Price Level: 215


Available Optio	ns (cont'd) Code	Description	MSRP
	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00
	55M	Jump Start Stud - Remote Mounted	\$90.00
	STDBAT  12Volt, Motorcraft.	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD
	63B 12Volt, Motorcraft.	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00
	63D  12Volt, Motorcraft.	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00
	63Y	Battery - Temporary Mount for Truck Chassis	\$235.00
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00
	16X For Airport or Applications the	Roof Marker/Clearance Lights - Delete at receive modified roof coverings.	N/C





Price Level: 215


Available C	ptions (cont'c	d)	
Selected	Code	Description	MSRP
	59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)	\$135.00
	Includes sealed cor lamps. Also include	nnectors for 2 ground circuits, with combined left/stop, combined right/stop, s 2 additional pass through wires to cab.	stop lamps, back up
	59D	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab	\$70.00
	Includes sealed cor includes 2 additions	Combined) nnectors for 2 ground circuits, with separate left/stop, separate right/stop, be all pass through wires to cab.	ack up lamps. Also
	59E	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)	\$135.00
		nnectors for 2 ground circuits, with separate left/stop, separate right/stop, b al pass through wires to cab.	ack up lamps. Also
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00
	962	Daytime Running Lamps (Not Configurable)	\$25.00
	86M	Upfitter Interface Module	\$320.00
	55X Deletes stop, turn, t	Tail Light Delete tail and backup lights. Does not omit cable to end of frame.	N/C
	16V Available in messa	Voltmeter ge center.	\$100.00
Seats			
$\checkmark$	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD





Price Level: 215


Available Opt	,	Decemination	Menn
Selected	Code	Description	MSRP
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00
	88D	30/0/0 Fixed Driver only - Cloth	N/C
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00
	88S	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Cloth	\$565.00
	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl	\$395.00
	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Cloth	\$520.00
	88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl	\$855.00





Price Level: 215


Available Options (cont'd) Selected Code Description			MSRP
	88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth	\$980.00
	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00
	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00
	88T	30/0/0 Air Ride Driver Only (External Air Source) - Vinyl	\$275.00
	88U	30/0/0 Air Ride Driver Only (External Air Source) - Cloth	\$400.00
	88N	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Vinyl	\$395.00
	88P	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Cloth	\$520.00
	88E	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Vinyl	\$810.00
	88F	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Cloth	\$935.00





Price Level: 215


Available Op			MCDD
Selected	Code	Description	MSRP
	88W	30/0/0 Air Ride Driver Only (Integral Air Pump) - Vinyl	\$315.00
	88X	30/0/0 Air Ride Driver Only (Integral Air Pump) - Cloth	\$440.00
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Vinyl	\$420.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Cloth	\$545.00
$\checkmark$	87C  Trim will match selec	60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back sted driver seat material.	STD
	87X	Rear Bench - Delete	-\$120.00
Cab Interior			
$\checkmark$	600A	Preferred Equipment Package 600A	N/C
	- Wheel Seals, Rear - Manual Regen Initi - Engine Exhaust Bra - Extra Heavy Duty A - Painted Grille - Pla - Lights - Roof Marke - Tow Hooks, Front ( - Four Body Builder With connector acc - Floor Covering - Bla - Intelligent Oil Life In - Steering Column - - Steering Wheel - Ba - Body Builder Wiring Includes sealed coi	s - Oil lubricated, SKF ScotSeal PlusXL Seals - Oil lubricated, SKF ScotSeal PlusXL Seals ation - Driver Interface in Message Center ake Alternator - 12-Volt, 200 Amp Denso SC5 stic er/Clearance - Amber Lenses, 5 Lights 2) - Frame-Mounted, Painted Black Switches - Mounted in Center Instrument Panel ess located in engine compartment. Amperages vary by switch: 10, 15, 25, 2 ack Vinyl Monitor	





Price Level: 215


Available O	ptions (cont'd		
Selected	Code	Description	MSRP
	87H	Driver Assist Technology Package. Hydraulic Brake	\$1,410.00
	Control. Includes: - Enhanced Cluster Electronic speedor tachometer, and inc	us Emergency Braking, Forward Collision Warning, Lane Departure Waw/High-Level 8-Inch Display meter (MPH/KPH), includes oil pressure, coolant temperature, DEF gaulicator lights. Also included is enhanced 3-button Message Center with for fuel, average fuel economy, hour meter and warning messages. Trans	ige, fuel gauge, odometer, trip odometer,
	87A	Driver Assist Technology Package	\$3,050.00
		(w/Bendix Wingman Advanced). Air Brake	
	Control and Auto Hi Includes: - Enhanced Cluster Electronic speedor tachometer, and inc	us Emergency Braking, Forward Collision Warning, Lane Departure Wa	ige, fuel gauge, odometer, trip odometer,
	Includes: - Chrome Trimmed . - 60/40 Rear Bench Trim will match sei - Power Equipment	Appearance Group  Ited overhead console with dual sunglass bins and integral front map re  Air Registers w/Positive Shut-Off Seat w/Flip-Up Cushion and Fold-Down Back lected driver seat material.  Group - (Included in (90A) Appearance Group) Int side windows, power rear side windows, power door locks and door in	
	92J  Electronic speedom and indicator lights.	Enhanced Cluster w/High-Level 8-Inch Display  eter (MPH/KPH), includes oil pressure, coolant temperature, DEF gaug Also included is enhanced 3-button Message Center with odometer, tri	\$235.00 ge, fuel gauge, tachometer, p odometer, distance to
	empty for fuel, avera center.	Also included is enhanced 3-button Message Center with odometer, tri age fuel economy, hour meter and warning messages. Transmission te	mperature in message
	90P	Power Equipment Group - (Included in (90A) Appearance Group)	\$470.00
	Includes power fron	t side windows, power rear side windows, power door locks and door tr	im panel.
	92S Comes in dark priva	Window, Rear - Sliding	\$125.00
	57N Includes fresh air he	Air Conditioning Delete eater and defroster only.	-\$100.00





Price Level: 215

Available O	Available Options (cont'd)			
Selected	Code	Description	MSRP	
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00	
	Required with Ala Hampshire, New	aska, Colorado, Idaho, Iowa, Maine, Michigan, Minnesota, N York, North Dakota, South Dakota, Vermont, Wisconsin, W	lontana, New yoming.	
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00	
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00	
	214	4 Speaker Option for 588 Radio	\$30.00	
	58P Deletes radio and da panel cover and das	Radio Prep Package ash-mounted aux input jack. Includes radio/speaker wiring, 2 speakers, ant h-mounted aux audio input jack instrument panel cover.	N/C enna, radio instrument	
		Radio Delete Package  kers, antenna and antenna cable. Includes radio instrument panel cover and some for future radio upfit if owner desires.	-\$60.00 d aux audio jack cover	
$\checkmark$	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD	
	85B	Keyed Alike - Not Available with Anti- Theft System, Requires Multiple-Unit Order	\$45.00	
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	






Price Level: 215


Available O	ptions (cont'd	)	
Selected	Code	Description	MSRP
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85A	SecuriLock Passive Anti-Theft System	\$120.00
	key, programmed to ignition key, its elect	sive Anti-Theft System is designed to help prevent the engine from being the vehicle, is used. It helps protect against drive-away theft through an erronically coded ignition key features billions of possible codes to start the -OEM aftermarket remote start systems.	lectronically coded
	90M	Interior Rear View Mirror	\$75.00
Cab Exterior			
	90E	Exterior Appearance Group	\$730.00
	- Chromed Fender E	ıll Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance G Badge ound - (Included in (90E) Exterior Appearance Group)	roup)
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00
	94T	Tamper-Proof Odometer	\$30.00
	59A Air solenoid operate	Horn, Air - Black, Single Trumpet d, chassis mounted on rail back of bumper.	\$90.00
$\checkmark$	54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	\$85.00





Price Level: 215

	ptions (cont'd	•	
Selected	Code	Description	MSRP
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54P	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width sail type, solid black finish.	\$245.00
	milegral Spot militor,	san type, sond black innsn.	
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00
	Integral spot mirror,	sail type, manual fold.	
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00
	Integral spot mirror,	sail type, manual fold.	
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00
	Integral spot mirror,	•	
	54J	Mirrors, Dual - Rectangular, XL2020 - 102" Width	\$30.00
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$90.00
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$275.00
	Integral spot mirror,	sail type, solid black finish.	
	54D	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap	\$90.00
	Integral spot mirror,	sail type, manual fold.	
	54E	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap	\$150.00
	Integral spot mirror,	sail type, manual fold.	





Price Level: 215

tions (cont'd		
Code	Description	MSRP
54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00
Integral spot mirror,	·	
54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00
Includes power hea mounted.	ted glass, heated convex spotter and integrated clearance lights/turn signals. Heat co	ntrols dash
63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00
63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00
165	Mud Flap Holder Without Flaps	\$95.00
	!! - f(b ('	N/C pection
314	Ship-Thru - Manning	\$0.00
MAY be selected arrangements di	l w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make	
31F	Ship-Thru - NFS National Fleet Services	N/C
MAY be selected arrangements di	d w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make rectly with NFS (please use CVT Resources for add. Info).	
	54K  Integral spot mirror,  54F  Includes power hearmounted.  63F  63G  165  21A  Selection require performed. Require performed. Required performed perform	54K Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width W/Chrome Cap  Integral spot mirror, sail type.  54F Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding Includes power heated glass, heated convex spotter and integrated clearance lights/turn signals. Heat comounted.  63F Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side  63G Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only  165 Mud Flap Holder Without Flaps  21A Pre-Delivery Inspection  Selection requires that you also choose either (314) or (31F) or (31V) to have the Insperformed. Required with any final Ship-To that is not a dealer.  314 Ship-Thru - Manning  MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Manning (please use CVT Resources for add. Info).




Prepared by: Jeff Williams 08/07/2021

2022 F-650 Diesel Crew Cab Base (W6E)

Price	Level:	215
-------	--------	-----

Available Option	ons (cont'd) Code	Description	MSRP		
Miscellaneous					
$\checkmark$	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD		
	79V	COV Required	N/C		
	Send a paper Certificate CA or MI.	e of Origin for a Vehicle (COV) for those states th	at file electronically -		
Fleet Options					
	19A	Ambulance Prep Pkg w/Special	\$1,285.00		
		Emissions			
	REQUIRES valid FIN code.				
	certification by a final stage if emissions only if equipped w. In addition, Ford urges ambu. Manual and the Ford Truck E Ford Ambulance Package w. emissions voids the Ford wa engine control module. NOT stationary PTO operation. N. 100%. NOTE 4: Must meet the 86.1803.01 in the Federal Remergency vehicles in Califor Includes:	gency Vehicle Emissions. Incomplete vehicle package - requirmanufacturer. Ford vehicles are suitable for producing ambularith the Ford Ambulance Prep Package with EPA Special Emulance manufacturers to follow the recommendations of the Follow Book (and pertinent supplements). Using the EPA Special Emergency Vehicle Emissions to produce an arranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has the E2: Engine calibration significantly reduces the possibility of IOTE 3: Allows operator commanded regen down to 30% of Expension of an Emergency Vehicle, an Ambulance or Fire the definition of an Emergency Vehicle, an Ambulance or Fire the IOTE 5: California Code of Regulations allows for the Iornia.  Test - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	ances with special argency Vehicle Emissions. ord Incomplete Vehicle org a Ford vehicle without the ambulance with special been integrated into the depower mode when in DPF filter full, instead of Truck per 40 CFR		
	- Battery - Three 900 CCA, 2 12Volt, Motorcraft.	700 Total, Includes Steel Battery Box			
	19F	Fire/Rescue Prep Pkg w/EPA Special Emissions	\$1,285.00		
	REQUIRES valid FIN co	ode.			
	certification by a final stage in recommendations of the Form pertinent supplements). NOTE 2: Engine call operation. NOTE 3: Operation the definition of an Emergen NOTE 5: California Code of Includes:  - Dual Heavy Duty Alternator	gency Vehicle Emissions. Incomplete vehicle package - requir manufacturer. Ford urges Fire/Rescue Vehicle manufacturers of Incomplete Vehicle Manual and the Ford Truck Body Builde FE 1: Stationary Elevated Idle Control (SEIC) has been integralibration significantly reduces the possibility of depower mode recommanded regen down to 30% of DPF filter full, instead of cy Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803. Regulations allows for the sale of Federally certified emergen rs - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2 1700 Total, Includes Steel Battery Box	to follow the ers Layout Book (and ated into the engine control when in stationary PTO 100%. NOTE 4: Must meet 01 in the Federal Register.		
	B4A	Net Invoice Fleet Option	\$0.00		





Price Level: 215

Available O	ptions (cont'd)	Description	MSRP
	56A	CPA Fleet Incentive	N/C
	56B	Commercial Repurchase	N/C
	56F	FRCS Long Term	N/C
	56K	Long Term Fleet Incentive	\$0.00
	56M	National Fleet Incentive	\$0.00
	56Y	DDR Program	N/C
VSO Options			
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	\$824.00
	SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	\$1,050.00
	GCA	VSO SPO Code	N/C
	IHD This is to put an ord releases it.	VSO Hold Code er on a VSO Hold, so that it does not get scheduled เ	N/C until the VSO dept.