NCSA Contract discount of 6% on all option pricing




Prepared by: Jeff Williams 08/07/2021

Four Seasons Ford Inc. | 601 Duncan Hill Rd Hendersonville North Carolina | 287922722

2022 F-650 Diesel SuperCab Base (X6D)

Price Level: 215


Available Op		Decemention	Menn
Selected	Code	Description	MSRP
General Info			
	ORDER1	Initial Order Date: TBA	N/C
Engines			
\checkmark	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD
	_	xhaust Brake and manual regen capability. Torque: 700 p. Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00
	_	xhaust Brake and manual regen capability. Torque: 725 D. Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00
	_	xhaust Brake and manual regen capability. Torque: 750 Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
\checkmark	425	50-State Emissions	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$60.00
	98R Allows Driver to Inhib	Active Regen Control it Automatic Regen until Regen can be performed in a Safe location.	\$205.00
	916	Speed Limit - 65mph	N/C
	917	Speed Limit - 70mph	N/C





Price Level: 215


Available C	Options (cont'd	1)	
Selected	Code	Description	MSRP
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00
	For use as an Ai	r Source when Air Brakes are not selected.	
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00
Transmissions	i		
✓	44G	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - Park Pawl determined by Rear Axle Ratio and Tire Size	STD
	41A	Transmission Power Take-Off Provision w/LiveDrive Capability and Tow/Haul	\$895.00
Front Wheels &	& Tires		
\checkmark	643	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole	STD
	(285.75MM BC) hul	p piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	





Price Level: 215


Available O	ptions (cont'd		
Selected	Code	Description	MSRP
	64H	Wheels, Front 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$735.00
	649 (285.75MM BC) hub	Wheels, Front 22.5x8.25 Black Wheel piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	\$60.00
\checkmark	T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$45.00
	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$240.00
	TCH	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 rev/mile)	\$40.00
	T2F	Tires, Front Two 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$190.00
	TFA	Tires, Front Two 275/80R22.5H Hankook AH22 (510 rev/mile)	\$100.00
	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 rev/mile)	\$130.00
	645	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole loted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	N/C





Price Level: 215


	otions (cont'd	•	
Selected	Code	Description	MSRP
	646	Wheels, Front 19.5x7.5 White Powder Coated Steel, 10-Hole	\$25.00
	(285.75MM BC) hub	piloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.	
	648	Wheels, Front 19.5x6.75 Aluminum, 8- Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides	\$470.00
	64D	Wheels, Front 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$630.00
	Т9А	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	N/C
	TGK	Tires, Front Two 245/70R19.5H Michelin XZE (619 rev/mile)	\$80.00
	T9F	Tires, Front Two 245/70R19.5H Hankook AH35 (628 rev/mile)	\$40.00
	Т9В	Tires, Front Two 265/70R19.5G Hankook AH35 (613 rev/mile)	\$75.00
Rear Wheels & T	ires		
\checkmark	663	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole	STD
	(285.75MM BC) hub	piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	
	66H	Wheels, Rear 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$830.00
	Inner wheel is white	powder-coated steel.	





Price Level: 215


Available C	ptions (cont'd		
Selected	Code	Description	MSRP
	66C Inner wheel is alumi	Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$1,470.00
	669 (285.75MM BC) hub	Wheels, Rear 22.5x8.25 Black Wheel piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	\$120.00
	60Z	Wheel, Spare 22.5x8.25 White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00
\checkmark	R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
	R2A	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$95.00
	R2G	Tires, Rear Four 11R22.5G Goodyear Fuel Max RTD (493 rev/mile)	\$140.00
	R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	\$175.00
	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$480.00
	RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 rev/mile)	\$405.00
	R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 rev/mile)	\$140.00





Price Level: 215


Available (Options (cont'd)	Description	MSRP
	RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 rev/mile)	\$80.00
	R2J	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy D (514 rev/mile)	\$265.00
	R2F	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$375.00
	RFA	Tires, Rear Four 275/80R22.5H Hankook AH22 (510 rev/mile)	\$200.00
	RRC	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 rev/mile)	\$310.00
	RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 rev/mile)	\$260.00
	665 (275MM BC) hub piloted, fla	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole anged nut, metric mount, 6.75 DC rims; with steel hubs.	\$25.00
	668	Wheels, Rear 19.5x6.75 Aluminum, 8- Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$705.00
	66A	Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides -	\$940.00
	Inner wheel is aluminum.	Outside Mount	





Price Level: 215


Selected Code Description MSI 666 Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole (285.75MM BC) hub piloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs. Wheels, Rear 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides
Hole Alcoa Bright Polished w/Dura-
Mheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides Inner wheel is aluminum.
Coated Steel, 8-Hole - Quantity (One only) Wheel, Spare 19.5x6.75, White Powder \$145
Coated Steel, 10-Hole - Quantity (One only)
R9A Tires, Rear Four 245/70R19.5G Nankook AH35 (621 rev/mile)
R9C Tires, Rear Four 245/70R19.5G \$80 Hankook DH35 (632 rev/mile)
R9B Tires, Rear Four 265/70R19.5G \$150 Hankook AH35 (613 rev/mile)
R9D Tires, Rear Four 265/70R19.5G \$100 Hankook DH35 (614 rev/mile)





Price Level: 215

Available C	Options (cont'd)	
Selected	Code	Description	MSRP
	R9F	Tires, Rear Four 245/70R19.5H Hankook AH35 (621 rev/mile)	\$80.00
	R9E	Tires, Rear Four 245/70R19.5H Hankook DH35 (632 rev/mile)	\$165.00
	RGK	Tires, Rear Four 245/70R19.5H Michelin XZE (619 rev/mile)	\$165.00
Brakes			
\checkmark	67H Full power with autorear axle mounted p	Hydraulic Brake System - Bosch HydroMax w/Traction Control matic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3 arking brake, Orscheln lever control, right of driver and hand operated pa	STD 3" (Bosch) DSSA type ark brake lever.
	152 Mounted at rear of fraccommodation pac	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop rame, for combined trailer stop, tail, turn, marker light circuits. Includes elkage with cab connections for mounting customer installed electric brake	\$100.00 lectric trailer brake e unit.
		Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop rame, for separate trailer stop, tail, turn, marker light circuits. Includes elekage with cab connections for mounting customer installed electric brake	
	67A	Air Brakes - Straight Truck w/Traction Control	\$2,180.00
	Includes: - Air Dryer, Bendix A Mounted left frame compressor).	ND/IS w/Heater rail (for Hydraulic brake diesel applications that include air suspension o	or stand alone engine air
	62D Mounted left frame r compressor).	Air Dryer, Bendix AD/IS w/Heater ail (for Hydraulic brake diesel applications that include air suspension or	\$460.00 stand alone engine air





159

lights).

157

Price Level: 215

Available C	options (cont'd		
Selected	Code	Description	MSRP
	62F Relocated to rear of	Brake Chamber Spring Relocated rear axle for maximum ground clearance.	\$45.00
	18H	Electronic Stability Control	Variable
	98B	Special Build Requirement - Low - 38" to 48" Center of Gravity	N/C
	98C	Special Build Requirement - Medium - 48" to 58" Center of Gravity	N/C
	98E	Special Build Requirement - High - 58" to 68" Center of Gravity	N/C
	98F	Special Build Requirement - Tanker High - 58" to 68" Center of Gravity	N/C
	98J	Special Build Requirement - Tanker Medium - 48" to 58" Center of Gravity	N/C
	158	Trailer Air Brake Package	\$365.00

Includes air lines to rear of frame, hand control valve and tractor protection valve.

Stop

Stop

Mounted at rear of frame, for separate trailer stop, tail, turn, marker light circuits (compatible with trailers that have amber or side turn lamps with separate stop/turn).

Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of


Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with

Mounted at rear of frame, for combined trailer stop, tail, turn (compatible with trailers that use combined stop, tail, turn

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

\$100.00


\$100.00





Price Level: 215

Available O	ptions (cont'd) Description	MSRP
Front Axle and	Suspension		
\checkmark	43A	8,500 lb. Cap. Non-Driving - Dana D- 850F	STD
	43N	10,000 lb. Cap. Non-Driving - Dana E- 1002l - I-Beam Type	\$685.00
	WARNING! The simplications.	selection of this Axle may cause the GVWR to exceed 26,00	00 lbs., with CDL
	61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	STD
	2-leaf, 62" x 3.15". A	lso includes, standard duty, dual, double acting shock absorbers.	
	61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	\$125.00
	2-leaf, 62" x 3.15". A	lso includes, standard duty, dual, double acting shock absorbers.	
	61D	Taper-Leaf Springs, Parabolic - 12,000 lb. Cap	\$305.00
	2-leaf, 62" x 3.15". A	lso includes, standard duty, dual, double acting shock absorbers.	
	15S	Front Stabilizer Bar	\$490.00
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00
Rear Axle and S	Suspension		
\checkmark	472	17,500 lb. Single-Speed - Dana S17- 140	STD
	Single reduction with performance guidelin	n Gentech Quiet Gears and 190 wheel ends. NOTE: When specifying an a nes for startability and gradeability.	xle ratio, check
	474	19,000 lb. Single-Speed - Dana S19- 140	\$670.00






Price Level: 215

Available Opt	ions (cont'd)
---------------	---------------


Selected	Code	Description	MSRP
	WARNING! The s Implications.	election of this Axle may cause the GVWR to exceed 26,0	000 lbs., with CDL
		Gentech Quiet Gears and 190 wheel ends. NOTE: When specifying an a es for startability and gradeability.	axle ratio, check
	18P	Driveshaft Upgrade	\$185.00
	such as higher torque	ne is optional. Heavy duty drive line components are required in more der the engines or deep reduction low gear(s). The heavier SPL-140 driveshaft Id be used when more durability is required by the vocation or customer.	manding applications, is powertrain
\checkmark	68M	Multi-Leaf Springs - 19,000 lb. Cap	STD
	11-leaf. Includes 2,00	00 lb auxiliary springs for load stabilization.	
	68P	Multi-Leaf Springs - 21,000 lb. Cap	\$110.00
	11-leaf. Includes 2,00	00 lb auxiliary springs for load stabilization.	
	68E	Air Suspension - 19,000 lb. Cap	\$1,130.00
	With single air suspe Includes: - Shock Absorbers, F	nsion leveling valve.	
	68B	Air Suspension - 21,000 lb. Cap	\$1,140.00
	With single air suspe Includes:	nsion leveling valve.	
	- Shock Absorbers, F	Rear - Double Acting	
	68Z	Air Suspension Dump Valve	\$205.00
	68Y	Air Suspension Leveling Valve, 1	\$330.00
	00.	Additional Valve Provides Dual Height	
	961	Shock Absorbers, Rear - Double Acting	\$165.00
	607	Lube, Rear Axle, EmGard 75W-90, Synthetic Oil	\$100.00
	X4A	4.10 Axle Ratio	N/C
	PRNDM/RNDM d	etermined by Rear Axle Ratio and Tire Size.	





Price Level: 215


Available Options (cont'd)				
Selected	Code	Description	MSRP	
	X4S PRNDM/RNDM	4.56 Axle Ratio determined by Rear Axle Ratio and Tire Size.	N/C	
\checkmark	X4G PRNDM/RNDM	4.88 Axle Ratio determined by Rear Axle Ratio and Tire Size.	N/C	
	X5B PRNDM/RNDM	5.29 Axle Ratio determined by Rear Axle Ratio and Tire Size.	N/C	
	X5D PRNDM/RNDM	5.57 Axle Ratio determined by Rear Axle Ratio and Tire Size.	N/C	
	X6A PRNDM/RNDM	6.14 Axle Ratio determined by Rear Axle Ratio and Tire Size.	N/C	
	X6D PRNDM/RNDM	6.50 Axle Ratio determined by Rear Axle Ratio and Tire Size.	N/C	
Wheelbase				
\checkmark	179WB	179" Wheelbase/84" CA/49" AF/267" OAL	STD	
	197WB	197" Wheelbase/102" CA/70" AF/306" OAL	\$85.00	
	203WB	203" Wheelbase/108" CA/70" AF/312" OAL	\$165.00	
	215WB	215" Wheelbase/120" CA/75" AF/329" OAL	\$320.00	





Price Level: 215


Available O	ptions (cont'd)		
Selected	Code	Description	MSRP
	221WB	221" Wheelbase/126" CA/75" AF/335" OAL	\$375.00
	233WB	233" Wheelbase/138" CA/81" AF/353" OAL	\$390.00
	239WB	239" Wheelbase/144" CA/81" AF/359" OAL	\$580.00
	245WB	245" Wheelbase/150" CA/87" AF/371" OAL	\$755.00
	251WB	251" Wheelbase/156" CA/87" AF/377" OAL	\$770.00
	263WB	263" Wheelbase/168" CA/100" AF/402" OAL	\$780.00
	281WB	281" Wheelbase/186" CA/120" AF/440" OAL	\$855.00
Frame			
\checkmark	534 632,000 RBM. High str	Single Channel - Straight 'C' 12.64 SM, 50,000 PSI rength low alloy steel; 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x 8.0mm).	STD
	533	Single Channel - Straight 'C' 10.75 SM, 80,000 PSI rength low alloy steel; 9.125" x 3.062" x 0.312" (232.8mm x 77.8mm x 7.9mm).	N/C
	536	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI treated alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm).	\$365.00





Price Level: 215


Price Level: 215			
Available O	ptions (cont'd)	Description	MSRP
	535	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI	\$490.00
	1,211,200 RBM. High	strength low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5m	m).
	532	Frame Extension, Front - Integral 20" In Front of Grille	\$490.00
	Includes: - Grille, Fixed - Black/0 - Bumper, Front - Dele	Gray te - Also Deletes Mounting Brackets	
	538	Single Channel - Straight 'C' 16.98 SM, 120,000 PSI	\$650.00
	2,037,600 RBM. Heat	treated alloy steel; 10.250" x 3.610" x 0.375" (260.4mm x 91.66mm x 9.5mm).	
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00
	767 Dark shadow gray colo	Bumper, Front - Swept Back, Painted Steel	\$345.00
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00
	76F	3" Front Bumper Extension	\$175.00
	76Y	Tow Hooks - Delete	-\$70.00
	18D	Special Rating GVWR - Limited to 25,999 lb. GVWR	\$120.00
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00





Price Level: 215


Available C	ptions (cont'd) Description	MSRP
	86B	Grille, Fixed - Black/Gray	\$125.00
Exhaust			
\checkmark	91G Single, horizontal m	Under Cab, Right Side Outlet, Switchback-Style uffler, right side, under cab, outside of frame rail with rear discharge.	STD
	91B	Back of Cab, Right Side Outlet, Torpedo-Style uffler/pipe, inline, right side exhaust with underbody exit, in front of axle.	N/C
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00
		selection of this Exhaust could reduce the available CA dime uffler, right side under cab outside of frame rail with vertical exhaust passent turnout exit.	
Fuel Tanks			
\checkmark	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	STD
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00
✓	12	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	\$0.00
Electrical / Alte	rnator / Battery		
\checkmark	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD





Price Level: 215

Available Options (cont'd) Selected Code Description			MSRP
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00
	55M	Jump Start Stud - Remote Mounted	\$90.00
\checkmark	STDBAT 12 Volt, Motorcraft.	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD
	63B 12Volt, Motorcraft.	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00
	63D 12Volt, Motorcraft.	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00
	63Y	Battery - Temporary Mount for Truck Chassis	\$235.00
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00
	16X For Airport or Applications	Roof Marker/Clearance Lights - Delete that receive modified roof coverings.	N/C
	59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)	\$135.00






Price Level: 215

Available	Options	(cont'd)
-----------	----------------	----------

Selected	Code	Description	MSRP
		nectors for 2 ground circuits, with combined left/stop, combined right/stop, s 2 additional pass through wires to cab.	stop lamps, back up
	59D	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined)	\$70.00
	Includes sealed con includes 2 additiona	nectors for 2 ground circuits, with separate left/stop, separate right/stop, ball pass through wires to cab.	ack up lamps. Also
	59E	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)	\$135.00
	Includes sealed con includes 2 additiona	nectors for 2 ground circuits, with separate left/stop, separate right/stop, by I pass through wires to cab.	ack up lamps. Also
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00
	962	Daytime Running Lamps (Not Configurable)	\$25.00
	86M	Upfitter Interface Module	\$320.00
	55X Deletes stop, turn, t	Tail Light Delete ail and backup lights. Does not omit cable to end of frame.	N/C
	16V Available in messag	Voltmeter ne center.	\$100.00
Seats			
\checkmark	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00





Price Level: 215

	ptions (cont'd)		
Selected	Code	Description	MSRP
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00
	88D	30/0/0 Fixed Driver only - Cloth	N/C
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Vinyl	\$420.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Cloth	\$545.00
\checkmark	87B Trim will match select	60/40 Rear Bench Seat w/Bolster and Flip-Up Cushion ted driver seat material.	STD
	87X	Rear Bench - Delete	-\$120.00
Cab Interior			
\checkmark	600A	Preferred Equipment Package 600A	N/C



Prepared by: Jeff Williams 08/07/2021

2022 F-650 Diesel SuperCab Base (X6D)

Price Level: 215

Available Options (cont'd)

Selected Code **Description MSRP**

Includes:

- Bumper, Front Black, Full Width Wheel Seals, Front Oil lubricated, SKF ScotSeal PlusXL Seals Wheel Seals, Rear Oil lubricated, SKF ScotSeal PlusXL Seals
- Manual Regen Initiation Driver Interface in Message Center
- Engine Exhaust Brake
- Extra Heavy Duty Alternator 12-Volt, 200 Amp Denso SC5 Painted Grille Plastic
- Lights Roof Marker/Clearance Amber Lenses, 5 Lights
- Tow Hooks, Front (2) Frame-Mounted, Painted Black Four Body Builder Switches Mounted in Center Instrument Panel
- With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25.

With connector access located in engine comparament. Amperagos vary all acceptances of the following of the

87H

Driver Assist Technology Package. Hydraulic Brake

\$1,410.00

Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning and Auto High Beam

Includes

Enhanced Cluster w/High-Level 8-Inch Display
Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center.

87A

Driver Assist Technology Package (w/Bendix Wingman Advanced). Air

\$3,050.00

Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning, Adaptive Cruise Control and Auto High Beam Control. Includes

- Enhanced Cluster w/High-Level 8-Inch Display
Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center.

90A

Appearance Group

\$830.00

Includes front-mounted overhead console with dual sunglass bins and integral front map reading lights.


- Chrome Trimmed Air Registers w/Positive Shut-Off 60/40 Rear Bench Seat w/Bolster and Flip-Up Cushion
 - Trim will match selected driver seat material.
- Power Equipment Group (Included in (90A) Appearance Group)

Includes power front side windows, manual rear side windows, power door locks and door trim panel.

92J

Enhanced Cluster w/High-Level 8-Inch Display

\$235.00






Price Level: 215

Available Options (cont'd)


Selected	Code	Description	MSRP
	and indicator lights.	eter (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, f Also included is enhanced 3-button Message Center with odometer, trip of ge fuel economy, hour meter and warning messages. Transmission tempe	dometer, distance to
	90P	Power Equipment Group - (Included in (90A) Appearance Group)	\$470.00
	Includes power front	side windows, manual rear side windows, power door locks and door trim	panel.
	92S Comes in dark privad	Window, Rear - Sliding cy glass only.	\$125.00
	57N Includes fresh air he	Air Conditioning Delete ater and defroster only.	-\$100.00
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00
	Required with Ala Hampshire, New	aska, Colorado, Idaho, Iowa, Maine, Michigan, Minnesota, M York, North Dakota, South Dakota, Vermont, Wisconsin, W	Montana, New /yoming.
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00
	214	4 Speaker Option for 588 Radio	\$30.00
	58P Deletes radio and da panel cover and das	Radio Prep Package ash-mounted aux input jack. Includes radio/speaker wiring, 2 speakers, and h-mounted aux audio input jack instrument panel cover.	N/C tenna, radio instrument
		Radio Delete Package ers, antenna and antenna cable. Includes radio instrument panel cover an is for future radio upfit if owner desires.	-\$60.00 ad aux audio jack cover
\checkmark	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD





Price Level: 215


Available Op	tions (cont'o	Description	MSRP
	85B	Keyed Alike - Not Available with Anti- Theft System, Requires Multiple-Unit Order	\$45.00
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	key, programmed t ignition key, its ele	SecuriLock Passive Anti-Theft System ssive Anti-Theft System is designed to help prevent the engine from being sta o the vehicle, is used. It helps protect against drive-away theft through an ele- ctronically coded ignition key features billions of possible codes to start the ve n-OEM aftermarket remote start systems.	ctronically coded
	90M	Interior Rear View Mirror	\$75.00
Cab Exterior			
	 Chromed Fender 	Exterior Appearance Group Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group Badge rround - (Included in (90E) Exterior Appearance Group)	\$730.00 up)
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00





Price Level: 215


Price Level: 215			
Available C	Options (cont'd) Description	MSRP
	94T	Tamper-Proof Odometer	\$30.00
	59A Air solenoid operate	Horn, Air - Black, Single Trumpet ed, chassis mounted on rail back of bumper.	\$90.00
\checkmark	54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	\$85.00
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54P	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width sail type, solid black finish.	\$245.00
	miegrai spot mirror,	Sall type, Solid black IIIISII.	
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00
	Integral spot mirror,	sail type, manual fold.	
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00
	Integral spot mirror,	sail type, manual fold.	
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00
	Integral spot mirror,	·	
	54J	Mirrors, Dual - Rectangular, XL2020 - 102" Width	\$30.00
	ıntegrai spot mirror,	sail type, manual fold, solid black finish.	
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$90.00





Price Level: 215


Price Level: 215				
Available C Selected	Options (cont'd) Code	Description	MSRP	
	Integral spot mirror, sa	ail type, manual fold, solid black finish.		
	54R Integral spot mirror, s	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width ail type, solid black finish.	\$275.00	
	54D Integral spot mirror, se	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap	\$90.00	
	54E Integral spot mirror, so	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap	\$150.00	
	54K Integral spot mirror, so	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap ail type.	\$335.00	
	54F Includes power heate mounted.	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding d glass, heated convex spotter and integrated clearance lights/turn signal	\$365.00	
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00	
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00	
	165	Mud Flap Holder Without Flaps	\$95.00	
	166	Mud Flap Holder With Flaps	\$155.00	





Price Level: 215

Available Option	ons (cont'd)	Description	MSRP	
Ship-Thru				
	21A	Pre-Delivery Inspection	N/C	
	Selection requires that you also choose either (314) or (31F) or (31V) to have the Inspection performed. Required with any final Ship-To that is not a dealer.			
	314	Ship-Thru - Manning	\$0.00	
	MAY be selected w/o addi arrangements directly with	ng (21A). For MODIFICATIONS ONLY, Dealer must make Manning (please use CVT Resources for add. Info).		
	31F	Ship-Thru - NFS National Fleet Services	N/C	
	MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with NFS (please use CVT Resources for add. Info).			
Miscellaneous				
	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD	
	79V	COV Required	N/C	
	Send a paper Certificate of CA or MI.	of Origin for a Vehicle (COV) for those states that file electron	onically -	
Fleet Options				
	19A	Ambulance Prep Pkg w/Special Emissions	\$1,285.00	
	REQUIRES valid FIN code			





Price Level: 215

Available Options (cont'd)

Selected Code **Description MSRP**

> Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Allows operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California. Includes:

- Dual Heavy Duty Alternators 357 Amp Capacity 200 & 157 amp Denso SC5/SC2
- Battery Three 900 CCA, 2700 Total, Includes Steel Battery Box 12 Volt. Motorcraft.

\$1,285,00 19F Fire/Rescue Prep Pkg w/EPA Special **Emissions**


REQUIRES valid FIN code.

Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California. Includes:

- Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2 - Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box

12 Volt. Motorcraft.

\$60.00 19B Beverage Delivery Package Includes body builder wiring at back of cab at frame, sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, stop lamps, park lamps, back up lamps, also includes 2 additional pass through wires to cab with 6 feet additional length to accommodate drop frame beverage body application. \$0.00 B4A Net Invoice Fleet Option N/C **CPA Fleet Incentive** 56A N/C 56B Commercial Repurchase N/C 56F FRCS Long Term \$0.00 56K Long Term Fleet Incentive





Price Level: 215

	otions (cont'd)		
Selected	Code	Description	MSRP
	56M	National Fleet Incentive	\$0.00
	56Y	DDR Program	N/C
VSO Options			
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	\$824.00
	SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	\$1,050.00
	GCA	VSO SPO Code	N/C
	IHD	VSO Hold Code	N/C
	This is to put an orde releases it.	r on a VSO Hold, so that it does not get scheduled u	until the VSO dept.
	GCI	VSO - FLO THRU VALVE TIRE	\$18.00
	This option releases a val	lve stem with a flow thru cap.	