

SAT 22-03-1008R

Prepared For: ITEM 199 BUILD

[Fleet] 2023 Chevrolet Express Passenger (CG33406) RWD 3500 135" LS





Table of Contents

- Dealership Information
- Price Summary
- · Weight Rating
- Technical Specifications
- · Selected Model and Options
- Standard Equipment

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Reliable Chevrolet

Prepared By:

Doug Adams Reliable Chevrolet 972-952-1561 dadams@reliablechevrolet.com

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Price Summary

PRICE SUMMARY

	MSRP
Base Price	\$43,500.00
Total Options	\$0.00
Vehicle Subtotal	\$43,500.00
Destination Charge	\$1,795.00
Grand Total	\$45,295.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Weight Ratings

WEIGHT RATINGS	
Front Gross Axle Weight Rating:	4300 lbs
Rear Gross Axle Weight Rating:	6084 lbs
Gross Vehicle Weight Rating:	9600.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	M5U
Trans Type	8	Trans Description Cont.	HD Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		
ileage			
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
ngine			
Engine Order Code	LV1	Engine Type	Gas V6
Displacement	4.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	276 @ 5200	SAE Net Torque @ RPM	298 @ 3900
Engine Oil Cooler	Yes		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	600	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	150
ooling System			
Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
Vehicle			
Rear Door Type	Dual Swing-Out		
hassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	4300 lbs
Gross Axle Wt Rating - Rear	6084 lbs	Curb Weight - Front	3002 lbs
Curb Weight - Rear	2838 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1298.00 lbs
Reserve Axle Capacity - Rear	3246.00 lbs	As Spec'd Curb Weight	5840.00 lbs
As Spec'd Payload	3760.00 lbs	Maximum Payload Capacity	3760.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	10384.00 lb
Curb Weight	5840.00 lbs	Reserve Axle Capacity	4544.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	9600.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6700 lbs	Wt Distributing Hitch - Max Tongue Wt.	670 lbs
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	9600 lbs		
Frame			
Frame Type	Ladder-Type	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Chassis

uspension			
Suspension Type - Front	Coil Spring	Suspension Type - Rear	Hypoid Driv
Spring Capacity - Front	4300 lbs	Spring Capacity - Rear	6084 lbs
Axle Type - Front	Independent	Axle Type - Rear	Full-Floatin
Axle Capacity - Front	4300 lbs	Axle Capacity - Rear	6084 lbs
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	XLP	Rear Tire Order Code	YLP
Spare Tire Order Code	ZLP	Front Tire Size	LT245/75R
Rear Tire Size	LT245/75R16E	Spare Tire Size	LT245/75R
Front Tire Capacity	2205 lbs	Rear Tire Capacity	3042 lbs
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	16 x 6.5 in	Rear Wheel Size	16 x 6.5 in
Spare Wheel Size	16 x 6.5 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
teering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	17.2	Steering Ratio (:1), At Lock	17.2
Turning Diameter - Curb to Curb	49.2 ft	Turning Diameter - Wall to Wall	N/A
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	12.8 x 1.5 i

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Ch	assis			
В	rakes			
	Rear Brake Rotor Diam x Thickness	13 x 1.1 in	Drum - Rear (Yes or)	N/A
	Rear Drum Diam x Width	N/A		
FI	uel Tank			
	Fuel Tank Capacity, Approx	31 gal	Aux Fuel Tank Capacity, Approx	N/A
	Fuel Tank Location	Mid-Frame	Aux Fuel Tank Location	N/A
				N/A
Dir	nensions			
In	terior Dimensions			
	Passenger Capacity	12	Front Head Room	40.85 in
	Front Leg Room	41.35 in	Front Shoulder Room	68.85 in
	Front Hip Room	65.48 in	Second Head Room	38.42 in
	Second Leg Room	36.3 in	Second Shoulder Room	68.6 in
	Second Hip Room	65.62 in	Third Head Room	38.5 in
	Third Leg Room	36.58 in	Third Shoulder Room	65.75 in
	Third Hip Room	63.25 in	Fourth Head Room	38.3 in
	Fourth Leg Room	36.58 in	Fourth Shoulder Room	69.1 in
	Fourth Hip Room	65.65 in		
_				
E	xterior Dimensions			N1/A
	Wheelbase	135.2 in	Length, Overall w/rear bumper	N/A
	Length, Overall	223.95 in	Width, Max w/o mirrors	79.25 in
	Height, Overall	84.5 in	Overhang, Front	39.7 in
	Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
	Cab to Axle	N/A	Cab to End of Frame	N/A
	Ground to Top of Load Floor	31.9 in	Ground to Top of Frame	N/A
	Frame Width, Rear	N/A	Ground Clearance, Front	9.7 in
	Ground Clearance, Rear	8.6 in	Body Length	0.00 ft
	Rear Door Opening Height	47.2 in	Rear Door Opening Width	53.42 in
	Side Door Opening Height	46.7 in	Side Door Opening Width	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Dimensions			
Exterior Dimensions			
Step Up Height - Front	27.6 in	Step Up Height - Side	28.1 in
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Area Length @ Floor to Console	153.6 in	Cargo Area Length @ Floor to Seat 1	126.2 in
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	50.4 in
Cargo Box (Area) Height	51.8 in	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	218.5 ft ³
Cargo Volume to Seat 2	N/A	Cargo Volume to Seat 3	N/A
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A
Exterior			

Doors

Side Door Type

Swing-Out

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



CODE	MODEL			MSRP
CG33406	2023 Chevrolet Express Passenger RWD 3500 135" LS			\$43,500.0
OLORS				
CODE	DESCRIPTION			
G7C	Red Hot			
MISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00
NGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
LV1	Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (Reference the Engine/Axle page for availability.) (STD)	0.00 lbs	0.00 lbs	\$0.00
RANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
M5U	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking and Tap-Up/Tap-Down Driver Shift Control (Requires (LV1) 4.3L gas V6 engine. Reference the Engine/Axle page for availability.) (STD)	0.00 lbs	0.00 lbs	\$0.00
XLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GU6	Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



SIDE DOOR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
E24	Door, swing-out passenger-side, 60/40 split (STD)	0.00 lbs	0.00 lbs	\$0.00
PREFERRED EQU	IPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
1LS	LS Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00
PAINT SCHEME				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZY1	Paint, solid (STD)	0.00 lbs	0.00 lbs	\$0.00
PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
G7C	Red Hot	0.00 lbs	0.00 lbs	\$0.00
SEATING ARRAN	GEMENT			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZX5	Seating, 12-passenger, (2-3-3-4 seating configuration) 4- passenger seat is a 50/50 split, 2-piece configuration (STD)	0.00 lbs	0.00 lbs	\$0.00
SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AR7	Seats, front bucket with vinyl trim and head restraints, includes inboard armrests (Requires (93W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.) (STD)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
93W	Medium Pewter, Custom Vinyl	0.00 lbs	0.00 lbs	\$0.00
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
U0F	Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (Not available with (U2K) SiriusXM Radio.) (STD)	0.00 lbs	0.00 lbs	\$0.00
	Options Total	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Standard Equipment

Package	
	Driver Convenience Package includes (N33) Tilt-Wheel and (K34) cruise control
	Power Convenience Package includes (A31) power windows and (AU3) power door locks
Mechanical	
	Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (Reference the Engine/Axle page for availability.) (STD)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking and Tap-Up/Tap-Down Driver Shift Control (Requires (LV1) 4.3L gas V6 engine. Reference the Engine/Axle page for availability.) (STD)
	GVWR, 9600 lbs. (4354 kg) (Reference the Engine/Axle page for availability.)
	Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)
	Cooling, External Engine Oil Cooler
	Tow/haul mode selector, instrument panel-mounted
	Rear-wheel drive
	Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
	Alternator, 150 amps
	Frame, ladder-type
	Suspension, front independent with coil springs and stabilizer bar
	Suspension, rear hypoid drive axle with multi-leaf springs
	Steering, power
	Brakes, 4-wheel antilock, 4-wheel disc
	Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
	Exhaust, aluminized stainless-steel muffler and tailpipe
Exterior	
	Body, standard (STD)
	Door, swing-out passenger-side, 60/40 split (STD)
	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare
	Tires, front LT245/75R16E all-season, blackwall
	Tires, rear LT245/75R16E all-season, blackwall
	Tire, spare LT245/75R16 all-season, blackwall

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Exterior	
	Bumpers, front and rear painted Black with step-pad
	Grille, Black composite
	Headlamps, dual halogen composite
	Mirrors, outside heated power-adjustable, Black, manual-folding
	Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front
	passenger-side glass)
	Glass, swing-out side door windows
	Glass, swing-out rear cargo door windows
	Glass, enhanced-technology, rearmost side windows. 3-layer special glass is designed to help reduce the risk of ejection during a crash
	Glass, full-body window package (Includes (A18) swing-out rear cargo door window glass and (A19) swing-out side door window glass.)
	Wipers, front intermittent wet-arm with pulse washers
	License plate kit, front
Entertainment	
	Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (Not available with (U2K) SiriusXM Radio.) (STD)
	Wi-Fi Hotspot capable (Included and only available with (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front bucket with vinyl trim and head restraints, includes inboard armrests (Requires (93W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.) (STD)
	Seating, 12-passenger, (2-3-3-4 seating configuration) 4-passenger seat is a 50/50 split, 2-piece configuration (STD)
	Console, engine cover with open storage bin
	Cup holders, 3 on the engine console cover
	Floor covering, full-length Black rubberized-vinyl
	Steering wheel steel sleeve column with theft-deterrent locking feature, Black
	Steering column, Tilt-Wheel
	Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Interior	
	Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
	Oil life monitor
	Warning tones, headlamp on and key-in-ignition
	Compass, 8-point digital located in the Driver Information Center
	Windows, power (Included with (ZQ2) Power Convenience Package.)
	Door locks, power with lock-out protection (NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)
	Cruise control
	Theft-deterrent system, vehicle, PASS-Key III
	Power outlets 2 auxiliary on engine console cover with covers, 12-volt
	Power outlet, 120-volt
	Air conditioning, single-zone manual
	Air conditioning, rear
	Heater, rear auxiliary
	Defogger, front and side windows
	Mirror, inside rearview, with Rear Vision Camera display
	Headliner, cloth
	Visors, driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side
	Assist handles, driver and right-front passenger
	Lighting, interior with 2 dome lights defeat switch and door handle-activated switches
	Lighting, auxiliary with reading and underhood lights
	Chevrolet Connected Access capable (Included and only available with (UE1) OnStar. Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	StabiliTrak, traction assistance and vehicle stability enhancement system
	Brake/transmission shift interlock for automatic transmissions
	Hill Start Assist
Safety-Exterior	
	Door beams, steel-side
	Daytime Running Lamps
This document contains information	a considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Safety-Exterior	
	Rear Vision Camera (Display is included with (DRJ) Inside rearview mirror.)
Safety-Interior	
	Airbags, frontal, front driver and right front passenger includes passenger-side airbag deactivation switch (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Airbags, seat-mounted side-impact for driver and right-front passenger and roof-rail mounted head-curtain provides coverage for outboard seating positions for first 3-rows only. Enhanced-technology glass is provided for fourth row with (ZX5) 12-passenger seating and fourth and fifth rows with (ZP3) 15-passenger seating (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Airbag deactivation switch, frontal passenger-side (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	Child seat anchors all three passenger rear seats have two anchors for outboard seating positions and tethers for two seating positions. See the Owner's Manual for more information
	Tire Pressure Monitoring System (does not apply to spare tire)
WARRANTY	
	Warranty Note: <<< Preliminary 2023 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: Qualified Fleet Purchases: 5 Years/100,000 Miles Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000 Roadside Assistance Note: Qualified Fleet Purchases: 5 Years/100,000 Miles Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.