USA

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

\* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Model.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow	Ref. Only	Description 1 - Available on C*10906. Requires a Fleet or	Comm	LS	LT	RST	Z71	Premier	High Country
RPO Code	RPO Code	Government order type. 2 - Available on C*10906. 3 - Available on CK10906.	1FL <sup>1</sup>	1LS <sup>2</sup>	1LT <sup>2</sup>	1SP <sup>2</sup>	2Z7 <sup>3</sup>	1LZ <sup>2</sup>	3LZ <sup>2</sup>
	PED	Chevy Safety Assist, includes (UHY) Automatic Emergency Braking, (UEU) Forward Collision Alert, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UKJ) Front Pedestrian Braking and (TQ5) IntelliBeam headlamps 1 - (UHY) Automatic Emergency Braking replaced with (UGN) Enhanced Automatic Emergency Braking when (KSG) Adaptive Cruise Control is ordered.		S	S	S	S	S <sup>1</sup>	S <sup>1</sup>
	AYO	<ul> <li>Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for all rows in outboard seating positions</li> <li>1 - Deleted when (A50) front bucket seats are ordered. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.</li> <li>2 - Included and only available with (AZ3) 40/20/40 split-bench front seat. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.</li> </ul>	S <sup>1</sup>	A <sup>2</sup>					
	AL0	Front outboard Passenger Sensing System for frontal outboard passenger airbag 1 - Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S <sup>1</sup>	S <sup>1</sup>	S1	S1	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	CJ2	Air conditioning, tri-zone automatic climate control, with individual climate settings for driver, right front passenger and rear seat occupants	S	S	S	S	S	S	Ś
	C69	Air conditioning, rear	s	s	s	s	S	s	s
		Assist handles, overhead, driver and front passenger, located in headliner	s	S	S	S	S	S	S
		Assist handles, front passenger A-pillar and second row outboard B-pillar	S	S	S	S	S	S	S

# STANDARD EQUIPMENT

Free Flow	Ref. Only	Description 1 - Available on C*10906. Requires a Fleet or Government order type.	Comm	LS	LT	RST	Z71	Premier	High Country
RPO Code	RPO Code	2 - Available on C*10906. 3 - Available on CK10906.	1FL <sup>1</sup>	1LS <sup>2</sup>	1LT <sup>2</sup>	1SP <sup>2</sup>	22733	1LZ <sup>2</sup>	3LZ <sup>2</sup>
	U2J	SiriusXM Radio delete	s						
	IOR	Audio system, Chevrolet Infotainment 3 system, 8" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable.	S	S					
	UIJ	Infotainment display, 8" diagonal touchscreen	S	S					
	UQF	Audio system feature, 6-speaker system	s	s					
	USR	<b>USB data ports</b> , 2, one type-A and one type-C, located within center console	S	S	S	S	S	s	S
	USS	<b>USB charging-only ports</b> , 4, (2) located on rear of center console and (2) in 3rd row	S	S	S	S	S	s	S
		Bluetooth for phone, personal cell phone connectivity to vehicle audio system	S	S	S	S	S	s	S
	UHY	Automatic Emergency Braking 1 - Replaced with (UGN) Enhanced Automatic Emergency Braking when (KSG) Adaptive Cruise Control, (PCU) Premium Package or (RGK) Premium Package 2 are ordered. 2 - Replaced with (UGN) Enhanced Automatic Emergency Braking when (KSG) Adaptive Cruise Control, (PCU) Premium Package, (RGK) Premium Package 2 or (PDM) High Country Deluxe are ordered.	S	S	S	S	S	S <sup>1</sup>	S <sup>2</sup>
		Cargo management system	s	s	s	S	S	s	S
	K34	Cruise control, electronic with set and resume speed 1 - Deleted when (PCU) Premium Package, (RGK) Premium Package 2 or (KSG) Adaptive Cruise Control are ordered. 2 - Deleted when (PCU) Premium Package, (RGK) Premium Package 2, (PDM) High Country Deluxe or (KSG) Adaptive Cruise Control are ordered.	S	S	S	S	S	S <sup>1</sup>	S <sup>2</sup>
	C49	Defogger, rear-window electric	S	s	s	S	S	s	S
	UDD	Driver Information Center, 4.2" diagonal color display, includes driver personalization	S	S					
	AU3	<b>Door locks</b> , power programmable with lockout protection and delayed locking	S	S	S	S	S	s	S
		Door locks, rear child security, manual	s	s	s	S	S	s	S
	BG9	Floor covering, Black rubberized vinyl	S						

USA

Free Flow	Ref. Only	Description 1 - Available on C*10906. Requires a Fleet or Government order type.	Comm	LS	LT	RST	Z71	Premier	High Country
RPO Code	RPO Code	2 - Available on C*10906. 3 - Available on CK10906.	1FL <sup>1</sup>	1LS <sup>2</sup>	1LT <sup>2</sup>	1SP <sup>2</sup>	22733	1LZ <sup>2</sup>	3LZ <sup>2</sup>
	UE4	Following Distance Indicator	S	S	s	S	S	S	S
	UEU	Forward Collision Alert	S	S	s	S	S	S	S
	UKJ	Front Pedestrian Braking	S	s	s	s	s	s	S
	UVB	HD Rear Vision Camera 1 - Replaced by (UV2) HD Surround Vision when (WPL) Luxury Package is ordered. 2 - Replaced by (UV2) HD Surround Vision when (Y74) Enhanced Display and Alert Package is ordered.	S	S	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>2</sup>	
	ATH	Keyless Open, includes extended range Remote Keyless Entry	S	S	S	S	S	s	S
	BTM	Keyless start, push button	S	S	s	S	s	s	S
	UHX	Lane Keep Assist with Lane Departure Warning	S	S	S	S	S	s	S
		<b>LATCH system</b> (Lower Anchors and Tethers for CHildren), for child restraint seats, lower anchors and top tethers located in all second- row seating positions, top tethers located in third row seating positions	S	S	S	S	S	S	S
		<b>Lighting</b> , interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions	S	S	S	S	S	S	S
	Q8E	Mechanical Jack with tools	S	S	s	S	S	s	S
	D31	Mirror, inside rearview manual day/night	S	S					
	UE1	OnStar and Chevrolet connected services capable 1 - Terms and limitations apply. See onstar.com or dealer for details.	S <sup>1</sup>	S1	S1	S1	S1	S1	S <sup>1</sup>
	VV4	<ul> <li>Wi-Fi Hotspot capable</li> <li>1 - Standard with (UE1) OnStar only. Terms and limitations apply. See onstar.com or dealer for details.</li> <li>2 - Terms and limitations apply. See onstar.com or dealer for details.</li> </ul>	S <sup>1</sup>	S²	S²	S²	S²	S <sup>2</sup>	S <sup>2</sup>
		Chevrolet Connected Access capable 1 - Subject to terms. See onstar.com or dealer for details.	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>
	KC5	<b>Power outlet</b> , front auxiliary, 12-volt, located in the center stack of instrument panel	S	S	S	S	S	S	S
	KI4	<b>Power outlets</b> , 2, 120-volt, located on the rear of the center console and rear cargo area	S	S	S	S	S	S	S

Free Flow	Ref. Only	Description 1 - Available on C*10906. Requires a Fleet or Government order type.	Comm	LS	LT	RST	Z71	Premier	High Country
RPO Code	RPO Code	2 - Available on C*10906. 3 - Available on CK10906.	1FL <sup>1</sup>	1LS <sup>2</sup>	1LT <sup>2</sup>	1SP <sup>2</sup>	2Z7 <sup>3</sup>	1LZ <sup>2</sup>	3LZ <sup>2</sup>
	UD5	Front and Rear Park Assist	s	S	s	S	S	S	S
		Rear Seat Reminder	S	S	s	S	S	S	S
AZ3		Seats, front 40/20/40 split-bench 1 - Deletes (D07) center floor console and (USR) USB data ports.	S1	A <sup>1</sup>					
	AT6	<b>Seats</b> , second row 60/40 split-folding bench, manual	S	s	s	S	S		
	ARN	Seats, third row 60/40 split-folding bench, manual	S	s	s	S	S		
		<b>Seat adjusters</b> , 10-way power, includes 8- way power driver seat with 2-way power lumbar	S	S					
		<b>Seat adjusters</b> , 8-way power, includes 6-way power front passenger seat with 2-way power lumbar	S	S					
	N06	Steering column, lock control, electrical	s	s	s	S	S	s	S
	N37	Steering column, manual tilt and telescopic	s	s	s	S	S		
	VTI	Active Aero Shutters, upper 1 - Standard with (L84) 5.3L EcoTec3 V8 engine only. 2 - Standard with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine only. 3 - Standard with (L87) 6.2L EcoTec3 V8 engine only.	S	S <sup>1</sup>	S <sup>1</sup>	S <sup>2</sup>	S	S <sup>2</sup>	S <sup>3</sup>
	NK5	Steering wheel, urethane	s						
	BVE	Assist steps, Black with chrome accent strip 1 - Includes Gloss Black accent strip. 2 - Deleted when (B3L) power-retractable assist steps are ordered. 3 - Deleted when (B3L) power-retractable assist steps, (PCU) Premium Package, (RGK) Premium Package 2 or (PDM) High Country Deluxe are ordered.	S	S	S	S <sup>1</sup>		S <sup>2</sup>	S <sup>3</sup>
	UK3	<b>Steering wheel controls</b> , mounted audio, Driver Information Center, cruise control, Forward Collision Alert following gap button and heated steering wheel (when equipped)	S	S	s	S	S	s	S
	T3W	<b>Daytime Running Lamps</b> , reduced intensity low beam	S						

 • 1	А

Free Flow	Ref. Only	Description 1 - Available on C*10906. Requires a Fleet or Government order type.	Comm	LS	LT	RST	Z71	Premier	High Country
RPO Code	RPO Code	2 - Available on C*10906. 3 - Available on CK10906.	1FL <sup>1</sup>	1LS <sup>2</sup>	1LT <sup>2</sup>	1SP <sup>2</sup>	2Z7 <sup>3</sup>	1LZ <sup>2</sup>	3LZ <sup>2</sup>
	TDM	<b>Teen Driver</b> , a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver	S	S	S	S	S	S	S
	T8Z	NEW! Buckle to Drive, prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu	s	s	S	s	S	S	S
	D75	Door handles, body-color	s	s	s	s	S		
	UTJ	Theft-deterrent system, electrical, unauthorized entry	S	S	S	S	S	S	S
	UJN	<b>Tire Pressure Monitoring System</b> , auto learn, includes Tire Fill Alert (does not apply to spare tire)	S	S	S	S	S	S	S
	WTX	Fascia, front	S	S	s	S		s	S
	AKO	<b>Glass</b> , deep-tinted (all windows, except light- tinted glass on windshield and driver- and front passenger-side glass)	S	S	S	S	S	S	S
	DH6	<b>Visors</b> , driver and front passenger illuminated vanity mirrors, sliding	S	S	S	S	S	S	S
		Warning tones, headlamp on, driver and right-front passenger seat belt unfasten and turn signal on	S	S	S	S	S	S	S
	AKK	Glass, acoustic, laminated	s	s	s	s	S	s	S
	AXG	Window, power with driver Express-Up/Down	s	s	S	s	S	S	S
	AEF	<b>Window</b> , power with front passenger Express-Up/Down	S	S	S	S	S	S	S
	AKJ	Glass, windshield shade band	S	S	s	S	S	s	S
	AEQ	Windows, power with rear Express-Down	s	S	S	S	S	s	S
	AKX	Windshield, solar absorbing	s			-			
	T4L	Headlamps, LED	S	S	s	S	S	s	S
	PPW	Wireless Apple CarPlay/Wireless Android Auto	S	S	S	S	S	S	S
	TQ5	IntelliBeam, automatic high beam on/off		S	S	S	S	S	S

Free Flow	Ref. Only	Description 1 - Available on C*10906. Requires a Fleet or Government order type.	Comm	LS	LT	RST	Z71	Premier	High Country
RPO Code	RPO Code	2 - Available on C*10906. 3 - Available on CK10906.	1FL <sup>1</sup>	1LS <sup>2</sup>	1LT <sup>2</sup>	1SP <sup>2</sup>	2Z7 <sup>3</sup>	1LZ <sup>2</sup>	3LZ <sup>2</sup>
	TR1	Lamps, stop and tail, LED	S	s	s	S	S	s	S
	TB4	Liftgate, rear manual	S	s					
	V55	Luggage rack side rails, roof-mounted, bright		S	s			s	S
	V54	Luggage rack side rails, roof-mounted, Black	S			S	S		
	DP6	Mirror caps, body-color	S	s	s	s	S		S
	DLF	Mirrors, outside heated power-adjustable, manual-folding, body-color	S	S	s	S	S		
	ХСQ	Tire, spare P265/70R17 all-season, blackwall	S	S	s	S	S	S	S
	SAF	<b>Tire carrier</b> , lockable outside spare, winch- type mounted under frame at rear	S	S	s	S	S	s	S
	QDF	Tires, 265/65R18SL all-season, blackwall 1 - Standard with (PZX) 18" Bright Silver painted aluminum wheels only.	S1	S1	S1				
		Wheel, full-size spare, 17" (43.2 cm)	s	s	s	s	s	s	S
	PZX	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum	S	S	s				
	CE1	Wipers, front intermittent, Rainsense	S	S	s	S	S	S	S
	C25	Wiper, rear intermittent with washer	S	S	s	S	S	S	S
	K47	Air filter, heavy-duty	S				S		
	KW5	Alternator, 220 amps 1 - Standard with (L84) 5.3L EcoTec3 V8 engine only. 2 - Standard with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine only. 3 - Standard with (L87) 6.2L EcoTec3 V8 engine only.	S	S <sup>1</sup>	S <sup>1</sup>	S <sup>2</sup>	S	S <sup>2</sup>	S3
	K4F	<ul> <li>Battery, 800 cold-cranking amps with 80 amp hour rating</li> <li>1 - Standard with (L84) 5.3L EcoTec3 V8 engine only.</li> <li>2 - Standard with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine only.</li> <li>3 - Standard with (L87) 6.2L EcoTec3 V8 engine only.</li> </ul>	S	S <sup>1</sup>	S <sup>1</sup>	S <sup>2</sup>	S	S <sup>2</sup>	S3
	J61	<b>Brakes</b> , 4-wheel antilock, 4-wheel disc with DURALIFE rotors	S	S	s	S	S	s	S
	KNP	<b>Cooling</b> , auxiliary transmission oil cooler, heavy-duty air-to-oil	S	S	S	S	S	S	S

## STANDARD EQUIPMENT

Free Flow	Ref. Only	Description 1 - Available on C*10906. Requires a Fleet or Government order type.	Comm	LS	LT	RST	Z71	Premier	High Country
RPO Code	RPO Code	2 - Available on C*10906. 3 - Available on CK10906.	1FL <sup>1</sup>	1LS <sup>2</sup>	1LT <sup>2</sup>	1SP <sup>2</sup>	22733	1LZ <sup>2</sup>	3LZ <sup>2</sup>
	KC4	<b>Cooling</b> , external engine oil cooler, heavy- duty air-to-oil, integral to driver side of radiator 1 - Deleted when (LM2) Duramax 3.0L Turbo- Diesel I6 engine is ordered.	S	S <sup>1</sup>	S <sup>1</sup>	S <sup>1</sup>	S	S1	S <sup>1</sup>
	G86	Differential, mechanical limited-slip	S	S	s	S	S	s	S
	EPH	Electronic Precision Shift	S	S	s	s	s	s	S
	L84	<b>Engine</b> , 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm)	S	S	S	S	S	S	
	K10	Engine air filtration monitor	s	s	s	S	s	s	S
	NB5	Exhaust, single system, single-outlet 1 - Included and only available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.	S	S	S	S	S	A <sup>1</sup>	A <sup>1</sup>
	FJW	Fuel, gasoline, E15 1 - Standard with (L84) 5.3L EcoTec3 V8 engine only. 2 - Standard with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine only. 3 - Standard with (L87) 6.2L EcoTec3 V8 engine only.	S	S <sup>1</sup>	S <sup>1</sup>	S <sup>2</sup>	S	S <sup>2</sup>	S <sup>3</sup>
	C6H	GVWR, 7500 lbs. (3402 kg) 1 - 2WD models only. 2 - 2WD models only with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.	S <sup>1</sup>	S²	S²	S²		S <sup>2</sup>	S <sup>2</sup>
	C3F	GVWR, 7700 lbs. (3493 kg) 1 - 4WD models only.	S1	S1	S1	S <sup>1</sup>	S	S1	S1
		Hill Start Assist	S	S	S	S	S	s	S
	GU5	Rear axle, 3.23 ratio	S	S	s	S	S	s	S
		<b>StabiliTrak</b> , stability control system with brake assist, includes traction control.	S	S	S	S	S	s	S
		Steering, power	s	S	s	S	S	S	S
	ZW7	Suspension, Premium Smooth Ride	s	S	s	S	S		
		Suspension, front coil-over-shock with stabilizer bar	S	S	S	S	S	s	S
		Suspension, rear multi-link with coil springs	s	S	S	S	S	s	S
	Z82	<b>Trailering equipment</b> , includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver	S	S	S	S	S	s	S
	CTT	Hitch Guidance	S	S	S	S	S	S	S

USA

Free Flow	Ref. Only	Only 1 - Available on C*10906. Requires a Fleet or	Comm	LS	LT	RST	Z71	Premier	High Country
RPO Code	RPO Code	Government order type. 2 - Available on C*10906. 3 - Available on CK10906.	1FL <sup>1</sup>	1LS <sup>2</sup>	1LT <sup>2</sup>	1SP <sup>2</sup>	22733	1LZ <sup>2</sup>	3LZ <sup>2</sup>
		Trailer sway control	S	S	S	S	S	s	S
	NP0	Transfer case, active, single-speed, electronic Autotrac, does not include neutral. Cannot be dinghy towed 1 - 4WD models only. Deleted when (NHT) Max Trailering Package is ordered.	S <sup>1</sup>	S <sup>1</sup>	S1	S <sup>1</sup>			
	MHS	NEW! Transmission, 10-speed automatic, electronically controlled with overdrive, includes Traction Select System including tow/haul 1 - Standard with (L84) 5.3L EcoTec3 V8 engine only. 2 - Standard with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine only. 3 - Standard with (L87) 6.2L EcoTec3 V8 engine only.	S	S <sup>1</sup>	S <sup>1</sup>	S <sup>2</sup>	S	S <sup>2</sup>	S <sup>3</sup>