S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

 \blacksquare = Included in Equipment Group \square = Included in Equipment Group but upgradeable

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free	Ref.	Description		Work Van		4500 Van		
Flow RPO Code	Only RPO Code		1WT CG33503	1WT CG33803	1WT CG33903	2WT CG33803	2WT CG33903	
	AK5	Airbags, frontal, front driver and right front passenger, includes passenger-side frontal airbag deactivation switch 1 - Included with (ZX2) driver and right-front passenger high-back bucket seats or (ZP0) driver and passenger temporary seats. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal airbag. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹					
ASF		Airbags, seat-mounted side-impact for driver and right-front passenger and roof-rail mounted head-curtain side-impact 1 - Included with (C4M) 9900 lb. (4490 kg) GVWR. Available on (JFF) 10100 lb. (4581 kg) GVWR, (C7N) 12300 lb. (5579 kg) GVWR, and (C7I) 14200 lb. (6441 kg) GVWR. Not available with (B3D) School Bus Package, (ANC) Shuttle Bus Package, (YF1) RV Package, and (9T7) right-hand door delete. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	o ¹	s ¹	A ¹	A ¹	A ¹	
	C99	Airbag deactivation switch, frontal passenger-side 1 - Not available with (AJ3) frontal, driver-side only airbag. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹					
	C60	Air conditioning, single-zone manual	S	S	S	S	S	
		Assist handles, driver and right-front passenger	Ø	Ø	S	S	Ø	

^{*} Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Model.

Free	Ref.	Description		Work Van		4500 Van		
Flow RPO Code	Only RPO Code		1WT CG33503	1WT CG33803	1WT CG33903	2WT CG33803	2WT CG33903	
	U0F	Audio system, AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (U2K) SiriusXM Radio or (YF1) RV Package. 2 - Not available with (U2K) SiriusXM Radio.	S ¹	s ¹	s ¹	s ¹	S ²	
		Cup holders , 3 on the engine console cover	S	S	S	S	S	
		Driver Information Center, includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer and maintenance reminders	S	S	S	S	S	
	B31	Floor covering, Black rubberized-vinyl front	S	S	S	S	S	
		Headliner, cloth, over driver and passenger	S	S	S	S	S	
		Heater and defogger with front and side window defoggers	S	S	S	S	S	
		Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure	S	S	S	S	S	
		Lighting , interior with dome light and door handle-activated switches	S	S	S	S	S	
D31		Mirror, inside rearview manual day/night 1 - Not available with (UVC) rear vision camera or (C4M) 9900 lb. (4490 kg) GVWR. 2 - Not available with (UVC) rear vision camera.	A ¹	A ¹	S²	S ²	S²	
	DRJ	Mirror, inside rearview, includes Rear Vision Camera display 1 - Included and only available with (UVC) Rear Vision Camera.	S ¹	S ¹	A ¹	A ¹	A ¹	
	UE1	OnStar and Chevrolet connected services capable 1 - Not available with (YF2) Ambulance Package or (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Terms and limitations apply. See onstar.com or dealer for details. 2 - Not available with (UXZ) radio provisions only audio system. Included with (FDR) Fleet Daily Rental order types. Terms and limitations apply. See onstar.com or dealer for details.	S ¹	S ¹	S ²	s ¹	S ²	

Free	Ref.	Description		Work Van		4500) Van
Flow RPO Code	Only RPO Code		1WT CG33503	1WT CG33803	1WT CG33903	2WT CG33803	2WT CG33903
	VV4	Wi-Fi Hotspot capable 1 - Included and only available with (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.	S ¹				
		Chevrolet Connected Access capable 1 - Included and only available with (UE1) OnStar. Subject to terms. See onstar.com or dealer for details.	S ¹				
	KI4	Power outlet, 120-volt	S	S	s	S	S
		Power outlets, 2 auxiliary on engine console cover with covers, 12-volt	S	S	S	S	S
UVC		Rear Vision Camera, camera and cable shipped loose 1 - Display included with (DRJ) inside rearview mirror.	S ¹	s¹	A ¹	A ¹	A ¹
	AR7	Seats, front bucket with vinyl trim and head restraints, includes inboard armrests 1 - Requires (**W) trim. Not available with SEO (ZPO) delete driver and passenger seats. Includes only driver high-back bucket seat with vinyl trim when ordered with (ZX1) driver-only high-back bucket seating arrangement.	S ¹				
	ZX2	Seating arrangement, driver and front passenger high-back bucket, includes head restraints and vinyl or cloth trim 1 - Not available with (AJ3) driver-side only frontal airbag.	S ¹	S ¹	S ¹	s¹	S ¹
		Theft-deterrent system, vehicle, PASS- Key III	S	S	S	S	S
	UJM	Tire Pressure Monitoring System (does not monitor spare tires) 1 - Required with (C4M) 9900 lbs. (4490 kg) GVWR and (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.	S ¹	S ¹	1		
		Tow/haul mode selector, instrument panel-mounted	S	S	S	S	S
		Visors, driver and front passenger, cloth, padded	S	S	S	S	S
		Warning tones, headlamp on and keyin-ignition	S	S	S	S	S
	ZW9	Body, standard	S	S	S	S	S
		Bumper, front painted Black with step- pad 1 - Deleted when (ZR7) Chrome Appearance Package is ordered.	S ¹				

Ref.	Description	Work Van			4500 Van		
Only RPO Code		1WT CG33503	1WT CG33803	1WT CG33903	2WT CG33803	2WT CG33903	
	Daytime Running Lamps	S	s	S	S	S	
	Flasher, heavy duty, light emitting diode (LED)	S	S	S	S	S	
	Glass, Solar-Ray light-tinted, all windows	S	s	S	S	S	
	Grille, Black composite 1 - Not available with (ZR7) Chrome Appearance Package.	S ¹	s¹	S ¹	S ¹	S ¹	
	Headlamps, dual halogen composite	S	s	S	S	S	
VK3	License plate kit, front	S	S	S	S	S	
D28	Mirrors, outside delete 1 - Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package.	S ¹	S ¹	S	S ¹	S	
ZY1	Paint, solid	S	s	S	S	s	
XLP	Tires, front LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S ¹	S ¹				
YLP	Tires, rear LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.	S ¹	s¹				
	Tires, front LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	A ¹	S ¹	S ¹	S ¹	
	Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	A ¹	A ¹	S ¹	s ¹	s¹	
R04	Wheel configuration, rear, single 1 - Not available with (C7N) 12,300 lbs. (5579 kg.) GVWR.	s¹	S ¹	1			
	Wheel configuration, rear, dual 1 - Not available with (C4M) 9900 lb. (4490 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR.	A ¹	A ¹	S ¹	S ¹	S ¹	
QB5	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear wheel configuration.	S ¹	S ¹				
	VK3 D28 ZY1 XLP YLP	Only RPO Code Daytime Running Lamps Flasher, heavy duty, light emitting diode (LED) Glass, Solar-Ray light-tinted, all windows Grille, Black composite 1 - Not available with (ZR7) Chrome Appearance Package. Headlamps, dual halogen composite VK3 License plate kit, front D28 Mirrors, outside delete 1 - Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package. ZY1 Paint, solid XLP Tires, front LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included. YLP Tires, rear LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included. Tires, front LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. R04 Wheel configuration, rear, single 1 - Not available with (C7N) 12,300 lbs. (5579 kg.) GVWR. Wheel configuration, rear, dual 1 - Not available with (C7N) 12,300 lbs. (4490 kg) GVWR or (JFF) 10,100 lb. (4581 kg) GVWR. QB5 Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear	Daytime Running Lamps Flasher, heavy duty, light emitting diode (LED) Glass, Solar-Ray light-tinted, all windows Grille, Black composite 1 - Not available with (ZR7) Chrome Appearance Package. Headlamps, dual halogen composite VK3 License plate kit, front D28 Mirrors, outside delete 1 - Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package. ZY1 Paint, solid XLP Tires, front LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included. YLP Tires, front LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. R04 Wheel configuration, rear, single 1 - Not available with (C7N) 12,300 lbs. (5579 kg.) GVWR. Wheel configuration, rear, dual 1 - Not available with (C7N) 12,300 lbs. (5579 kg.) GVWR. QB5 Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear	Only RPO Code Daytime Running Lamps Flasher, heavy duty, light emitting diode (LED) Glass, Solar-Ray light-tinted, all windows Grille, Black composite 1 - Not available with (ZRT) Chrome Appearance Package. Headlamps, dual halogen composite S S WK3 License plate kit, front S S Mirrors, outside delete 1 - Not available with (FQT) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package. ZY1 Paint, solid S S XLP Tires, front LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included. YLP Tires, rear LT245/75R16E all-season, blackwall 1 - Requires (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included. Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. Tires, rear LT225/75R16E all-season, blackwall 1 - Not available with (CRN) 12,300 lbs. (579 kg.) GWWR. Wheel configuration, rear, dual 1 - Not available with (CAM) 9900 lb. (4490 kg) GWWR. Wheels on (JFF) 10,100 lb. (4581 kg) GWWR. QB5 Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty 1 - Only available with (R04) single rear	Daytime Running Lamps	Numary N	

Free	Ref.	Only RPO	Work Van			4500 Van		
Flow RPO Code	Only RPO Code		1WT CG33503	1WT CG33803	1WT CG33903	2WT CG33803	2WT CG33903	
QT4		Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty 1 - Only available with (R05) dual rear wheel configuration.	A ¹	A ¹	S ¹	S ¹	S ¹	
		Wipers, front intermittent wet-arm with pulse washers	S	S	S	S	S	
	KG4	Alternator, 150 amps	S	s	s	S	s	
		Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power	S	S	S	S	S	
		Brakes, 4-wheel antilock, 4-wheel disc	S	s	S	S	s	
		Brake/transmission shift interlock, for automatic transmissions	S	S	S	S	S	
	KC4	Cooling, external engine oil cooler	S	S	S	S	S	
	LV1	Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) 1 - Requires (C4M) 9900 lbs. (4490 kg) GVWR. Not available with (YF2) Ambulance Package, (YF1) RV Package, (ANC) Shuttle Bus Package, (JFF) 10,100 lb. (4581 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR. Includes external engine oil cooler. Reference the Engine/Axle page for availability.	S ¹					
L8T		Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) 1 - Includes external oil cooler. Requires (MYD) 6-speed heavy-duty automatic transmission. Reference the Engine/Axle page for availability.	A ¹	S ¹	s ¹	S ¹	s¹	
		Exhaust , aluminized stainless-steel muffler and tailpipe	S	S	S	S	S	
		Frame, ladder-type	S	S	S	S	S	
		Fuel tank capacity, mid-frame and approximately 32 gallons (121.1L)	S	S	S	S	S	
	C4M	GVWR, 9900 lbs. (4490 kg) 1 - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.	s¹	s¹				

Free	Ref.	Description		Work Van		4500 Van		
Flow RPO Code	Only RPO Code		1WT CG33503	1WT CG33803	1WT CG33903	2WT CG33803	2WT CG33903	
C7N		GVWR, 12,300 lbs. (5579 kg) 1 - Includes (R05) dual rear wheel configuration. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability. 2 - Includes (R05) dual rear wheel configuration. When ordered with (L8T) 6.6L gas V8 engine and (NHT) Enhanced Towing Performance Package includes (GT5) 4.10 axle ratio. Not available with (R04) single rear wheel combination. Reference the Engine/Axle page for availability.	A ¹	A ²	S			
	C7I	GVWR , 14,200 lbs. (6441 kg)				S	S	
	VXT	Incomplete vehicle certification	S	S	S	S	S	
		Oil life monitor	S	S	S	S	S	
	GU6	Rear axle, 3.42 ratio 1 - Requires (R04) single rear wheel configuration.	S ¹	S ¹				
GT4		Rear axle, 3.73 ratio 1 - Requires (R05) dual rear wheel configuration.	A ¹	A ¹	S ¹			
	GT5	Rear axle, 4.10 ratio 1 - Included and only available with (NHT) Enhanced Towing Performance Package.		A ¹	A ¹	S	S	
	JL4	StabiliTrak, traction assistance and vehicle stability enhancement system	S	S	S	S	s	
		Steering, power	S	S	S	S	S	
		Suspension, front independent with coil springs and stabilizer bar	S	S	S	S	S	
		Suspension, rear hypoid drive axle with multi-leaf springs	S	S	S	S	S	
		Hill Start Assist	S	s	S	S	S	
	M5U	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking and Tap-Up/Tap-Down Driver Shift Control 1 - Reference the Engine/Axle page for availability.	S ¹					

Free	Ref.	Description		Work Van	4500 Van		
Flow RPO Code	Only RPO Code		1WT CG33503	1WT CG33803	1WT CG33903	2WT CG33803	2WT CG33903
MYD		Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking, and Tap-Up/Tap-Down Driver Shift Control 1 - Requires (L8T) 6.6L gas V8 engine. Reference the Engine/Axle page availability. 2 - Reference the Engine/Axle page availability.	A ¹	S ²	S ²	S ²	§ ²