

**OSAGE AMBULANCE
2024 WARRIOR
ORDER FORM**

LAST UPDATED 05/16/2022

Dealer Name: Southeastern Specialty Vehicles

Salesperson: Dennis Tingen

Customer Name: North Carolina Sheriff's Association Purchasing Contract
& Address

Shipping Address: _____

Fleet Number: _____

Contact Name: _____

Email: _____

Phone: _____

Fax: _____

Chassis Type: RAM 5500 4WD

Osage Unit #: _____

VIN: _____

Qty	CHEVROLET G-SERIES TYPE III - 2024 CHASSIS ONLY	
	Chevy G3500, 139" WB - Gas	EST
	Chevy G4500, 159" WB - Gas	EST
	CHEVROLET G-SERIES TYPE III - 2024 CONVERSION ONLY	
	Chevrolet 2148 Warrior	
	Chevrolet 2168 Super Warrior	
	FORD E-SERIES TYPE III - 2024 CHASSIS ONLY	
	Ford E350, 138" WB - GAS	EST
	Ford E450, 158" WB - GAS	EST
	FORD E-SERIES TYPE III - 2024 CONVERSION ONLY	
	Ford 2148 Warrior	
	Ford 2168 Super Warrior	
	MERCEDES-BENZ SPRINTER - 2024 CHASSIS ONLY	
	Mercedes-Benz Sprinter Diesel Chassis	EST
	MERCEDES-BENZ SPRINTER - 2024 CONVERSION ONLY	
	Mercedes-Benz Sprinter 2148 Warrior III	
	FORD F-SERIES TYPE I - 2024 w/UREA - D.E.F. - CHASSIS ONLY	
	(Call for Chassis Availability)	
	F-450, 169" WB, 4x2	EST
	F-450, 169" WB, 4x4	EST
	F-550, 193" WB, 4x2	EST
	F-550, 193" WB, 4x4	EST
	Option: Liquid Spring Suspension (Front: 110lbs, Rear: 150lbs)	
	Option: Add Front Liquid Spring	
	Option: Add Aluminum Wheels	
	FORD F-SERIES TYPE I - 2024 GAS - CHASSIS ONLY	
	(Call for Chassis Availability)	
	F-450, 169" WB, 4x2	EST
	F-450, 169" WB, 4x4	EST
	F-550, 193" WB, 4x2	EST
	F-550, 193" WB, 4x4	EST
	Option: Liquid Spring Suspension (Front: 110lbs, Rear: 150lbs)	
	Option: Add Front Liquid Spring	
	Option: Add Aluminum Wheels	
	FORD F-SERIES TYPE I - 2024 CONVERSION ONLY	
	Ford 2148 Warrior	
	Ford 2168 Super Warrior	

RAM TYPE I w/UREA - 2024 CHASSIS ONLY	
	Ram 4500, 168" WB, 4x2 EST
	Ram 4500, 168" WB, 4x4 EST
	Ram 5500, 192" WB, 4x2 EST
<u>1</u>	Ram 5500, 192" WB, 4x4 EST
<u>1</u>	Option: Liquid Spring Suspension
	Option: Add Front Liquid Spring
	Option: Add Aluminum Wheels
RAM TYPE I - 2024 GAS - CHASSIS ONLY	
	Ram 4500, 168" WB, 4x2 EST
	Ram 4500, 168" WB, 4x4 EST
	Ram 5500, 192" WB, 4x2 EST
	Ram 5500, 192" WB, 4x4 EST
	Option: Liquid Spring Suspension
	Option: Add Front Liquid Spring
	Option: Add Aluminum Wheels
RAM TYPE I 2024 CONVERSION ONLY	
	Ram 2148 Warrior
<u>1</u>	Ram 2168 Super Warrior
CHEVROLET TYPE I - 2024 CHASSIS ONLY	
	Chevy 5500, 189" WB, 4x2 w/Liquid Spring (Includes TM-21 A/C Compressor) EST
	Chevy 5500, 189" WB, 4x4 w/Liquid Spring (Includes TM-21 A/C Compressor) EST
CHEVROLET TYPE I 2024 CONVERSION ONLY	
	Chevy 2168 Super Warrior (172" body, front mount condenser, cab steps included)
Freightliner / International TYPE I - 2024 CONVERSION ONLY	
	2168/Freightliner / International Med-Duty

MODULE

- Warrior: 148"L x 68" Headroom
- Super Warrior: 168"L x 72" Headroom
- Aluminum Diamond Plate Running Boards
- Rear Mud Flaps
- Totally "Seamless" Body Construction
- Exterior Side & Roof Panels .125" Aluminum
- One-Piece Exterior Side Panels
- One-Piece Crowned Roof
- Frame Members 2" x 2" Aluminum Tubing
- Frame Members on 12" Centers or Less
- Diamond Plate Shields:
 - Across Lower Rear of Body
 - Across Lower Front of Body
 - Lower 1/3 of Entry Doors
- All Exterior Doors "Pan-Formed" / Extruded Double Break Construction

- All Body Openings "Seamless"
- All Door Latches Mounted Behind Gaskets
- Exterior Compartment @ Front Left for Storage of Oxygen Tank and Back Boards
- Exterior Compartment Adjustable Shelving
- Exterior Compartment Lighting
- Cast "Grabber" Door Holders
- Lower Body Impact Rub Rails
- Polished Stainless Steel Fenderettes
- Flip-up Rear Step Bumper w/ 4" x 18" Dock Bumpers
- Automotive Undercoating

WARNING SYSTEM

- Two Red Whelen ION-T Mounted in grill
- Four Red Whelen ION-T Intersection Lights Mounted in Front and Rear Fenders
- Eight Red LED Whelen 9x7 Modular Lights
- One Clear LED Whelen 9x7 Front Modular Light
- One Amber LED Whelen 9x7 Rear Modular Light
- Two LED Whelen 9x7 Scene Lights Per Side

- Two LED Whelen 9x7 Rear Load Lights
- Primary / Secondary Switching
- Whelen 295 SLSA1 Siren
- Siren / Horn Switch
- Cast Siren Speaker
- Rear DOT Lighting Whelen LED 4x6 w/ Chrome Flanges: Red Tail / Brake, Amber Arrow Turn
- Reverse are LED

PAINT & MARKINGS

- 8" Belt Line Paint Stripe
- Base Coat / Clear Coat Modular Paint

- "No Smoking" & "Fasten Seat Belt" Signs
- Ambulance / Star-of-Life Decals

ELECTRICAL

- Digital Voltmeter
- Audible Low-Voltage Alarm
- Weldon V-Mux Electrical System w/ Load Management & Sequencing System
- Wiring Color-Coded and Heat Embossed Every 6" w/ Function
- Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area
- One Piece Molded Front Switch Console
- Hinge Mounted Attendant Switch Console
- Control Console Backlighting Dimmer

- Battery Switch Activated via Ignition Switch
- Open Door Warning Light
- Hand Held 300,000 CP Spotlight
- Whelen Dual Intensity LED Patient Compartment Dome Lights
- Exterior Weatherproof Shoreline Receptacle
- Two Interior 110V Duplex Receptacles
- Two Interior 12V Cigar Style Receptacles
- One Pre-Wire Antenna Cable
- Electrical Back-up Alarm

INTERIOR

- All Vertical Corners 1" Radii
- Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"
- Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle
- EMT Seat, Pedestal Mounted Deluxe **Seamless** Vinyl Captains Chair w/3-Pt Belt
- CPR Seat, three piece, molded contoured cushions
- Squad Bench
- Retractable Seat Belts for All Locations
- Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating.
- Handicap Style, 1 ½" Diameter, Stainless Steel Door Pulls on Patient Compartment Doors. These Bars shall be treated with Agion Anti-Bacterial Coating.
- Padded Bulk-Head Cabinet Doors
- ALS Compartment w/ In/Out Access

- R-29 Reflectics Insulation Through-out Module
- Thermostatically Controlled Patient Compartment Heat & Cool System
- 3-Speed Manual Fan Control
- Rear Heat & Cool Unit Mounted Floor Level;
 - * Moisture Drains Directly Through Floor
 - * Short Coolant Circulation Distance
 - * Eliminates Vertical Circulation of Coolant
 - * Unit Easily Accessible for Maintenance
- Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation
- Two Recessed, Swing-up Dual IV Hangers
- "Zico" Retaining Bracket for Oxygen "M" Cyl
- Three "Ohio" Oxygen Outlets
- SSCOR Suction System
- Locking Sharps Container (Shipped Loose)
- Locking Drug Compartment
- Digital Clock
- Stryker "Performance Load" Cot Fastener
- **Seamless Seat Cushions**

EMERGENCY & EXTERIOR LIGHTING & SIREN OPTIONS

Continued

Qty

Whelen Smart Linear LED's

	W-15 Additional 900 Solid LED, R, B or A
	W-16 Additional 900 Solid LED, C
	W-17 Additional 900 Green
	W-18 Additional 900 R/B or R/A LED
	W-19 Additional 900 R/C or B/C LED
	W-20 Upgrade 900 LED to Solid C
	W-21 Upgrade 900 LED to Green
	W-22 Upgrade 900 to Split R/B or R/A
	W-23 Upgrade 900 to Split R/C or B/C
	W-24 700 LED I.L.O. ION-T, R, B or A
	W-25 700 LED I.L.O. ION-T R/B or R/A
	W-26 700 LED I.L.O. ION-T, All or 1/2 Clr
	W-27 Additional 700 LED R, B or A
	W-28 Additional 700, R/B or R/A
	W-29 Additional 700 LED All or 1/2 Clr
	W-30 Additional 600 LED, R, B or A
	W-31 Additional 600, R/B or R/A
	W-32 Additional 600 LED All or 1/2 Clr
	W-33 Additional 500 LED, R, B or A
	W-34 Additional 500, R/B or R/A
	W-35 Additional 500 LED, All or 1/2 Clr
	W-36 Upgrade 900 to M9 LED, R, B, A, R/B, R/A
	W-37 Upgrade 900 to M9, All or 1/2 Clear
	W-38 Additional M9, Red, B, A, R/B, R/A
	W-39 Additional M9 (All or 1/2 CLR)
	W-40 Upgrade ION-T to M6 Red, B, A
	W-41 Upgrade ION-T to M6, R/B, or R/A
	W-42 Upgrade ION-T to M6 All or 1/2 CLR
	W-43 Additional M6 LED, R, B or A
	W-44 Additional M6, R/B or R/A
	W-45 Additional M6 LED, All or 1/2 Clr
	W-46 Upgrade ION-T to M7 R, B or A
	W-47 Upgrade ION-T to M7 R/B, or R/A
	W-48 Upgrade ION-T to M7 All or 1/2 CLR
	W-49 Additional M7 LED, R, B or A
	W-50 Additional M7 LED, R/B, R/A
	W-51 Additional M7 LED, All or 1/2 Clr
	W-52 Whelen ION-T, R, B, A
	W-53 Whelen ION-T, R/B or R/A
	W-54 Whelen ION-T, All or 1/2 Clr
	W-55 Whelen OS Light
	W-56 Add Any Light to Interior of Door (Add to Light Price)

Specify Flash Pattern to set LED's to _____

LED's to be: _____ Unsynchronized _____ Synchronized on K Flasher

Qty

Scene Lights

	W-57 Whelen 90COENZR 24-DIODE Scene Light, Additional
	W-58 Whelen 700 Scene LED Additional
	W-59 M9 LED Scene, Upgrade
	W-60 M9 LED Scene, Additional
	W-61 M7 LED Scene, Upgrade
	W-62 M7 LED Scene, Additional
	W-63 Pioneer Single w/Flange, Upgrade PCPSM1C
	W-64 Pioneer Spot & Flood w/Flange, Upgrade PCPSM2C
	W-65 Pioneer Single w/Flange, Additional PCPSM1C
	W-66 Pioneer Spot & Flood w/Flange, Additional PCPSM2C
	W-67 Upgrade Brake/Tail to M6 (Pair)
	W-68 Upgrade Turn to M6 (Pair)
	W-69 Upgrade Reverse to M6 (Pair)

	ELECTRICAL OPTIONS	
Qty	Inverters, Chargers, Batteries, Shorelines & Outlets	
	E-01	Pre-Wire for Vanner Inverter with Remote Switch
	E-02	Vanner Inverter / Conditioner w/ Remote Switch, Model LSC12-1100
	Choose One: Inverter on with <input type="checkbox"/> Ignition <input type="checkbox"/> Switch in Rear Panel	
	E-03	Iota P.C. 30 Battery Charger
	E-04	Iota P.C. 45 Battery Charger (Requires 30 Amp Shoreline)
	NOTE: BATTERY CHARGER REQUIRED IN KKK-F	
	E-05	Add 2nd 20amp shoreline and circuit
	E-06	OEM Batteries Mounted in Slide Out Tray in Exterior Battery Compt. (N/A on Type I)
	E-07	Additional (3rd) Matching Battery (Requires Ordering Exterior Battery Compartment)
	E-08	Upgrade to Twist Lock 30 Amp Shoreline
	E-09	Upgrade to Kussmaul Auto Eject Shoreline Plug, 20 Amp
	E-10	Upgrade to Kussmaul Auto Eject Shoreline Plug, 32 Amp
	E-11	Shoreline Indicator at Shoreline
Qty	Outlets & Interior Lighting	
	E-12	110 V Outlet, Additional per Outlet
		12V DC Outlet, Cigar Style, Additional per Outlet
	E-13	otherwise specified
	E-14	110/USB Outlet
	E-15	Dual USB Outlet
	E-16	Single Overhead Reading Light in Cab
	E-17	R/W Dome Light in Cab
	E-18	LED Federal Little Lite
	E-19	Check-Out Lights, 2 - 12 Volt LED, 36"
	E-20	Additional LED Check Out Lights (Per Light)
	E-21	Interior Cabinet Lighting w/On/Off Switch Mounted in Action Panel (Strip LED)
	E-22	Power Door Lock Control Head
	E-23	Power Door Lock Per Door
	E-24	LED Lights (3) Above Rear Entry Doors (Brake & Turn)
	E-25	Whelen Round LED Domelights w/Chrome Flange (Upgrade per Lt)
	E-26	Whelen Rectangular LED Domes (Upgrade per Light)
	E-27	Intertech Round LED Domes (Upgrade per Light)
	E-28	Additional Dome Lights (Add to Cost of Upgrade Light, if Ordered)
	E-29	Upgrade Dome to Red/Clear
	E-30	Upgrade Dome to Blue/Clear
	E-31	Heart of Chrome Customs UV Light
Qty	Switches & Secure Idle	
	E-32	(3) Switch Auxiliary Panel
	E-33	Extra Switch & Pre-Wire (Separate From V-MUX System)
	E-34	Hidden Switch in Grill for Door Locks
	E-35	Idle Lock Security System
	E-36	2nd Switch Panel on Curbside Wall
Qty	Pre-wires, Radios, Intercom, & Clocks	
	E-37	Antenna Pre-Wire, (additional per Pre-Wire)
	E-38	Pre-Wire & Ground for Radio, (additional per Pre-Wire)
		Install Customer Radio Cable (each)
	E-39	Note: Specify Brand of Radio Cable: _____
	E-40	Install Customer Antenna (each)
	E-41	Install Customer Radio Head (each)
	E-42	Two Radio Speakers in Patient Compartment
	E-43	Volume Control for Rear Speakers Mounted in Action Area
	E-44	Intelli-Tech Time Manager
	E-45	Carbon Monoxide Monitor

INTERIOR OPTIONS

Continued

Cabinetry, Windows, Marker Boards, Shelves, & HVAC Ducts

Qty

Note: Select One of the Following No/Charge Front Console Configurations:

Dual Drink Holders

Driver's Side Drink Holder Only

No Drink Holders will be provided (unless otherwise noted)

I-28 Radio/Notebook Cabinet in Cab (Standard Design) *(Standard in T-I's)*

I-29 Radio/Notebook Cabinet in Cab (Design Required)

I-30 Customize Console in Type I

I-31 Removable Padded Armrests for Console (Pair)

I-32 Aluminum Cabinetry (Requires Spray Coating)

Choose Zolatone Color: _____

NOTE: Depending on Cabinet Layout, Varying Amounts of Wood Panels will be used in Construction

I-33 Narrow Bulkhead

I-34 Cabinet Over Rear Doors

Cabinet Over Squad Bench, (Requires 43" Between Bench Cushion & Cabinet) (Standard in 2168)

I-35

Cabinet over CPR Seat (Requires 43" between Bench Cushion & Cabinet) (Std. in 2168)

I-36

I-37 On 72" Headroom Units, Drop Bench and CPR Seat 2" Adding 2" to Overhead Cabinets

I-38 (**WILL ELIMINATE SHARPS & WASTE, AND 02 RECESSED IN BENCH**)

I-39 Cabinet @ Head of Squad Bench for Portable O2, (Brackets Not Included)

Cabinet @ Head of Squad Bench for Portable O2, Recessed Below Floor Level (Brackets Not Included)

I-40

I-41 Angled Cabinets Forward and AFT of CPR Seat

I-42 Tinted Plexiglas in Cabinet Windows

I-43 Re-stocking Seals in Cabinet Windows

I-44 Tilt-up Speed Load Cabinet Windows, w/latch (per window)

I-45 Interior Access to Exterior Compartment

I-46 Window Over Squad Bench; 16 x 32 w/Slide - Passenger Side

I-47 Window Over Squad Bench; 16 x 32 w/Slide - Driver Side

I-48 Sliding Privacy Panel w/Dry Marker Board

I-49 Telescoping Marker Board

I-50 Solid Mounted Dry Marker Board

I-51 Track-Type Adjustable Shelves in Interior Cabinets, (per shelf)

I-52 Fixed Shelf

I-53 Fixed Divider

I-54 Adjustable Divider Track

I-55 Adjustable Divider (Requires above track)

I-56 Additional Adjustable Shelf & Light in ALS

I-57 Monitor Shelf to the Rear of the CPR Seat

I-58 Ceiling HVAC Duct

I-59 Glove Storage Over Side Entry Door

I-60 Two (2) Glove Storage Units Over Rear Doors

I-61 Two (2) Glove Storage Recessed Into Rear Entry Doors

I-62 Recessed Suction in Left Aisle Wall (No Door)

I-63 Door For Above

I-64 Chevrons on Entry Door Kickplates (Per Door)

Color of Chevrons: _____

NOTE: Requires EX-35

ORDER SUMMARY

5% Discount
5% Discount on Optional Items

Osage believes the proposed design (identified above with an *) could increase the chance of injury to passengers, and recommends the following:

_____ There would be no additional cost for this change.

_____ The additional charge for this change would be _____

_____ Dealer directs that Osage modify the design as recommended.

_____ Dealer acknowledges the above recommendation, and directs Osage to proceed with the original design.

This recommendation was reviewed with the purchaser, _____

of _____ Date _____

**Endows Responsibility for Full Payment for Unit#
within Three (3) Days of Completion.**

TERMS ARE F.O.B. LINN, MO

**OSAGE AMBULANCE WILL NOT BE RESPONSIBLE FOR THE
PERFORMANCE OF CUSTOMER SUPPLIED OR SPECIFIED PRODUCT.**

**THIS ORDER IS NOT BINDING UNTIL SIGNED BY BOTH AN OSAGE
DEALER, AND/ OR AN AUTHORIZED REPRESENTATIVE FOR AN OSAGE
DEALER, AND AN AUTHORIZED REPRESENTATIVE FOR OSAGE
AMBULANCE.**

Signature of Osage Dealer or Authorized Agent

Date Signed

Signature of Authorized Representative of Osage Ambulance

Date Signed