	OSAGE AMBULANCE
	2024 WARRIOR
	ORDER FORM
	LAST UPDATED 05/16/2022
Dealer Name:	Southeatern Specialty Vehicles
Salesperson:	Dennis Tingen
Customer Name:	North Carolina Sheriff's Association Purchasing Contract
& Address	
Shipping Address:	
Fleet Number:	
Contact Name:	
Email:	
Phone:	
-	
Fax:	
Charair Tarra	
Chassis Type:	F550 4WD
Osage Unit #:	
VIN:	

_	CHEVROLET G-S	SERIES TYPE III - 2024 CHASSIS ONLY
	Cl C2500 120!! WP. C.	DOT
	Chevy G3500, 139" WB - Gas Chevy G4500, 159" WB - Gas	EST EST
	Chevy G4300, 139 WB - Gas	E51
	CHEVROLET C-SEL	RIES TYPE III - 2024 CONVERSION ONLY
	CHEVROLET G-SEI	HES TITE III - 2024 CONVERSION ONE I
	Chevrolet 2148 Warrior	
	Chevrolet 2168 Super Warrior	
	•	
	FORD E-SERI	ES TYPE III - 2024 CHASSIS ONLY
	Ford E350, 138" WB - GAS	EST
	Ford E450, 158" WB - GAS	EST
	FORD E-SERIES	TYPE III - 2024 CONVERSION ONLY
	Ford 2149 Wornion	
	Ford 2148 Warrior Ford 2168 Super Warrior	
	1 old 2100 Super Warrior	
-	MERCEDES-BE	NZ SPRINTER - 2024 CHASSIS ONLY
	TIERCED ED DE	
	Mercedes-Benz Sprinter Diesel Chassis	EST
	·	
	MERCEDES-BENZ	Z SPRINTER - 2024 CONVERSION ONLY
	Mercedes-Benz Sprinter 2148 Warrior III	
	·	
		E I - 2024 w/UREA - D.E.F CHASSIS ONLY
	1	all for Chassis Availability)
	F-450, 169" WB, 4x2	EST
	F-450, 169" WB, 4x4	EST
1	F-550, 193" WB, 4x2 F-550, 193" WB, 4x4	EST EST
1	Option: Liquid Spring Suspension (Front: 110lbs	
	Option: Add Front Liquid Spring	, redi. 130103)
	Option: Add Aluminum Wheels	
	FORD F-SERIES	S TYPE I - 2024 GAS - CHASSIS ONLY
		all for Chassis Availability)
	F-450, 169" WB, 4x2	EST
	F-450, 169" WB, 4x4	EST
	F-550, 193" WB, 4x2	EST
	F-550, 193" WB, 4x4	EST
	Option: Liquid Spring Suspension (Front: 110lbs, R	ear: 150lbs)
	Option: Add Aluminum Wheels	
	Option: Add Aluminum Wheels	
-	FORD F-SERIE	S TYPE I - 2024 CONVERSION ONLY
	Ford 2148 Warrior	
<u>1</u>	Ford 2168 Super Warrior	

	RAM TY	YPE I w/UREA - 2024 CHASSIS ONLY	
	Ram 4500, 168" WB, 4x2	EST	
	Ram 4500, 168" WB, 4x4	EST	
	Ram 5500, 192" WB, 4x2	EST	
	Ram 5500, 192" WB, 4x4	EST	
	Option: Liquid Spring Suspension		
	Option: Add Front Liquid Spring		
	Option: Add Aluminum Wheels		
	RAM T	TYPE I - 2024 GAS - CHASSIS ONLY	
	Ram 4500, 168" WB, 4x2	EST	
	Ram 4500, 168" WB, 4x4	EST	
	Ram 5500, 192" WB, 4x2	EST	
	Ram 5500, 192" WB, 4x4	EST	
	Option: Liquid Spring Suspension		
	Option: Add Front Liquid Spring		
	Option: Add Aluminum Wheels		
	RAM	TYPE I 2024 CONVERSION ONLY	
	Ram 2148 Warrior		
	Ram 2168 Super Warrior		
I	1		
	CHEVR	OLET TYPE I - 2024 CHASSIS ONLY	
	Chevy 5500, 189" WB, 4x2 w/Liquid Spring (In	cludes TM-21 A/C Compressor) EST	
	Chevy 5500, 189" WB, 4x4 w/Liquid Spring (In		
	CHEVRO	LET TYPE I 2024 CONVERSION ONLY	
	- CILE VIIIO		
	Chevy 2168 Super Warrior (172" body, front mo	ount condenser, cab steps included)	
	enery 2100 super Warrior (172 souy) from mo	and condensely can steeps included)	
	Frejohtliner / Into	ernational TYPE I - 2024 CONVERSION ONLY	
	Treightimer / Thu	AMINIMA TITE BURI COLLINERULOLI CLIEF	
	2168/Freightliner / International Med-Duty		
	2100/1101ghtmici / international Wied-Duty		

· · · · · · · · · · · · · · · · · · ·		MODULE
<u> </u>		
	Warrior: 148"L x 68" Headroom	All Body Openings "Seamless"
<del></del>	Super Warrior: 168"L x 72" Headroom     Aluminum Diamond Plata Bunning Boards	All Door Latches Mounted Behind Gaskets     States or Composition of the Composition
	Aluminum Diamond Plate Running Boards     Rear Mud Flaps	Exterior Compartment @ Front Left for     Storage of Oxygen Tank and Back Boards
	Totally "Seamless" Body Construction	Exterior Compartment Adjustable Shelving
	• Exterior Side & Roof Panels .125" Aluminum	Exterior Compartment Lighting
	One-Piece Exterior Side Panels	• Cast "Grabber" Door Holders
	One-Piece Crowned Roof	Lower Body Impact Rub Rails
	• Frame Members 2" x 2" Aluminum Tubing	Polished Stainless Steel Fenderettes
	<ul> <li>Frame Members on 12" Centers or Less</li> </ul>	• Flip-up Rear Step Bumper w/
<del></del>	Diamond Plate Shields:	4" x 18" Dock Bumpers
	- Across Lower Rear of Body	Automotive Undercoating
	- Across Lower Front of Body	
	<ul> <li>Lower 1/3 of Entry Doors</li> <li>All Exterior Doors "Pan-Formed" / Extruded</li> </ul>	
	Double Break Construction	
	Bouble Break constituction	<del></del>
		WARNING SYSTEM
	The Ded Wheles ION TM sustadio sail	
	Two Red Whelen ION-T Mounted in grill     Four Red Whelen ION-T Intersection Lights	Two LED Whelen 9x7 Rear Load Lights      Rrimany / Secondary Switching
<u> </u>	Four Red Whelen ION-T Intersection Lights     Mounted in Front and Rear Fenders	Primary / Secondary Switching     Whelen 295 SLSA1 Siren
<del>                                     </del>	Eight Red LED Whelen 9x7 Modular Lights	Whelen 295 SLSAT Siren      Siren / Horn Switch
<u> </u>	One Clear LED Whelen 9x7 Front	• Cast Siren Speaker
	Modular Light	Rear DOT Lighting Whelen LED 4x6 w/
<u> </u>	One Amber LED Whelen 9x7 Rear	Chrome Flanges: Red Tail / Brake,
<del></del>	Modular Light	Amber Arrow Turn
	<ul> <li>Two LED Whelen 9x7 Scene Lights Per Side</li> </ul>	Reverse are LED
<del></del>		
<u> </u>		
<u> </u>		DAINT & MADZINGS
<u> </u>		PAINT & MARKINGS
	• 8" Belt Line Paint Stripe	• "No Smoking" & "Fasten Seat Belt" Signs
<u> </u>	Base Coat / Clear Coat Modular Paint	• Ambulance / Star-of-Life Decals
<u> </u>		<del></del>
<u> </u>		ELECTRICAL
<u> </u>		ELECTRICAL
	Digital Voltmeter	Battery Switch Activated via Ignition Switch
<u> </u>	Audible Low-Voltage Alarm	Open Door Warning Light
<del></del>	Weldon V-Mux Electrical System w/ Load	Hand Held 300,000 CP Spotlight
	Management & Sequencing System  • Wiring Color-Coded and Heat Embossed	Whelen Dual Intensity LED Patient  Compartment Dame Lights
		Compartment Dome Lights
	Every 6" w/ Function	Exterior Weatherproof Shoreline Receptacle     Two Interior 110V Dupley Recentacles
	Every 6" w/ Function • Power Distribution Panel Easily Accessible	Two Interior 110V Duplex Receptacles
	Every 6" w/ Function	
	Every 6" w/ Function • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable
	Every 6" w/ Function • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area • One Piece Molded Front Switch Console	Two Interior 110V Duplex Receptacles     Two Interior 12V Cigar Style Receptacles
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side,	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"	Two Interior 110V Duplex Receptacles     Two Interior 12V Cigar Style Receptacles     One Pre-Wire Antenna Cable     Electrical Back-up Alarm  INTERIOR      R-29 Reflectics Insulation Through-out Module     Thermostatically Controlled Patient     Compartment Heat & Cool System
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System 3-Speed Manual Fan Control
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System 3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level;
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle  • EMT Seat, Pedestal Mounted Deluxe	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System 3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console • Hinge Mounted Attendant Switch Console • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle • EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System 3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle  • EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt  • CPR Seat, three piece, molded contoured cushions	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System 3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle  • EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt  • CPR Seat, three piece, molded contoured cushions • Squad Bench	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System 3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle  • EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt  • CPR Seat, three piece, molded contoured cushions	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System  3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle  • EMT Seat, Pedestal Mounted Deluxe  Seamless Vinyl Captains Chair w/3-Pt Belt  • CPR Seat, three piece, molded contoured cushions  • Squad Bench  • Retractable Seat Belts for All Locations	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System  3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance Overhead Air Distribution w/ Floor Level Filtered
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle  • EMT Seat, Pedestal Mounted Deluxe  Seamless Vinyl Captains Chair w/3-Pt Belt  • CPR Seat, three piece, molded contoured cushions  • Squad Bench  • Retractable Seat Belts for All Locations  • Handicap Style, 1 ½" Diameter, Full Length,	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System 3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console • Hinge Mounted Attendant Switch Console • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle • EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt • CPR Seat, three piece, molded contoured cushions • Squad Bench • Retractable Seat Belts for All Locations • Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System  3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation Two Recessed, Swing-up Dual IV Hangers
	Every 6" w/ Function  Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  One Piece Molded Front Switch Console Hinge Mounted Attendant Switch Console Control Console Backlighting Dimmer  All Vertical Corners 1" Radii Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060" Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt CPR Seat, three piece, molded contoured cushions Squad Bench Retractable Seat Belts for All Locations Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating. Handicap Style, 1 ½" Diameter, Stainless Steel	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System 3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation Two Recessed, Swing-up Dual IV Hangers "Zico" Retaining Bracket for Oxygen "M" Cyl Three "Ohio" Oxygen Outlets SSCOR Suction System
	Every 6" w/ Function  • Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  • One Piece Molded Front Switch Console  • Hinge Mounted Attendant Switch Console  • Control Console Backlighting Dimmer  • All Vertical Corners 1" Radii  • Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  • Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle  • EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt  • CPR Seat, three piece, molded contoured cushions • Squad Bench • Retractable Seat Belts for All Locations  • Handicap Style, 1 %" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating.  • Handicap Style, 1 ½" Diameter, Stainless Steel Door Pulls on Patient Compartment Doors.	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System  3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation Two Recessed, Swing-up Dual IV Hangers "Zico" Retaining Bracket for Oxygen "M" Cyl Three "Ohio" Oxygen Outlets SSCOR Suction System Locking Sharps Container (Shipped Loose)
	Every 6" w/ Function  Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  One Piece Molded Front Switch Console  Hinge Mounted Attendant Switch Console  Control Console Backlighting Dimmer   All Vertical Corners 1" Radii  Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"  Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle  EMT Seat, Pedestal Mounted Deluxe  Seamless Vinyl Captains Chair w/3-Pt Belt  CPR Seat, three piece, molded contoured cushions  Squad Bench  Retractable Seat Belts for All Locations  Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating.  Handicap Style, 1 ½" Diameter, Stainless Steel Door Pulls on Patient Compartment Doors. These Bars shall be treated with Agion Anti-	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System  3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation Two Recessed, Swing-up Dual IV Hangers "Zico" Retaining Bracket for Oxygen "M" Cyl Three "Ohio" Oxygen Outlets SSCOR Suction System Locking Drug Compartment
	Every 6" w/ Function  Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  One Piece Molded Front Switch Console Hinge Mounted Attendant Switch Console Control Console Backlighting Dimmer  All Vertical Corners 1" Radii Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060" Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt CPR Seat, three piece, molded contoured cushions Squad Bench Retractable Seat Belts for All Locations Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating. Handicap Style, 1 ½" Diameter, Stainless Steel Door Pulls on Patient Compartment Doors. These Bars shall be treated with Agion Anti-Bacterial Coating.	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System  3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation Two Recessed, Swing-up Dual IV Hangers "Zico" Retaining Bracket for Oxygen "M" Cyl Three "Ohio" Oxygen Outlets SSCOR Suction System Locking Sharps Container (Shipped Loose) Locking Drug Compartment Digital Clock
	Every 6" w/ Function  Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  One Piece Molded Front Switch Console Hinge Mounted Attendant Switch Console Control Console Backlighting Dimmer  All Vertical Corners 1" Radii Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060" Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt PR Seat, three piece, molded contoured cushions Squad Bench Retractable Seat Belts for All Locations Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating. Handicap Style, 1 ½" Diameter, Stainless Steel Door Pulls on Patient Compartment Doors. These Bars shall be treated with Agion Anti-Bacterial Coating.	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System  3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; * Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation Two Recessed, Swing-up Dual IV Hangers "Zico" Retaining Bracket for Oxygen "M" Cyl Three "Ohio" Oxygen Outlets SSCOR Suction System Locking Drug Compartment Digital Clock Stryker "Performance Load" Cot Fastener
	Every 6" w/ Function  Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  One Piece Molded Front Switch Console Hinge Mounted Attendant Switch Console Control Console Backlighting Dimmer  All Vertical Corners 1" Radii Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060" Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt CPR Seat, three piece, molded contoured cushions Squad Bench Retractable Seat Belts for All Locations Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating. Handicap Style, 1 ½" Diameter, Stainless Steel Door Pulls on Patient Compartment Doors. These Bars shall be treated with Agion Anti-Bacterial Coating.	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System  3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation Two Recessed, Swing-up Dual IV Hangers "Zico" Retaining Bracket for Oxygen "M" Cyl Three "Ohio" Oxygen Outlets SSCOR Suction System Locking Sharps Container (Shipped Loose) Locking Drug Compartment Digital Clock
	Every 6" w/ Function  Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area  One Piece Molded Front Switch Console Hinge Mounted Attendant Switch Console Control Console Backlighting Dimmer  All Vertical Corners 1" Radii Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060" Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle EMT Seat, Pedestal Mounted Deluxe Seamless Vinyl Captains Chair w/3-Pt Belt PR Seat, three piece, molded contoured cushions Squad Bench Retractable Seat Belts for All Locations Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating. Handicap Style, 1 ½" Diameter, Stainless Steel Door Pulls on Patient Compartment Doors. These Bars shall be treated with Agion Anti-Bacterial Coating.	Two Interior 110V Duplex Receptacles Two Interior 12V Cigar Style Receptacles One Pre-Wire Antenna Cable Electrical Back-up Alarm  INTERIOR  R-29 Reflectics Insulation Through-out Module Thermostatically Controlled Patient Compartment Heat & Cool System  3-Speed Manual Fan Control Rear Heat & Cool Unit Mounted Floor Level; * Moisture Drains Directly Through Floor Short Coolant Circulation Distance Eliminates Vertical Circulation of Coolant Unit Easily Accessible for Maintenance Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation Two Recessed, Swing-up Dual IV Hangers "Zico" Retaining Bracket for Oxygen "M" Cyl Three "Ohio" Oxygen Outlets SSCOR Suction System Locking Drug Compartment Digital Clock Stryker "Performance Load" Cot Fastener

		EMERGENCY & EXTERIOR LIGHTING & SIREN OPTIONS
Qty		Warning & Intersection Lights, Wig-Wag
Qty	-	Warming & Intersection Lights, Wig-Wag
	W-01	Chrome Flanges for 9 x 7 (per light)
	W-02	Chrome Flanges for 7 x 3 or 6 x 4 Lights
		Chrome Flanges for M9
	W-04	Chrome Flanges for M6 or M7
	W-05	Chrome Flanges for ION
04		D
Qty		Premption
	W-06	Opti-Com
		Tomar Emitter
Qty		Custom Lightbars
0.		New time I Stick
Qty		Directional Sticks
	W 00	Wholen TA796 6 Super LED Treffic Advisor
		Whelen TAZ86 6-Super LED Traffic Advisor Whelen TAL 85 LED 8 Light Traffic Advisor
	W-09	WHERE TAL OF LED O LIGHT HAIRC AUVISOR
Oftv		LED Strip Lighting
Qty		DED Strip Digitting
	-	
	W-10	Whelen Strip-Lite, Red or Amber
	W-10	Whelen Strip-Lite, Red of Affider  Whelen Strip-Lite, Blue or White
	W-12	Red Innovative Strip Light, Dual Elements
		Amber Innovative Strip Light, Single Element

	-	EMERGENCY & EXTERIOR LIGHTING & SIREN OPTIONS
		Continued
0		
Qty		Whelen Smart Linear LED's
	W-15	Additional 900 Solid LED, R, B or A
		Additional 900 Solid LED, C
		Additional 900 Green
		Additional 900 R/B or R/A LED
		Additional 900 R/C or B/C LED
		Upgrade 900 LED to Solid C
		Upgrade 900 LED to Green
		Upgrade 900 to Split R/B or R/A Upgrade 900 to Split R/C or B/C
		700 LED I.L.O. ION-T, R, B or A
		700 LED I.L.O. ION-T R/B or R/A
	W-26	700 LED I.L.O. ION-T, All or 1/2 Clr
	W-27	Additional 700 LED R, B or A
		Additional 700, R/B or R/A
		Additional 700 LED All or 1/2 Clr
		Additional 600 LED, R, B or A Additional 600, R/B or R/A
		Additional 600 LED All or 1/2 Clr
		Additional 500 LED Ai of 1/2 Cit
		Additional 500, R/B or R/A
	W-35	Additional 500 LED, All or 1/2 Clr
		Upgrade 900 to M9 LED, R, B, A, R/B, R/A
		Upgrade 900 to M9, All or 1/2 Clear
		Additional M9, Red, B, A, R/B, R/A
		Additional M9 (All or 1/2 CLR)  Upgreda ION T to M6 Ped P. A
		Upgrade ION-T to M6 Red, B, A Upgrade ION-T to M6, R/B, or R/A
		Upgrade ION-T to M6 All or 1/2 CLR
		Additional M6 LED, R, B or A
		Additional M6, R/B or R/A
		Additional M6 LED, All or 1/2 Clr
		Upgrade ION-T to M7 R, B or A
		Upgrade ION-T to M7 R/B, or R/A
		Upgrade ION-T to M7 All or 1/2 CLR Additional M7 LED, R, B or A
		Additional M7 LED, R/B, R/A
		Additional M7 LED, All or 1/2 Clr
		Whelen ION-T, R, B, A
	W-53	Whelen ION-T, R/B or R/A
		Whelen ION-T, All or 1/2 Clr
		Whelen OS Light
	W-56	Add Any Light to Interior of Door (Add to Light Price)
		Specify Flash Pattern to set LED's to
		LED's to be: Unsynchronized Synchronized on K Flasher
Qty		Scene Lights
	<u></u>	Will be considered as a proper of the second
$\vdash$		Whelen 90COENZR 24-DIODE Scene Light, Additional
$\vdash$		Whelen 700 Scene LED Additional M9 LED Scene, Upgrade
		M9 LED Scene, Additional
		M7 LED Scene, Upgrade
		M7 LED Scene, Additional
		Pioneer Single w/Flange, Upgrade PCPSM1C
		Pioneer Spot & Flood w/Flange, Upgrade PCPSM2C
		Pioneer Single w/Flange, Additional PCPSM1C
$\vdash$		Pioneer Spot & Flood w/Flange, Additional PCPSM2C  Upgrada Braka/Tail to M6 (Pair)
$\vdash$		Upgrade Brake/Tail to M6 (Pair) Upgrade Turn to M6 (Pair)
		Upgrade Reverse to M6 (Pair)

		EMERGENCY & EXTERIOR LIGHTING & SIREN OPTIONS
		Continued
Qty		Siren & Speakers
	W-70	Federal Rumbler (Only Available w/ Federal Siren, Whelen 295 Sirens, Signal #SS700-008, Code 3 VCON & 3997RS, Carson SC-4074 Commander)
	W-71	Federal E-Q2B
	W-72	Federal PA-300
		SA-400-17 w/Mechanical Tone
	W-74	SA-430 Siren w/ Remote Control Head, Upgrade
	W-75	SA-441 Siren w/Remote Control Head, Upgrade
		SA-441-17F w/Mechanical Tone
		295 HFSC9 Dual Tone
		295 HFS2 Remote Head
		295 HFS7 Remote Head, Dual Amps
		Whelen Howler (Only Available w/ Whelen Siren)
		Buell Dual Air Horns Mounted Under Front Bumper
	W-82	Buell #16122 Compressor & # 5440 2nd Tank Upgrade
Qty		Exterior Lighting
Qıy		Extro Lighting
	W-83	6 x 4 LED Turn Lights w/ Chrome Flanges Mounted Front of Module, (Per Pair)
		M6 Turn Lights w/Chrome Flanges on Front of Mod (per pair)
	W-85	Hella Fog Lights
	W-86	PIAA LED Fog Lights
	W-87	LED Running Board Lights
	W-88	Zico LED Under Body Lights (Per Pair)
		Zico Angled Reverse Lights White (Per Pair)
		Zico Angled Reverse Lights Polished (Per Pair)
		Additional LED Compartment Light to LED
	W-92	Techniques E-41 LED Strip Lighting in all Compartments
Qty		Additional Emergency & Exterior Lighting & Siren Options & Special Instructions

		ELECTRICAL OPTIONS
Qty		Inverters, Chargers, Batteries, Shorelines & Outlets
	F-01	Pre-Wire for Vanner Inverter with Remote Switch
	E-02	
		Choose One: Inverter on with Ignition Switch in Rear Panel
		Iota P.C. 30 Battery Charger
	E-04	Iota P.C. 45 Battery Charger (Requires 30 Amp Shoreline)
		NOTE: BATTERY CHARGER REQUIRED IN KKK-F
		NOTE: DATTERT CHARGER REQUIRED IN RAK-F
	E-05	Add 2nd 20amp shoreline and circuit
		OEM Batteries Mounted in Slide Out Tray in Exterior Battery Compt. (N/A on Type I)
		Additional (3rd) Matching Battery (Requires Ordering Exterior Battery Compartment
		Upgrade to Twist Lock 30 Amp Shoreline
		Upgrade to Kussmaul Auto Eject Shoreline Plug, 20 Amp
		Upgrade to Kussmaul Auto Eject Shoreline Plug, 32 Amp
	E-11	Shoreline Indicator at Shoreline
)ty		Outlets & Interior Lighting
Ziy		Outes & Interior Engineng
	E-12	110 V Outlet, Additional per Outlet
		12V DC Outlet, Cigar Style, Additional per Outlet Note: Outlets will be Ignition Hot unless
	E-13	otherwise specified
		110/USB Outlet
		Dual USB Outlet
		Single Overhead Reading Light in Cab  R/W Dome Light in Cab
		LED Federal Little Lite
		Check-Out Lights, 2 - 12 Volt LED, 36",
		Additional LED Check Out Lights (Per Light)
	E-21	Interior Cabinet Lighting w/On/Off Switch Mounted in Action Panel (Strip LED)
		Power Door Lock Control Head
		Power Door Lock Per Door
		LED Lights (3) Above Rear Entry Doors (Brake & Turn)
		Whelen Round LED Domelights w/Chrome Flange (Upgrade per Lt) Whelen Rectangular LED Domes (Upgrade per Light)
		Intertech Round LED Domes (Upgrade per Light)
		Additional Dome Lights (Add to Cost of Upgrade Light, if Ordered )
		Upgrade Dome to Red/Clear
		Upgrade Dome to Blue/Clear
	E-31	Heart of Chrome Customs UV Light
Qty		Switches & Secure Idle
-	E 22	(2) Societa Association Donal
	E-32	(3) Switch Auxiliary Panel Extra Switch & Pre-Wire (Separate From V-MUX System)
		Hidden Switch in Grill for Door Locks
		Idle Lock Security System
	E-36	2nd Switch Panel on Curbside Wall
Qty		Pre-wires, Radios, Intercom, & Clocks
	F 27	Automorphy William (Additional Company)
	E-37	Antenna Pre-Wire, (additional per Pre-Wire)  Pre-Wire & Ground for Radio, (additional per Pre-Wire)
	E-38	Install Customer Radio Cable (each)
	E-39	Note: Specify Brand of Radio Cable:
		Install Customer Antenna (each)
		Install Customer Radio Head (each)
	E-42	Two Radio Speakers in Patient Compartment
		Volume Control for Rear Speakers Mounted in Action Area
		Intelli-Tech Time Manager
-	E-45	Carbon Monoxide Monitor
-+		
-+		

		1
Qty		ELECTRICAL OPTIONS
Qıy		Continued
		Continued
Qty		V-Mux Options
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		· ····································
	E-46	Warning Lights in Secondary w/Park Brake or Park ("Park" n.a. on some chassis')
	E-47	Park Brake Override Switch
	E-48	Full Set of Diagnostic Screens (w/Vista IV Upgrade Only)
	E-49	Truck Information Screen (w/Vista IV Upgrade Only)
		Up to 10 Intensities on Dome Lights (Off-Hi-Lo is Standard)
		Up to 10 Speeds on Exhaust Fans (Off-On is Standard)
		Up to 10 Speeds on HVAC Fan
		Custom Flash Patterns (Specify on Page 9)
		Rear Flashers on in Reverse (Specify on Page 9)
		Side Scene on in Reverse Brake Override
$\vdash$		Custom Load Sequencing (On or Off) (Specify on Page 9)
		Custom Load Shedding (Specify on Page 9)
		Upgrade Switches to Vista IV Screens
		3rd Vista IV Monitor in Rear
	E-61	3-Switch Pod & 3-Lights for Silent Intercom
	E-62	Reverse Camera Tied into V-MVX Screen (w/Vista IV Upgrade Only)
		O2 Sensor for V-MVX System (Requires Ordering M-16) (w/Vista IV Upgrade Only)
		Exterior Temperature Readout (w/Vista IV Upgrade Only)
	E-65	Ammeter Readout (w/Vista IV Upgrade Only)
Qty		HVAC Systems
		MANY I B. G. G. MANY
		110V Heater in Patient Compartment w/ 2nd Shoreline
		Danhardt 110V Heat/Cool Unit Installed in Squad Bench Stadco Model CP7 Diesel 6KW Liquid Cooled Generator (S-Warrior Only)
		Norcold 1.7 cubic feet Refrigerator
		Dometic Refreigerated Drawer CD-030
		IV Warmer Pad, (Pet Pad) (110V)
		IV Warmer Pad, (Smithworks) (12V)
		Digital Thermostat
		Auxiliary Condenser
		Upcharge to Install Condensor on Front of Module
		Rooftop-Mount Condenser
	E-77	2nd Engine - Driven Compressor
04		Mirrors, Hind-Sight, Backup Camera, & Spotlights
Qty		MITOIS, IMMUSIGHT, BACKUP CAMERA, & Spottights
	E-78	Velvac XG2020 Velvac Heat/Remotes, Black White (Black Std. on G-Cuts)
	E-79	
		Brigade Sonar Backup Assist
	E-81	
	E-82	Safety Vision Color Reverse & Interior Cameras
	E-83	Brigade Color Reverse Camera
		Brigade Color Reverse and Interior Cameras
	E-85	
$\vdash$	E-86	Go-Light Wireless Remote Control Roof Mount LED Spotlight, Chrome
$\vdash$		
$\vdash$		
<del>                                     </del>		
$\vdash$		

Qty		TV FOTTING AV OPTIVONS
Qty		ELECTRICAL OPTIONS
		Continued
		DEDUCTIONS:
	E-87	DEDUCTIONS: Delete: (2) Dome Lights
Qty		Additional Electrical Options & Special Instruction
		·

		MEDICAL OPTIONS
Qty		I.V. & Suction
۷٠)		111 W Diction
		Perko I.V. Clip with Velcro Strap
		Recessed Swing-Up Dual I.V. Hanger I.V. Pole By Action Rear
		Sscor VX-2 Portable / Permanent Suction I.L.O. Standard
0.		
Qty		Cot Mounts
		Ferno Stat-Track I.L.O. Performance Load
		Ferno Stat-Track w/ICS
		Ferno Inline Cot Mount Ferno Pro F1 Cot Mount w/ICS
		Stryker Performance Load Cot Mount with Inductive Charging
	M-10	Stryker Universal Floor Plate Only
		Stryker Power Load I.L.O. Performance Load
		Install Customer-supplied Power Load Install Floor Plate for Mass-Casualty Hook (Does not include Hook)
		Install Mass-Casualty Floor Plate & Hook (Does not include Front Antler needed with performance load)
		Front Antler for Performance Load Mass-Casualty
	M-16	Delete Standard Stryker Performance-Load (Demo Order Only)
	-	Provide Model Number of Customer's Stretcher
Qty		Oxygen
	_	12
		Additional O2 Outlet Over Squad Bench
		O2 Regulator for "M" Tank O2 Flow Meter /Tube-Type
		O2 Flow Meter / Dial-Type Flowmeter
		Electric O2 Solenoid w/Switch
		Amico Digital O2 Gauge w/Regulator 2nd "M" Tank Bracket
	IVI-23	ZIIU M TAIIK DIACKET
		Zico Hydraulic O2 Bracket (Specify M or H Cylinder) (Note:Requires M-21 & M-22)
		This Option Eliminates the O2 Pass-Through Zico Portable O2 Bracket QRD2
	W1-23	200 Fortuble 02 Bluence QUB2
	-	SELECT STANDARD D or JUMBO D
Qty	-	Additional Medical Options & Special Instructions
		The state of the s
	-	

		INTERIOR OPTIONS
		INTERIOR OPTIONS
Qty		Laminate & Vinyl
	I-01	Custom Laminate Color
	I-02	Custom Vinyl Color
		Note Provide Colors:
		Laminate Color:
		(Standard Colors: Dove Grey, Grey Glace, Grey Nebula)
		Vinyl Color:
	-	(Standard Colors: Cobalt Blue, Wedge Wood Blue, Ash Gray, Desert Rose Red)
	-	Lonplate Color:
		#176 Pewter, #424 Gunmetal, #165 Sapphire
Qty		Flooring, Aisle, Backboard Slots
	I-03	Lonspeck #SX112 Magnetic Gray
	1-03	Lon-Coin Flooring Note: Provide Color:
	I-04	
	*	Lon-Plate Flooring, Custom Color  Note: Provide Custom
	I-05 I-06	Composite Subfloor
	1-00	Composite Subnool
Qty		Seating, Squad Bench, EMT, CPR
	I-07	Swivel Pedestal for EVS Attendant Seat
	I-08	Price to Upgrade EMT Seat: 3-Pt. Child Seat
		4-Pt. Bucket Seat
		4-Pt. Child Seat
		5-Pt. Bucket Seat
		5-Pt. Child Seat
		6-Pt. Bucket Seat 6-Pt. Child Seat
		Add Recline to EVS Seat
		EVS Mobility I w/3-pt, 1769 Seat NOTE: This Seat Requires 39" From Wall for Swivel
		3-Pt 1769 Seat, fixed Pedistal, I.L.O. Bench or CPR
		4-Pt 1769 Seat, fixed Pedistal, I.L.O. Bench or CPR
	I-19	Armrest for EVS Seat (Each) 6-Point Seat Belt, Per Position
		Note: Specify Color (If no color is chosen, black will be provided:
	I-20	Black Orange Red Yellow
	I-21	Aluminum Plates in Wall for Future Installation of 6-Pt. Belts (per seating position)
	I-22	Cargo Net, End of Squad Bench
	I-23	12" Seat Belt Extension Seat Belt Monitor (requires sensors below)
		Sensor for EVS Seat (per position)
		Sensor for 2-Point Belt (per position)
	I-27	Sensor for 6-Point Belt (per position)

	n —	INTERNAL ARTIONS
		INTERIOR OPTIONS  Continued
		Continuct
Qty		Cabinetry, Windows, Marker Boards, Shelves, & HVAC Ducts
		Note: Select One of the Following No/Charge Front Console Configurations:
		Dual Drink Holders Driver's Side Drink Holder Only
		No Drink Holders will be provided (unless otherwise noted)
	I-28	Radio/Notebook Cabinet in Cab (Standard Design) (Standard in T-I's)
	I-29	Radio/Notebook Cabinet in Cab (Design Required)
	I-30	Customize Console in Type I
	I-31	Removable Padded Armrests for Console (Pair)
	I-32	Aluminum Cabinetry (Requires Spray Coating)  Choose Zolatone Color:
		NOTE: Depending on Cabinet Layout, Varying Amounts of Wood Panels will be used in Construction
		The second secon
	I-33	Narrow Bulkhead
	I-34	Cabinet Over Rear Doors Cabinet Over Squad Bench, (Requires 43" Between Bench Cushion & Cabinet) (Standard in 2168)
	I-35	Cabinet Over Squad Bench, (Requires 43" Between Bench Cushion & Cabinet) (Standard in 2168)
	1-33	Cabinet over CPR Seat (Requires 43" between Bench Cushion & Cabinet) (Std. in 2168)
	I-36	
	I-37	On 72" Headroom Units, Drop Bench and CPR Seat 2" Adding 2" to Overhead Cabinets
	I-38	(WILL ELIMINATE SHARPS & WASTE, AND 02 RECESSED IN BENCH)
	I-39	Cabinet @ Head of Squad Bench for Portable O2, (Brackets Not Included)  Cabinet @ Head of Squad Bench for Portable O2, Recessed Below Floor Level (Brackets Not Included)
	I-40	Cabillet & Head of Squad Belich for Fortable 02, Recessed Below Floor Level (Brackets Not included)
	I-41	Angled Cabinets Forward and AFT of CPR Seat
	I-42	Tinted Plexiglas in Cabinet Windows
		Re-stocking Seals in Cabinet Windows
	I-44	Tilt-up Speed Load Cabinet Windows, w/latch (per window)
	I-45	Interior Access to Exterior Compartment
	I-46 I-47	Window Over Squad Bench; 16 x 32 w/Slide - Passenger Side Window Over Squad Bench; 16 x 32 w/Slide - Driver Side
		Sliding Privacy Panel w/Dry Marker Board
	I-49	Telescoping Marker Board
	I-50	Solid Mounted Dry Marker Board
	I-51	Track-Type Adjustable Shelves in Interior Cabinets, (per shelf)
	I-52	Fixed Shelf
	I-53 I-54	Fixed Divider Adjustable Divider Track
	I-55	Adjustable Divider (Requires above track)
	I-56	
		Monitor Shelf to the Rear of the CPR Seat
		Ceiling HVAC Duct
	I-59	Glove Storage Over Side Entry Door
-	I-60 I-61	Two (2) Glove Storage Units Over Rear Doors Two (2) Glove Storage Recessed Into Rear Entry Doors
	I-61 I-62	Recessed Suction in Left Aisle Wall (No Door)
		Door For Above
	I-64	Chevrons on Entry Door Kickplates (Per Door)
		Color of Chevrons:
		NOTE: Requires EX-35
-		
	l	

		INITEDIOD OPTIONS
		INTERIOR OPTIONS Continued
		Continued
Qty		Doors, Locks, & Latches
	-	
	I-65	Café Double Doors, (Warrior)
	I-66	Full Plexiglas ALS Doors (3/8" Plexiglas, No Frames)
	I-67	Single Roll-up Shutter on ALS
	I-68 I-69	Lock for Roll-up Shutter on ALS Lock on Interior Cabinet
		Simplex Combination Lock
		Southco Stainless Steel Latches, (per Latch)
		Southco Stainless Steel D-Ring Latch (per latch)
	I-73	Chrome Rectangular Latch (per latch)
Qty		Counter Tops
		NA GLAGO BALEN I NAGO GALLAGO A TO GL
		Note: Select One of the Following No/Charge Standard Counter Top Colors:
		Speckled Gray Speckled Blue
		Speckled Red
		Speckled Tan
		Speckled Color Finish in Silk Stone Action Area Countertop
	I-75	Speckled Color Finish in Silk Stone Monitor Shelf Countertop
		Note: Provide Color of Silk Stone Counter Top if Ordered:
	I-76	Custom Silkstone Color
	I-77	Swivel Bracket for Zoll X Series
		Swivel Bracket for LP12 or LP15
	I-79	Technimount for 20LL X Series
	I-80	Technimount for LP15
Qty	-	Sharps, Waste, & Drawers
Qty		Sharps, wase, a Dianets
	I-81	Sharps & Waste Drawer
		Tilt-Out Sharps or Waste
	I-83	Sharps/Waste thru Fiberglass Counter into #2 Compartment (Warrior Only)
	I-84	Waste Disposal thru Silk Stone Countertop into #2 Outside Compartment
	I-85	Sharps Disposal thru Silk Stone Countertop into #2 Outside Compartment
		Drawer for General Storage (Indicate Location)
	I-87 I-88	Drawer with Flip-up Writing Service Sharps & Waste in Bench w/ Flip-Up Plexiglass Lids
	1-00	Sharps & Waste III Bench W/ Prip-Op Flexiglass Lius
Qty	-	Grab Rails & Bars, Armrests
<u> </u>		
	I-89	Additional Grab Rail Over Squad Bench
	I-90	Armrest/Bar at Head of Squad Bench, SS Removable
		A-Bar w/Sharps & Waste @ Head of Squad Bench, SS Removable (Warrior Models Only) This Bar shall be treated with Agion
	I-91	Anit-Bacterial Coating
	I-92	Custom A-Bar
		Armrest at Head of Squad Bench, Upholstered  12" Stainless Grab Handle
	I-94	Make Grab Bar Yellow (Price Each)
	1-73	Harre Glab Bai Tellow (Thee Each)
	1	
Qty	-	Insulation & Sound Deadening
	I-96	Sound Deadening Under Floor
	I-97	3M Sound Deadening on Back of Exterior Compartments
	I-98	Delux Insulation on Side Entry Step
	· · ·	
_	_	

		INTERIOR OPTIONS
	-	Continued
Qty		Additional Headroom, Crawl Through (Type I), Bariatric Package
	I-99	Custom Headroom. Fill in Height
		Crawl Through to Cab, (Type I)
	I-101	Move Struts to Ends of Bench
	I-102	Move Paddle Latches to Ends of Bench
		DEDUCTIONS:
	I-103	Single Bench Lid
	I-104	Delete Gas Struts on Bench
	I-105	Laminated Counter
Qty		Additional Interior Options & Special Instructions
-		
-		
	<u> </u>	
	-	

		EXTERIOR OPTIONS
Qty		Custom Body Size, Compartments, Doors & Door Window
	EX-01	Custom body Length. Fill in Length
		Please specify if you want #4 and/or #5 Widened at No Charge
		4" Additional Cab Recess Additional Exterior Compartment, (per compartment)
		Compartment Over Wheel Well w/ Rollout Drawer
		Change Exterior Compartment Size
		Side Entry Door Forward Layout
	EX-07	Shallow-Depth or Staggered-Depth Compartment
	FX-08	Deepen #5 2" into Aisle (NOTE: Only 1 1/2" Available on Sprinter for 17 3/4" I.D. Depth.)
		Double Door on Exterior Compartment ILO Single Door
		Recessed Pocket in Exterior Compartment Door
		Sliding Windows in Rear Entry Doors (per pair)
		Lower Window in Entry Doors (each)
		Scorpion Lining in Exterior Compartment (Price Per Compartment) Scorpion Shelf
		Scorpion Divider
	EX-16	Dry Deck All Compartments
		Stairchair Bracket
	EX-18	Stairchair Bracket on Compartment Door
Qty		Shelves & Dividers
	FW 10	
		Adjustable Shelving Unit in Exterior Compartment w/One Shelf up tp 12" wide  Adjustable Shelving Unit in Exterior Compartment w/One Shelf 12"-30" wide
		Adjustable Shelving Unit in Exterior Compartment w/One Shelf 30"-48" wide
		Additional Shelf in Exterior Compartment up to 12" wide
		Additional Shelf in Exterior Compartment 12"-30" wide
		Additional Shelf in Exterior Compartment 30"-48" wide
		Aluminum Backboard Divider Adjustable Backboard Divider
		Roll-Out Tray in Comp.
		Additional Backboard Strap
	EX-29	Roll-Out Tray w/ Stair Chair bracket
Qty		Rear Bumpers & Entry Steps
	EV 20	Fixed Rear Step Bumper
		Zico Retractable Side Entry Step
		Zico Manual Step
		Recessed Side Entry Step-Well w/ Remove Able Grip-Strut
		Stainless Kick Plates on Entry Doors (three)
		Smooth Aluminum Kickplates (3) Dual Interior Emergency Door-Open Handles, Price per Door
		Additional Paddle on Dummy Door
		Nylon Retention Strap on Exterior Door
		Drop Skirt Line 4" from Right Rear Wheel to Right Front Corner, Add 2nd Entry Step
	EX-40	Painted Number Placards

	-	EXTERIOR OPTIONS
	-	Continued
Qty		Rub Rail, Tow Hooks, Mud Flaps, Chains
		Rear Tow Hooks (Mounted on Rear Bumper Frame)
		Recessed Rear Tow Hooks On-Spot Chains
		Grip Strut Running Boards, (vs. Diamond Plate) Available on RAM Only
		Grip Strut Inserts in Running Boards
		Reflective Tape in Rub RailFILL IN COLOR
		Clear-View Star-of-Life (Per Window)
		Stainless Steel Fuel Guard
		1pr. Rubber Mud Flaps for Front Wheels
		Taller Front Stone Guards
		Southpark Handle at Side Door Buckstop Bumper & Grill Guard, Black
		Buckstop Bumper & Grill Guard, Black (For Medium-Duty)
		Buckstop Bumper Only, Black (For Medium-Duty)
	EX-55	Ali Arc Bumper
	EX-56	Thunderstruck Bumper
		Warn Transformer Black Grill Guard w/Center Bar
		Luverne Black Prowler
		Luverne Stainless Prowler Grill Guard
+		Cast Fuel Fill Door Rubber Fenderettes
		Rubber Rub Rails
		Billstein Shocks Per Axle
		DELETE:
	EX-64	Shelf in #2 Compartment
		Exterior Compartment
	EX-66	Divider & Fixed Shelf in #1 or #5
Otro		MISCELL ANEOLIS OPTIONS
Qty		MISCELLANEOUS OPTIONS
Qty	 MS-01	
Qty		MISCELLANEOUS OPTIONS  Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways)
Qty	MS-02	Credit for Shipping Spare Tire Loose
Qty	MS-02 MS-03 MS-04	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals
Qty	MS-02 MS-03 MS-04	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb
Qty	MS-02 MS-03 MS-04	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals
Qty	MS-02 MS-03 MS-04	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package
Qty	MS-02 MS-03 MS-04	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals
Qty	MS-02 MS-03 MS-04 MS-05	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES
Qty	MS-02 MS-03 MS-04 MS-05 MS-06	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package
Qty	MS-02 MS-03 MS-04 MS-05	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000
Qty	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000
Qty	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?
Qty	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000
Qty	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?
Qty	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location
	MS-02 MS-03 MS-04 MS-05 MS-06 MS-07	Credit for Shipping Spare Tire Loose Ford Jack & Tire Tools (not included in Cutaways) Fire Extinguisher, 5lb Install Decals Delete Decal Package  EXTENDED WARRANTIES  Extended Electrical Warranty 7-years/100,000 Extended Cabinet Warranty 15-years/100,000  Note: Does Customer Require a Spot for Stryker Stair Chair?  State Dimension and Location

		EXTERIOR OPTIONS
		(Continued)
Qty		PAINT OPTIONS
	P-01	Second Stripe at Skirtline to Match Beltline
		Hockey Stick Design, Single Stripe
		Heartbeat Stripe, (Osage Standard Design)
		Custom Heartbeat to Match Customers Existing Unit
		2nd Stripe, Same Color
		2nd Stripe, Different Color
<b>-</b>		Paint Cab (Door jams included) ½ Red / ½ White Cab & Box (Including Door Jambs)
		Red Paint Color, (Additional Materials Cost)
		Yellow Paint Color (Add Material Cost)
		Wet Sand & Buff
	P-12	Westsand & Buff roof
	P-13	Paint Roof White
		Delete Standard Beltline Paint
	P-15	Large SOL on Rear Quarter w/54" Ref. Snake
Otro		Directuina
Qty		Pinstripe
	P-16	1/4" Reflective Pinstripe
		1/2" Reflective Pinstripe
	P-18	7/8" Reflective Pinstripe
	P-19	2" & Wider Reflective Stripes, Per Inch of Width
		6" 3M Reflective Chevron, One Color
		6" 3M Reflective Chevron, Two Alternating Colors
		6" Oracal Reflexite Chevron, One Color
		6' Oracal Reflexite Chevron, Two Colors 6" 3M Diamond Grade Chevron, One Color
		6" 3M Diamond Grade Chevrons, Two Alternating Colors
		6" Chevron on Rear Doors, One Color
		6" Chevron on Rear Doors, Two Colors
		6" Oracal Reflexite Chevron on Rear Doors, One Color
		6" Oracal Reflexite Chevron on Rear Doors, Two Colors
<b>-</b>		6" Diamond Grade Chevron on Rear Doors, One Color 6" Diamond Grade Chevron on Rear Doors, Two Colors
	F-31	O Diamond Grade Chevion on Rear Doors, Two Colors
		NOTE: Chevrons outside & above Rear Doors
		Fill-in Color(s)
	-	NOTE: Pinstripe is One Stripe Above and One Below Standard Band
		PROVIDE THE FOLLOWING IF APPLICABLE:
		THO THE TOLLOWING IT INTERCHELLS
		Primary Paint Color
		Primary Paint Code & MFG
		Secondary Paint Color
		Secondary Paint Code & MFG
		Primary Pinstripe Color Secondary Pinstripe Color
		Secondary Finshipe Color
Qty		Demo Decals
<·J	-	
	P-32	Osage Logo Decal
	P-33	"Osage" Windshield Decall
Qty		Additional Paint Options & Special Instructions

Qty	-	Additional Options & Instructions
20		
	<u> </u>	

19 of 20

		ORDER SUMMARY
		OAR DATE OF THE STATE OF THE ST
_		
		iscount
	5% Di	iscount on Optional Items
	Osage	believes the proposed design (identified above with an *) could increase the chance of injury to passengers, and recommends the following:
	<del>                                     </del>	
		There would be no additional cost for this change.
	-	
		The additional charge for this change would be
		Dealer directs that Osage modify the design as recommended.
-		Dealer acknowledges the above recommendation, and directs Osage to proceed with the original design.
	This re	commendation was reviewed with the purchaser,
	of	
	Endos	ws Responsibility for Full Payment for Unit#
		n Three (3) Days of Completion.
	TERM	MS ARE F.O.B. LINN, MO
		GE AMBULANCE WILL NOT BE RESPONSIBLE FOR THE CORMANCE OF CUSTOMER SUPPLIED OR SPECIFIED PRODUCT.
		ORDER IS NOT BINDING UNTIL SIGNED BY BOTH AN OSAGE
		LER, AND/ OR AN AUTHORIZED REPRESENTATIVE FOR AN OSAGE LER, AND AN AUTHORIZED REPRESENTATIVE FOR OSAGE
		ULANCE.
	Signature of (	Osage Dealer or Authorized Agent Date Signed
	Signatura of	Authorized Representative of Osage Ambulance Date Signed
	Signature of A	Authorized Representative of Osage Ambulance Date Signed
	<del>-  </del>	