







Technical Specifications

rtrain
mission
ivetrain Four Wheel I
ans Type 10
ans Description Cont. Again N/A
econd Gear Ratio (:1) 2.98
ourth Gear Ratio (:1) 1.8
xth Gear Ratio (:1) 1.28
utch Size N/A
nal Drive Axle Ratio (:1) N/A
ansfer Case Gear Ratio (:1), High 1.00
ansfer Case Power Take Off N/A
ghth Gear Ratio (:1) 0.85
enth Gear Ratio (:1) 0.63
go.
ge PA Fuel Economy Est - Hwy 20 (2022) MF
PA Fuel Economy Est - City 16 (2022) MF
ruising Range - Hwy 480.00 mi
uising Kange - riwy 400.00 mi
ne
ngine Order Code L84
splacement 5.3L/325
AE Net Horsepower @ RPM 355 @ 5600
ngine Oil Cooler N/A
rical
old Cranking Amps @ 0° F (Primary) 730
old Cranking Amps @ 0° F (3rd) N/A

PAt the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.



Powertrain			
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	9.8 (2022)	EPA Greenhouse Gas Score	N/A
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	N/A
Gross Axle Wt Rating - Rear	N/A	Curb Weight - Front	2845 lbs
Curb Weight - Rear	1981 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	4826.00 lbs
As Spec'd Payload	2274.00 lbs	Maximum Payload Capacity	2274.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	N/A
Curb Weight	4826.00 lbs	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7100.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9200 lbs	Wt Distributing Hitch - Max Tongue Wt.	920 lbs
Fifth Wheel Hitch - Max Trailer Wt.	8600 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2150 lbs
Maximum Trailering Capacity	9500 lbs		
Frame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A

N/A

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.

Frame Thickness

PAt the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.





٠.	٠	-	

Ch	assis			
S	uspension			
	Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
	Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
	Axle Type - Front	N/A	Axle Type - Rear	N/A
	Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
	Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
	Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
	Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A
Ti	res			
	Front Tire Order Code	QAE	Rear Tire Order Code	QAE
	Spare Tire Order Code	QBR	Front Tire Size	275/60R20SL
	Rear Tire Size	275/60R20SL	Spare Tire Size	275/60R20
	Front Tire Capacity	N/A	Rear Tire Capacity	N/A
	Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
	Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
W	heels			
	Front Wheel Size	20 x 9 in	Rear Wheel Size	20 x 9 in
	Spare Wheel Size	20 x 9 in	Front Wheel Material	Steel
	Rear Wheel Material	Steel	Spare Wheel Material	Steel
St	teering			
	Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
	Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
	Turning Diameter - Curb to Curb	46.9 ft	Turning Diameter - Wall to Wall	N/A
_				
B	Proke Type	Dur	Drake ADC System	4 \Mbool
	Brake Type	Pwr	Brake ABS System	4-Wheel
	Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
	Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13.5 x 1.18 in

PAt the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.



rakes			
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	40.12 in
Second Leg Room	43.4 in	Second Shoulder Room	65.16 in
Second Hip Room	60.24 in		
xterior Dimensions			
Wheelbase	147.43 in	Longth Overall w/o rear humper	
		Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	N/A 231.88 in
Length, Overall w/rear bumper Width, Max w/o mirrors	N/A 81.24 in		
		Length, Overall	231.88 in
Width, Max w/o mirrors	81.24 in	Length, Overall Height, Overall	231.88 in 75.51 in
Width, Max w/o mirrors Overhang, Front	81.24 in N/A	Length, Overall Height, Overall Overhang, Rear w/o bumper	231.88 in 75.51 in N/A
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab	81.24 in N/A N/A	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle	231.88 in 75.51 in N/A N/A
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame	81.24 in N/A N/A N/A	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor	231.88 in 75.51 in N/A N/A N/A
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame	81.24 in N/A N/A N/A N/A	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear	231.88 in 75.51 in N/A N/A N/A N/A
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front	81.24 in N/A N/A N/A N/A 8.08 in	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	231.88 in 75.51 in N/A N/A N/A N/A 8.08 in
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length	81.24 in N/A N/A N/A N/A 8.08 in	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	231.88 in 75.51 in N/A N/A N/A N/A 8.08 in
Width, Max w/o mirrors Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground Clearance, Front Body Length argo Area Dimensions	81.24 in N/A N/A N/A N/A 8.08 in 0.00 ft	Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Cab to Body	231.88 in 75.51 in N/A N/A N/A N/A 8.08 in N/A

PAt the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.



(🎺 Com	plete
---------	-------

Dimensions			
Cargo Area Dimensions			
Cargo Volume	62.9 ft ³	Ext'd Cab Cargo Volume	N/A

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.



Selected Mode	l and Options		
MODEL			
CODE	MODEL		
CK10543	2023 Chevrolet Silverado 1500 4WD Crew Cab 147" Work Truck		
COLORS			
CODE	DESCRIPTION		
G6M	Dark Ash Metallic		
EMISSIONS			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs
ENGINE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
L84	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (Requires (G80) auto-locking differential on CC10543 Crew Cab models. Not available with C*10703 Regular Cab model.)	0.00 lbs	0.00 lbs
TRANSMISSION			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
MI2	Transmission, 10-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Included and only available with (9C1) Police Pursuit Package, (5W4) Special Services Package or (FHS) E85 FlexFuel capability.)	0.00 lbs	0.00 lbs
GVWR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
C5Y	GVWR, 7100 lbs. (3221 kg) (Requires Crew Cab 4WD model with (L84)	0.00 lbs	0.00 lbs

5.3L EcoTec3 V8 engine.)

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.



AXLE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GU5	Rear axle, 3.23 ratio (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)	0.00 lbs	0.00 lbs
PREFERRED EQI	UIPMENT GROUP		
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs
WHEELS			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
PXT	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Black painted steel (Included and only available with (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
TIRES			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
QAE	Tires, 275/60R20SL all-terrain, blackwall (Included and only available with (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
SPARE TIRE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
RMW	Tire, spare 275/60R20 all-terrain, blackwall (Included and only available with (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
PAINT			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
G6M	Dark Ash Metallic	0.00 lbs	0.00 lbs
SEAT TYPE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and underseat storage (lockable) (STD)	0.00 lbs	0.00 lbs
SEAT TRIM			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
H2G	Jet Black, Vinyl seat trim	0.00 lbs	0.00 lbs

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.





RADIO			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
IOR	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)	0.00 lbs	0.00 lbs

	QUIPMENT - PACKAGE	EDONT WEIGHT	DEAD WEIGHT
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
9C1	Police Pursuit Package includes (K47) high-capacity air filter, (KW5) 220-amp alternator, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet, (J55) Heavy Duty Brakes, (PXT) 20" Black painted steel wheels, (RNQ) 20" Black painted steel spare wheel, (QAE) 275/60R20SL all-terrain, blackwall tires, (RMW) 275/60R20 all-terrain, blackwall spare tire, (VZ2) speedometer calibration, (JHD) Hill Descent Control, (5J1) Calibration, keyless remote panic button exterior lights/horn disable, (NZZ) skid plates, (G80) auto-locking differential, (K34) cruise control, (NQH) 2-speed transfer case, (5J3) calibration and surveillance mode interior & exterior lighting, (6J7) headlamp and taillamp flasher system, (5LO) red/red taillamp flasher calibration and (5J9) red/white taillamp flasher calibration (Requires (Z71) Z71 Off-Road Package or (Z7X) Suspension Package. Requires CK10543 4WD Crew Cab Short Bed, (L84) 5.3L EcoTec3 V8 engine and either (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package. Not available with (5W4) Special Service Package.	0.00 lbs	0.00 lbs
Z71	Z71 Off-Road Package includes (Z71) Off-Road suspension, (JHD) Hill Descent Control, (NZZ) skid plates and (K47) heavy-duty air filter (Requires Crew Cab or Double Cab 4WD model, (L84) 5.3L EcoTec3 V8 engine, (Z82) Trailering Package and AT or MT tires. Includes Z71 hard badge, (G80) locking differential and (NQH) 2-speed transfer case. Not available with (L3B) 2.7L Turbo engine.)	0.00 lbs	0.00 lbs
Z82	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (With (L84) 5.3L EcoTec3 V8 engine requires (G80) locking differential. Included with (PEB) WT Value Package.)	0.00 lbs	0.00 lbs
ZLQ	WT Fleet Convenience Package includes (K34) cruise control and (DLF) power mirrors (Upgradeable to (DPO) trailer mirrors and includes (DD8) auto dimming rearview mirror. Not available with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.

PAt the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - MECHANICAL			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
G80	Auto-locking rear differential (Required with (L84) 5.3L EcoTec3 V8 engine when (Z82) Trailering Package is ordered. Included with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
J55	Brakes, Heavy-Duty 4-wheel antilock, 4-wheel disc (Included and only available with (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
JHD	Hill Descent Control (Included and only available with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
K47	Air filter, heavy-duty (Included and only available with (BAQ) Work Truck Package, (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package. Available free flow as a SEO.)	0.00 lbs	0.00 lbs
KC4	Cooling, external engine oil cooler (Included and only available with V8 engines.)	0.00 lbs	0.00 lbs
KNP	Cooling, auxiliary external transmission oil cooler (Included and only available with V8 engines.)	0.00 lbs	0.00 lbs
NQH	Transfer case, two-speed electronic Autotrac with push button control (4WD models only) (Included and only available with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package. Free flow requires Regular Cab model.)	0.00 lbs	0.00 lbs
NZZ	Skid Plates (Included with (BAQ) Work Truck Package, (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.





ADDITIONAL EQUIPMENT - EXTERIOR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
5J9	Calibration, Taillamp Flasher, Red/White Calibration flashes back-up (white) and brake (red) lamps alternatingly when activated. (Requires C*10*43 model. Included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
5LO	Calibration, Taillamp Flasher, Red/Red Calibration flashes back-up (white) and brake (red) lamps alternatingly when activated. (Requires C*10*43 model. Included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
6J7	Flasher System Headlamp and taillamp, DRL compatible with control wire (Requires C*10*43 model. Included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
DLF	Mirrors, outside heated power-adjustable (Standard on Regular Cab models. Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package on Crew Cab and Double Cab models. When (PQA) WT Safety Package is ordered, includes (DP6) high gloss Black mirror caps.)	0.00 lbs	0.00 lbs
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release	0.00 lbs	0.00 lbs
RNQ	Wheel, full-size spare, matching 20" (50.8 cm) steel wheel without center cap (Included and only available with (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.





ADDITIONAL EQUIP	ADDITIONAL EQUIPMENT - INTERIOR		
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
5J1	Calibration, keyless remote panic button exterior lights/horn disable (Requires C*10*43 model and included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
5J3	Calibration, Surveillance Mode Interior & Exterior Lighting Calibration to disable interior & exterior automatic lighting. Feature is activated by adding wire connection to the BCM by customer/upfitter. (Requires C*10*43 model and included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs
K34	Cruise control, electronic with set and resume speed, steering wheel-mounted (Included with (ZLQ) WT Fleet Convenience Package, (PCV) WT Convenience Package or (9C1) Police Pursuit Package. Upgradeable to (KSG) Adaptive Cruise Control.)	0.00 lbs	0.00 lbs
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Included and only available with (KI4) Power outlet. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs
KI4	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Includes (UBI) USB ports. Requires (QT5) EZ Lift power lock and release tailgate. Beginning with the start of production certain vehicles will be forced to include (RFO) Not Equipped with USB ports rear.)	0.00 lbs	0.00 lbs
R7N	Not Equipped with Steering Column Lock, see dealer for details *CREDIT*	0.00 lbs	0.00 lbs
UBI	USB ports, rear, dual, charge-only (Included and only available with (KI4) 120-volt power outlet. Beginning with the start of production certain vehicles will be forced to include (RFO) Not Equipped with USB ports rear.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
CTT	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Included and only available with (Z82) Trailering Package.)	0.00 lbs	0.00 lbs
	Options Total	0.00 lbs	0.00 lbs

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.





Standard Equipment

Package	
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo High-Output (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine.)
	Rear axle, 3.42 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)
	Push Button Start
	Automatic Stop/Start (Not available with (5W4) Special Services Package, (9C1) Police Pursuit Package or (FHS) E85 FlexFuel capability.)
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps (Included with (L3B) 2.7L Turbo engine, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package.)
	Recovery hooks, front, frame-mounted, Black (Included with 4WD models or on 2WD models with (PQA) WT Safety Package. Available free flow on 2WD models.)
	Frame, fully-boxed, hydroformed front section
	Suspension Package, Standard
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)

PAt the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.



Exterior	
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumpers, front, Black (semi-gloss)
	Bumpers, rear, Black (semi-gloss)
	CornerStep, rear bumper
	Cargo tie downs (12), fixed rated at 500 lbs per corner
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel (incandescent on Regular Cab models, LED on Crew Cab and Double Cab models)
	Taillamps with incandescent tail, stop and reverse lights
	Mirrors, outside manual, Black (Standard on Crew Cab and Double Cab models only. Not available on Regular Cab models.)
	Glass, solar absorbing, tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, locking utilizes same key as ignition and door (Removed when (QT5) EZ Lift power lock and release tailgate is ordered.)
	Tailgate, gate function manual, no EZ Lift
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone, connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual

P At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.

Page 14 Sep 19, 2022





lutanian	
Interior	
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Power outlet, front auxiliary, 12-volt
	USB Ports, 2, Charge/Data ports located on instrument panel
	Air conditioning, single-zone manual
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.

PAt the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.





Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

HD Rear Vision Camera

Lane Keep Assist with Lane Departure Warning

Following Distance Indicator

Forward Collision Alert

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5

Drivetrain Miles/km: 60.000

Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles: Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5

Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

PAt the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17496. Data Updated: Sep 18, 2022 6:47:00 PM PDT.