
2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Price Level: 415



Client Proposal

Prepared by:
SPENCER WOOD
Office: 336-668-2401
Quote ID: NCSA24-28
Date: 08/07/2023



2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Quote ID: NCSA24-28

Available Options

| Selected | Code | Description | MSRP |
|--|------|-----------------|------|
| Packages | | | |
| <input checked="" type="checkbox"/> | 680A | Order Code 680A | N/C |
| <div>Includes:</div> <div><div>- Engine: 7.3L 2V DEVCT NA PFI V8 Gas</div><div>- Transmission: TorqShift 10-Speed Automatic</div><div>10R140 with neutral idle. Includes SelectShift and selectable drive modes: normal, tow/haul, eco, slippery roads and off-road.</div><div>- Limited Slip w/4.88 Axle Ratio</div><div>- GVWR: 22,000 lbs Payload Package</div><div>- Tires: 245/70Rx19.5G BSW A/P</div><div>Spare may not be the same as road tire.</div><div>- Wheels: 19.5" x 6.75" Argent Painted Steel</div><div>- HD Vinyl 40/20/40 Split Bench Seat</div><div>Includes center armrest, cupholder, storage, 2-way adjustable driver/passenger headrests and driver's side manual lumbar.</div><div>- Radio: AM/FM Stereo w/MP3 Player</div><div>Includes 4 speakers.</div><div>- SYNC 4 Communications & Entertainment System</div><div>Includes enhanced voice recognition, 911 Assist, 8" LCD center stack screen, AppLink, 1 smart-charging USB port and trailer brake controller.</div></div> | | | |

Powertrain

| | | | |
|---|-------|--|------------|
| <input checked="" type="checkbox"/> | 99N | Engine: 7.3L 2V DEVCT NA PFI V8 Gas | STD |
| <input type="checkbox"/> | 99T | Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20 | \$9,995.00 |
| <div>Includes Operator Commanded Regeneration (OCR), Diesel Exhaust Fluid (DEF) tank, intelligent oil-life monitor and manual push-button engine-exhaust braking.</div> <div>Includes:</div> <div><div>- Dual 68 AH/65 AGM Battery</div><div>- Limited Slip w/4.30 Axle Ratio</div></div> | | | |
| <input checked="" type="checkbox"/> | 44G | Transmission: TorqShift 10-Speed Automatic | STD |
| <div>10R140 with neutral idle. Includes SelectShift and selectable drive modes: normal, tow/haul, eco, slippery roads and off-road.</div> | | | |
| <input checked="" type="checkbox"/> | STDGV | GVWR: 22,000 lbs Payload Package | STD |

Wheels & Tires

| | | | |
|--|-----|------------------------------|-----|
| <input checked="" type="checkbox"/> | TD5 | Tires: 245/70Rx19.5G BSW A/P | STD |
| <div>Spare may not be the same as road tire.</div> | | | |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Ms. Kaylyn Mitman

Manager-Business Development, North Carolina Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/07/2023

274099308

**2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)**

Quote ID: NCSA24-28

Available Options (cont'd)

| Selected | Code | Description | MSRP |
|-------------------------------------|------|--|----------|
| <input type="checkbox"/> | TGT | Tires: 245/70Rx19.5 BSW Traction (6) <i>Spare may not be the same as road tire.</i> | \$215.00 |
| <input type="checkbox"/> | TGU | Tires: 245/70Rx19.5 BSW Traction <i>Spare may not be the same as road tire. Includes 4 traction tires on the rear and 2 A/P tires on the front.</i> | \$190.00 |
| <input checked="" type="checkbox"/> | 64B | Wheels: 19.5" x 6.75" Argent Painted Steel | STD |
| <input type="checkbox"/> | 512 | Spare Tire & Wheel Required in Rhode Island. <i>Excludes carrier.</i> <i>Includes:</i> <i>- 6-Ton Hydraulic Jack</i> | \$350.00 |
| <input type="checkbox"/> | 51D | Spare Tire & Wheel Delete (Regional) Only available to pool accounts for sales to Rhode Island. | -\$85.00 |

Seats & Seat Trim

| | | | |
|-------------------------------------|---|--|----------|
| <input checked="" type="checkbox"/> | A | HD Vinyl 40/20/40 Split Bench Seat <i>Includes center armrest, cupholder, storage, 2-way adjustable driver/passenger headrests and driver's side manual lumbar.</i> | STD |
| <input type="checkbox"/> | 1 | Cloth 40/20/40 Split Bench Seat <i>Includes center armrest, cupholder, storage and driver's side manual lumbar.</i> | \$100.00 |
| <input type="checkbox"/> | L | Vinyl 40/Mini-Console/40 Front Seat <i>Includes driver's side manual lumbar.</i> | \$355.00 |
| <input type="checkbox"/> | 4 | Cloth 40/Mini-Console/40 Front Seat <i>Includes driver's side manual lumbar.</i> | \$515.00 |

Other Options

| | | | |
|-------------------------------------|-------|----------------------------|-----|
| <input checked="" type="checkbox"/> | PAINT | Monotone Paint Application | STD |
|-------------------------------------|-------|----------------------------|-----|

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Ms. Kaylyn Mitman

Manager-Business Development, North Carolina Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/07/2023

274099308

**2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)**

Quote ID: NCSA24-28

Available Options (cont'd)

| Selected | Code | Description | MSRP |
|-------------------------------------|-------|--|----------|
| <input checked="" type="checkbox"/> | 145WB | 145" Wheelbase | STD |
| <input checked="" type="checkbox"/> | STDRD | Radio: AM/FM Stereo w/MP3 Player <i>Includes 4 speakers.</i> <i>Includes:</i> <i>- SYNC 4 Communications & Entertainment System</i> <i>Includes enhanced voice recognition, 911 Assist, 8" LCD center stack screen, AppLink, 1 smart-charging USB port and trailer brake controller.</i> | STD |
| <input type="checkbox"/> | 61J | 6-Ton Hydraulic Jack | \$55.00 |
| <input type="checkbox"/> | 61J_ | 6-Ton Hydraulic Jack (Regional) Standard in Rhode Island. | N/C |
| <input type="checkbox"/> | 96V | XL Chrome Package <i>Includes:</i> <i>- Chrome Front Bumper</i> <i>- Bright Grille</i> <i>- Remote Start</i> <i>- Halogen Fog Lamps</i> | \$225.00 |
| <input type="checkbox"/> | 473 | Snow Plow Prep Package <i>Includes pre-selected springs (see order guide supplemental reference for springs/FGAWR of specific vehicle configurations). Note 1: Restrictions apply; see supplemental reference or body builders layout book for details. Note 2: Also allows for the attachment of a winch. Note 3: Highly recommended to add (86M) dual battery on 7.3L gas engine. Adding (67B) 410 amp dual alternators for diesel engine is highly recommended for max power output.</i> | \$250.00 |
| <input type="checkbox"/> | 98G | CNG/Propane Gaseous Engine Prep Package <i>Includes hardened engine intake valves and valve seats. Note: This package does not include CNG/propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/propane fueled vehicle. See Alternative Fuel Buyers Guide: www.ford.com/altfuelbuyersguide. Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or propane fuel. Ford does not represent that a vehicle converted to use CNG or propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or propane complies with U.S. federal, California or Canadian exhaust and evaporative emission requirements, federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements.</i> | \$315.00 |
| <input type="checkbox"/> | 63C | Aft-Axle Frame Extension 42.4" aft-of-axle frame extension increases AF dimension to 89.4" | \$115.00 |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Ms. Kaylyn Mitman

Manager-Business Development, North Carolina Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/07/2023

274099308

**2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)**

Quote ID: NCSA24-28

Available Options (cont'd)

| Selected | Code | Description | MSRP |
|--------------------------|------|---|-----------|
| <input type="checkbox"/> | 41H | Engine Block Heater | \$100.00 |
| <input type="checkbox"/> | 86K | Programmable Engine Idle Shutdown Timer <i>Selection of this option enables the driver to select a time period between 1 to 30 minutes before the engine will shut off after idling. There will not be an option to override this timing. Customers needing to idle their vehicles for longer periods should not select this option.</i> | \$250.00 |
| <input type="checkbox"/> | 41P | Transfer Case Skid Plates | \$100.00 |
| <input type="checkbox"/> | 60X | Automated Emergency Braking (AEB) Removal <i>Removes Pre-Collision Assist with Automated Emergency Braking (AEB) and forward collision warning, auto high beams, post impact braking and audible lane departure warning.</i> | N/C |
| <input type="checkbox"/> | 18Y | Ford Pro Upfit Integration System Removal | -\$400.00 |
| <input type="checkbox"/> | 43K | Pro Power Onboard - 2kW <i>Includes dual alternators 12V 250 Amp + 24V 150 Amp. Placement and connection of the aux outlet is the responsibility of the final stage manufacturer.</i> | \$985.00 |
| <input type="checkbox"/> | 86M | Dual 68 AH/65 AGM Battery | \$210.00 |
| <input type="checkbox"/> | 67A | 350 Amp Dual Alternators <i>Includes 190 Amp + 160 Amp.</i> | N/C |
| <input type="checkbox"/> | 67B | 410 Amp Dual Alternators <i>Includes 250 Amp + 160 Amp.</i> | \$115.00 |
| <input type="checkbox"/> | 65M | 26.5 Gallon Mid Ship Fuel Tank Removes 40 gallon fuel tank. | \$125.00 |
| <input type="checkbox"/> | 65C | Dual Diesel Fuel Tanks <i>Combines 40 gallon aft-of-axle and 26.5 gallon mid ship tank.</i> | \$625.00 |
| <input type="checkbox"/> | 18B | Platform Running Boards | \$320.00 |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Ms. Kaylyn Mitman

Manager-Business Development, North Carolina Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/07/2023

274099308

**2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)**

Quote ID: NCSA24-28

Available Options (cont'd)

| Selected | Code | Description | MSRP |
|--------------------------|------|---|----------|
| <input type="checkbox"/> | 59H | Center High-Mounted Stop Lamp (CHMSL) | N/C |
| <input type="checkbox"/> | 153 | Front License Plate Bracket Standard in states requiring 2 license plates and optional to all others. | N/C |
| <input type="checkbox"/> | 872 | Rear View Camera & Prep Kit <i>Pre-installed content includes cab wiring and frame wiring to the rear most cross member. Upfitters kit includes camera with mounting bracket, 20' jumper wire and camera mounting/aiming instructions.</i> | \$415.00 |
| <input type="checkbox"/> | 52S | Interior Work Surface | \$140.00 |
| <input type="checkbox"/> | 41A | Rapid-Heat Supplemental Cab Heater <i>Includes: - 410 Amp Dual Alternators Includes 250 Amp + 160 Amp.</i> | \$250.00 |
| <input type="checkbox"/> | 43C | 110V/400W Outlet <i>Includes: - Dual 68 AH/65 AGM Battery</i> | \$175.00 |
| <input type="checkbox"/> | 76C | Exterior Backup Alarm (Pre-Installed) | \$175.00 |
| <input type="checkbox"/> | 91S | Amber 360-Degree Dual Beacon LED Warning Strobes <i>Pre-installed.</i> | \$650.00 |
| <input type="checkbox"/> | 91G | Amber-Wht 360-Deg Dual Beacon LED Warning Strobes <i>Pre-installed.</i> | \$650.00 |
| <input type="checkbox"/> | 61L | Front Wheel Well Liners (Pre-Installed) | \$180.00 |
| <input type="checkbox"/> | 79V | COV Required | N/A |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)

Quote ID: NCSA24-28

Available Options (cont'd)

| Selected | Code | Description | MSRP |
|--------------------------|------|-------------|------|
| <input type="checkbox"/> | C09 | Priced DORA | N/C |

Dealer Installed Options

| | | | |
|--------------------------|-------|---|----------|
| <input type="checkbox"/> | AHQAB | First Aid Kit w/Ford Logo <i>Shipped separately from the vehicle for dealer installation.</i> | \$50.00 |
| <input type="checkbox"/> | AHMAB | Roadside Assistance Kit w/Ford Logo <i>Shipped separately from the vehicle for dealer installation.</i> | \$70.00 |
| <input type="checkbox"/> | AHMAC | Commercial USA Roadside Assistance Kit <i>Shipped separately from the vehicle for dealer installation.</i> | \$230.00 |

Fleet Options

| | | | |
|--------------------------|-----|--|------------|
| <input type="checkbox"/> | 47A | Ambulance Prep Package (LPO) Requires valid FIN code. <i>Includes upgraded front springs/GAWR rating, please see Supplemental Order Guide or visit fordbbas.com for complete details. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances only if equipped with the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Prep Package to produce an ambulance voids the Ford warranty. Note: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.</i> <i>Includes:</i> <i>- 410 Amp Dual Alternators</i> <i>Includes 250 Amp + 160 Amp.</i> <i>- Dual 68 AH/65 AGM Battery</i> | \$1,205.00 |
| <input type="checkbox"/> | 47L | Ambulance Prep Pkg w/Special Emissions (LPO) Requires valid FIN code. <i>Includes upgraded front springs/GAWR rating, please see Supplemental Order Guide or visit fordbbas.com for complete details. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. Note 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. Note 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. Note 3: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. Note 4: California Code of Regulations allows for the sale of federally certified emergency vehicles in California.</i> <i>Includes:</i> <i>- 410 Amp Dual Alternators</i> <i>Includes 250 Amp + 160 Amp.</i> | \$1,205.00 |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Ms. Kaylyn Mitman

Manager-Business Development, North Carolina Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/07/2023

274099308

**2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)**

Quote ID: NCSA24-28

Available Options (cont'd)

| Selected | Code | Description | MSRP |
|--------------------------|------|--|------------|
| | | - Dual 68 AH/65 AGM Battery | |
| <input type="checkbox"/> | 47J | Fire/Rescue Prep Package (LPO) | \$1,205.00 |
| | | Requires valid FIN code. | |
| | | <i>Includes upgraded front springs/GAWR rating, please see Supplemental Order Guide or visit fordbbas.com for complete details. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Note 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. Note 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. Note 3: Must meet the definition of an emergency vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the federal register. Note 4: California Code of Regulations allows for the sale of federally certified emergency vehicles in California.</i> | |
| | | <i>Includes:</i> | |
| | | - 410 Amp Dual Alternators | |
| | | <i>Includes 250 Amp + 160 Amp.</i> | |
| <input type="checkbox"/> | 927 | Speed Limitation - 75-MPH Governed Top Speed (LPO) | \$80.00 |
| | | Requires valid FIN code. | |
| <input type="checkbox"/> | D9D | Built: Ohio Plant | N/C |
| <input type="checkbox"/> | 31U | Ship-Thru: General Truck Body | \$0.00 |
| <input type="checkbox"/> | 31Z | Ship-Thru: Knapheide | \$0.00 |
| <input type="checkbox"/> | 31H | Ship-Thru: Manning Truck Equipment | \$0.00 |
| <input type="checkbox"/> | 31N | Ship-Thru: Monroe Truck Equipment | N/C |
| <input type="checkbox"/> | 31G | Ship-Thru: NBC Truck Equipment | \$0.00 |
| <input type="checkbox"/> | 312 | Ship-Thru: National Fleet Services | \$0.00 |
| <input type="checkbox"/> | 31P | Ship-Thru: Roush CleanTech | \$0.00 |
| <input type="checkbox"/> | 31Y | Ship Thru: Zoresco Equipment | \$0.00 |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Ms. Kaylyn Mitman

Manager-Business Development, North Carolina Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/07/2023

274099308

**2024 F-600 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F6L)**

Quote ID: NCSA24-28

Available Options (cont'd)

| Selected | Code | Description | MSRP |
|--|--------|--|--------|
| <input type="checkbox"/> | FLADCR | Fleet Advertising Credit | N/A |
| <input checked="" type="checkbox"/> | WARANT | Fleet Customer Powertrain Limited Warranty | N/C |
| Requires valid FIN code. <i>Ford is increasing the 5-year 60,000-mile limited powertrain warranty to 5-years, 100,000 miles. Only Fleet purchasers with a valid Fleet Identification Number (FIN code) will receive the extended warranty. When the sale is entered into the sales reporting system with a sales type fleet along with a valid FIN code, the warranty extension will automatically be added to the vehicle. The extension will stay with the vehicle even if it is subsequently sold to a non-fleet customer before the expiration. This extension applies to both gas and diesel powertrains. Dealers can check for the warranty extension on eligible fleet vehicles in OASIS. Please refer to the Warranty and Policy Manual section 3.13.00 Gas Engine Commercial Warranty. This change will also be reflected in the printed Warranty Guided distributed with the purchase of every new vehicle.</i> | | | |
| <input type="checkbox"/> | FINAL1 | Fleet Final Order Date: TBD | N/C |
| <input type="checkbox"/> | 56M | Ford US National Fleet Incentives Ford US National - 7/27/2023 | \$0.00 |

Emissions

| | | | |
|-------------------------------------|-----|---------------------------|-----|
| <input checked="" type="checkbox"/> | 425 | 50-State Emissions System | STD |
|-------------------------------------|-----|---------------------------|-----|

General Info

| | | | |
|--------------------------|--------|-------------------------|-----|
| <input type="checkbox"/> | ORDER1 | Initial Order Date: TBD | N/C |
| <input type="checkbox"/> | START1 | Start-Up Date: TBD | N/C |
| <input type="checkbox"/> | BUILD1 | Build-Out Date: TBD | N/C |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.