Prepared for: Mr. Jason Bennett, Director of Business Development, NC Sheriff's Association

2022 F-650 Diesel Crew Cab Base (W6E) Price Level: 215

Client Proposal

1

Prepared by: SPENCER WOOD Office: 336-668-2401 Quote ID: NCSA30W6E3 Date: 08/29/2021



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 274099308

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215 | Quote ID: NCSA30W6E3

As Configured Vehicle

08/29/2021

Code	Description	MSRP
Base Vehicle		
W6E	Base Vehicle Price (W6E)	\$73,435.00
Engines		
99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD
	Includes Engine Exhaust Brake and manual regen capability. Torque ft.lbs. @ 1500 rpm.	e: 700
	Governed RPM: 3200. Includes CARB clean idle label - may be removed if un-necess	sary.
425	50-State Emissions	N/C
Transmissions		
44G	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - Park Pawl determined by Rear Axle Ratio and Tire Size	STD
Front Wheels & Tires		
645	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole (275MM BC) hub piloted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	STD
Т9А	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	
Rear Wheels & Tires		
665	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole (275MM BC) hub piloted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	STD
R9A	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile) Includes: - GVWR Limit: 25,600 lbs.	STD

Brakes



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215 | Quote ID: NCSA30W6E3

As Configured Vehicle (cont'd)

Code	Description	MSRP
67H	Hydraulic Brake System - Bosch	STD
	HydroMax w/Traction Control	
	Full power with automatic adjustment, 4-channel ABS antilock brake system. Includes 12' (Bosch) DSSA type rear axle mounted parking brake, Orscheln lever control, right of drive hand operated park brake lever.	" x 3" er and
Front Axle and Suspension		
43A	8,500 lb. Cap. Non-Driving - Dana D- 850F	STD
61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	STD
	2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.	
Rear Axle and Suspension		
471	13,500 lb. Single-Speed	STD
	Single reduction with 190 wheel ends. NOTE: When specifying an axle ratio, check perfor guidelines for startability and gradeability.	rmance
68K	Multi-Leaf Springs - 15,500 lb. Cap	STD
	10-leaf. Includes 2,000 lb auxiliary springs for load stabilization.	
X5D	5.57 Axle Ratio	N/C
	PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.	
Wheelbase		
194WB	194" Wheelbase/84" CA/63" AF/296" OAL	STD
Frame		
537	Single Channel - 10.75 SM, 80,000 PSI	STD
	860,000/520,000 RBM. 9.125" x 3.062" x 0.312" (231.8mm x 77.8mm x 8.0mm) w/transiti 6.500" x 3.062" x 0.312" (165.1mm x 77.8mm x 8.0mm).	on to
Exhaust		
91G	Under Cab, Right Side Outlet,	STD
	Switchback-Style	
	Single, horizontal muffler, right side, under cab, outside of frame rail with rear discharge.	
Fuel Tanks		





Director of Business Development, NC Sheriff's Association



274099308

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215 | Quote ID: NCSA30W6E3

As Configured Vehicle (cont'd)

Code	Description	MSRP
65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	
12	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	\$0.00
Electrical / Alternator / Battery		
STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	Included
STDBAT	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box 12Volt, Motorcraft.	
Seats		
88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD
87C	60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back Trim will match selected driver seat material.	STD
Cab Interior		
600A	 Preferred Equipment Package 600A Includes: Bumper, Front - Black, Full Width Wheel Seals, Front - Oil Iubricated, SKF ScotSeal PlusXL Seals Wheel Seals, Rear - Oil Iubricated, SKF ScotSeal PlusXL Seals Manual Regen Initiation - Driver Interface in Message Center Engine Exhaust Brake Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5 Painted Grille - Plastic Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights Tow Hooks, Front (2) - Frame-Mounted, Painted Black Four Body Builder Switches - Mounted in Center Instrument Panel With connector access located in engine compartment. Amperages vary by switch Floor Covering - Black Vinyl Intelligent Oil Life Monitor Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio C Body Builder Wiring - At Back of Cab, Combined Includes sealed connectors for 2 ground circuits, with combined left/stop, combine park lamps, back up lamps. Also includes 2 additional pass through wires to cab. 	Controls
588	Radio: AM/FM Stereo w/2 Speakers,	STD
	USB input, Clock Display and Bluetooth	

Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215 | Quote ID: NCSA30W6E3

As Configured Vehicle (cont'd)

Code	Description	MSRP
Cab Exterior		
54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width Integral spot mirror, sail type, manual fold, solid black finish.	STD
Miscellaneous		
PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD
Interior Color		
E_01	Gray	N/C
Exterior Color		
YZ_01	Oxford White	N/C
SUBTOTAL		\$73,435.00
Destination Charge		\$2,095.00
TOTAL		\$75,530.00



Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215 | Quote ID: NCSA30W6E3

Selected Equip & Specs

Dimensions

• Exterior length: 296.0" • Cab to axle: 84.0" • Exterior width: 96.7" • Exterior height: 88.3" • Wheelbase: 194.0" • Front track: 84.0" • Rear track: 72.6" • Rear tire outside width: 96.0" • Front legroom: 41.4" • Rear legroom: 42.1" • Front headroom: 40.7" • Rear headroom: 40.8" • Front hiproom: 67.6" • Rear hiproom: 67.6" • Front shoulder room: 68.0" • Rear shoulder room: 68.0"

Powertrain

• 270hp 6.7L OHV 32 valve intercooled turbo V-8 engine with diesel direct injection • Recommended fuel : diesel • federal

• 6 speed automatic transmission with overdrive • Rear-wheel drive • Fuel Economy Cty: N/A • Fuel Economy Highway: N/A • 65.0 gal. rectangular Left front fuel tank • Heated fuel/water separator • Standard rear differential • Right mounted horizontal muffler • Right mounted horizontal tailpipe

Suspension/Handling

• Front non-independent leaf spring suspension • Rear rigid axle leaf spring suspension • Hydraulic power-assist recirculating ball Steering • Front and rear 19.5 x 6.75 wheels • Metric measure truck tire245/70R19.5 GBSW AS front and rear tires • Dual rear wheels • Tapered rear frame

Body Exterior

• 4 doors • Conventional left rear passenger • Conventional right rear passenger • Driver and passenger , manual folding door mirrors • Black door mirrors • Black bumpers • Side steps • Clearcoat paint • Straight front bumper ends • Hood mounted grille • Front and rear 19.5 x 6.75 white steel wheels with 8 wheel studs • 2 front tow hook(s)

Convenience

• Manual air conditioning • Cruise control with steering wheel controls • Manual windows • Manual door locks • Manual tilt steering wheel • Manual telescopic steering wheel • Wireless phone connectivity • Front cupholders • Passenger visor mirror • Dual electric horn • Automatic gearshift steering column lever • Upfitter switches

Seats and Trim

• Seating capacity of 5 • Fixed driver seat • Fixed passenger seat • Driver and passenger armrests • 60-40 folding rear split-bench seat • Bucket driver seat, Bucket passenger seat • Driver seat folding back, passenger seat fixed back • Low back seats • Driver seat with 4 way direction control, passenger seat with 2 way direction control • Manual fore/aft seats

Entertainment Features

• AM/FM stereo radio • Auxiliary audio input • Steering wheel mounted radio controls • 2 speakers • Streaming audio • Fixed antenna

Lighting, Visibility and Instrumentation

• Halogen aero-composite headlights • Delay-off headlights • Auto on/off headlights • Variable intermittent front windshield wipers • Speed sensitive wipers • Light tinted windows • Rear reading lights • Tachometer • Oil pressure gauge • Oil temperature gauge • Trip computer • Trip odometer



Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215 | Quote ID: NCSA30W6E3

Selected Equip & Specs (cont'd)

Safety and Security

• 4-wheel ABS brakes • Hill hold control • Hydraulic disc brakes • ABS traction control • Manual door locks • With stolen vehicle tracking system

Dimensions

Curb 9,889 lbs. Rear GAWR 13500 lbs. GCWR 50000 lbs.	Front GAWR 8500 lbs. GVWR 22000 lbs.
Front Weights	
Front curb weight 6,248 lbs. Front spring rating 8,500 lbs.	Front axle capacity 8,500 lbs. Front tire/wheel capacity 9,080 lbs.
Rear Weights	
Rear curb weight 3,641 lbs. Rear spring rating 15,500 lbs.	Rear axle capacity13,500 lbs.Rear tire/wheel capacity17,200 lbs.
<i>Fuel Tank type</i> Left front Fuel tank capacity 65.01 gal.	
Front Frame	
Height loaded	Height unloaded
Rear Frame	
Height loaded	Height unloaded
Powertrain	
Engine Type	
Block materialIronHead materialAluminumInjectionDiesel direct injectionOrientationLongitudinalValves per cylinder4Forced inductionIntercooled turbo	CylindersV-8IgnitionCompressionLiters6.7LRecommended fuelDieselValvetrainOHV
Engine Spec	
Bore 3.90" Displacement 406 cu.in.	Compression ratio16.2:1Stroke4.25"
Engine Power	
Output 270 HP @ 2,400 RPM Governed RPM 3,200	Torque 700 ftlb @ 1,500 RPM



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215 | Quote ID: NCSA30W6E3

Selected Equip & Specs (cont'd)

Alternator
Type HD
Battery
Cold cranking amps 1,500 Step Yes
Transmission
Electronic control Yes Overdrive Yes
Type Automatic
Transmission Gear Ratios
1st 3.974 3rd 1.516 5th 0.858 Reverse Gear ratios 3.128
Transmission Torque Converter Stall ratio 1.85
Transmission Extras
Driver selectable mode
Drive Type
Type Rear-wheel
Drive Feature
Traction control ABS
Drive Axle
* Ratio 5.57
Exhaust
Material Aluminized steel
Emissions
CARB Federal
Engine Retarder
Type Yes
Driveability

Type Hydraulic disc

Brakes ABS

Location Type	•
Lock-up	Yes

Amps

Speed	 	 	

2nd	2.318
4th	1.149
6th	0.674

Oil cooler	Regular duty
	a rogular aaty

Single System type

ABS channels	
Vented discs	Front and rear

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

4-wheel



200

Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215 | Quote ID: NCSA30W6E3

Selected Equip & Specs (cont'd)

Brake Assistance Hill hold control Yes	
Suspension Control Ride Regular	
Front Suspension	
Independence Non-independent	
Front Spring	
Type Tapered leaf	
Front Shocks	
Type Regular	
Rear Suspension	
Independence Rigid axle	
Rear Spring	
Type Multi-leaf	
Steering	
Activation Hydraulic power-assist	
Steering Specs	
# of wheels 2	
Exterior	
Front Wheels	
Diameter 19.5"	
Rear Wheels	
Diameter 19.5"	
Dual Yes	
Front Tires	
Aspect 70 Sidewalls BSW Width 245mm RPM 628	
Rear Tires	
Aspect 70	

Grade	Regular
Туре	Leaf
Grade	Regular

Type Re-circulating ball

Type

Width	6.75"

Width

Diameter 1	9.5"
Tread	
LT load rating	G

Diameter	19.5"
Tread	AS
LT load rating	G

Aspect	70
Sidewalls	BSW
Width	245mm
RPM	621

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

6.75"



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. 08/29/2021

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 274099308

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215 | Quote ID: NCSA30W6E3

Selected Equip & Specs (cont'd)

Wheels

Front track	
Turning radius (to curb)	
Wheelbase	194.0"

Body Features

Front splash guards	Yes
Side steps	Yes

Body Doors

Door count	4
Right rear passenger	onventional

Exterior Dimensions

Length	296.0"
Body height	88.3"
Axle to end of frame	63.0"
Frame yield strength (psi)	80000.0
Frame rail width	3.1"
Max RBM (inlbs.)	917,600.0
Tapered end frame rail depth	6.5"
Front bumper to Front axle	39.0"

Safety

Seatbelt

Height adjustable	Front
-------------------	-------

Seating

Passenger Capacity	
Capacity	
Driver Seat	
Туре	Bucket
Back type	Low
Fore/aft	Manual
Passenger Seat	
Туре	Bucket
Back type	Low
Fore/aft	Manual
Front Armrest	
Driver	Yes

Rear track	72.6"
Turning radius (to bumper)	
Rear tire outside width	96.0"
Body material Composite/galva	anized steel

Left rear passenger Conventional

Front tow hook(s)

Body width	96.7"
Cab to axle	84.0"
Frame section modulus	10.7cu.in.
Frame rail depth	
Frame rail thickness	0.3"
Frame rail section	
Tapered end frame rail width	
Nominal RBM (inlbs.)	860,000.0

Back Way direction control	
Back Way direction control	
Passenger	Yes

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



2

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021 274099308

Price Level: 215 | Quote ID: NCSA30W6E3

С

Selected Equip & Specs (cont'd)

Rear Seats Descriptor Split-bench Folding 60-40	Facing Front Folding position Fold-up cushion
Type Fixed	
Front Seat Trim	
Material Vinyl	Back material Carpet
Rear Seat Trim Group	
Material Vinyl	Back material Carpet
Convenience	
AC And Heat Type	
Air conditioning Manual	
Audio System	
Auxiliary audio input Yes Radio grade Regular	Radio AM/FM stereo Seek-scan Yes
Audio Speakers	
Speaker type Regular	Speakers 2
Audio Controls	
Steering wheel controls Yes	Streaming audio Yes
Audio Antenna	
Type Fixed	
Cruise Control	
Cruise control With steering wheel controls	
Convenience Features	
Driver foot rest Yes * Wireless phone connectivity Yes	12V DC power outlet 2 Horn Dual electric
Upfitter switches Yes	
Door Lock Activation	
Type Manual	
Instrumentation Type	
Appearance Analog	
Instrumentation Gauges	
Tachometer Yes	Oil pressure Yes
Engine temperature Yes	Oil temperature Yes
Transmission fluid temp Yes	Engine hour meter Yes

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

Price Level: 215 | Quote ID: NCSA30W6E3

Selected Equip & Specs (cont'd)

Instrumentation Warnings Yes Yes Oil pressure Battery Yes Yes Lights on Kev Door ajar Yes Low fuel Yes Service interval Yes Brake fluid Yes Transmission fluid temp Yes Instrumentation Displays Clock In-radio display Instrumentation Feature Trip computer Yes Trip odometer Yes Steering Wheel Type Material Urethane Tilting Manual Manual Telescoping Front Side Windows Window 1st row activation Manual Windows Rear Side 2nd row activation Manual Window Features Tinted Front Windshield Wiper Variable intermittent Speed sensitive wipers Yes Rear Windshield Window Fixed Automatic Gearshift Location Steering column lever Interior Passenger Visor Mirror HeadlinerFull Cloth Coverage Material Floor Trim Coverage Full Covering Vinyl/rubber Trim Feature Gear shifter material Urethane



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021

2022 F-650 Diesel Crew Cab Base (W6E)

Price Level: 215 | Quote ID: NCSA30W6E3

Selected Equip & Specs (cont'd)

<i>Lighting</i> Dome light type Variable IP lighting	
Floor Console Storage	
Туре	Partial
Storage	Ň
Front Beverage holder(s)	
Legroom	
Front	41.4"
Headroom	
Front	40.7"
Hip Room	
Front	67.6"
Shoulder Room	
Front	68.0"

Glove box Dashboard	
Rear	42.1"
Rear	40.8"
Rear	67.6"
Rear	68.0"

Rear reading

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



274099308

Yes