

Prepared for: Mr. Jason Bennett, Director of Business Development, NC Sheriff's Association

2022 F-650 Gas Crew Cab Base (W6B)

Price Level: 215

Client Proposal

Prepared by:

SPENCER WOOD

Office: 336-668-2401

Quote ID: NCSA36W6B3

Date: 08/29/2021



Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Gas Crew Cab Base (W6B)**

Price Level: 215 | Quote ID: NCSA36W6B3

As Configured Vehicle

Code	Description	MSRP
Base Vehicle		
W6B	Base Vehicle Price (W6B)	\$64,190.00
Engines		
99N	7.3L 2V DEVCT NA PFI V8 Gas - 350 HP @ 3900 rpm Torque: 468 ft.lbs. @ 3900 rpm.	STD
425	50-State Emissions	N/C
Transmissions		
44P	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision, with Park Pawl	STD
Front Wheels & Tires		
645	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole <i>(275MM BC) hub piloted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.</i>	STD
T9A	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	STD
Rear Wheels & Tires		
665	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole <i>(275MM BC) hub piloted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.</i>	STD
R9A	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile) <i>Includes: - GVWR Limit: 25,600 lbs.</i>	STD
Brakes		
67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control <i>Full power with automatic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3" (Bosch) DSSA type rear axle mounted parking brake, Orscheln lever control, right of driver and hand operated park brake lever.</i>	STD

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Gas Crew Cab Base (W6B)**

Price Level: 215 | Quote ID: NCSA36W6B3

As Configured Vehicle (cont'd)

Code	Description	MSRP
Front Axle and Suspension		
43A	8,500 lb. Cap. Non-Driving - Dana D-850F	STD
61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap <i>2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.</i>	STD
Rear Axle and Suspension		
471	13,500 lb. Single-Speed <i>Single reduction with 190 wheel ends. NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.</i>	STD
68K	Multi-Leaf Springs - 15,500 lb. Cap <i>10-leaf. Includes 2,000 lb auxiliary springs for load stabilization.</i>	STD
X5D	5.57 Axle Ratio	N/C
Wheelbase		
194WB	194" Wheelbase/84" CA/63" AF/296" OAL	STD
Frame		
537	Single Channel - 10.75 SM, 80,000 PSI <i>860,000/520,000 RBM. 9.125" x 3.062" x 0.312" (231.8mm x 77.8mm x 8.0mm) w/transition to 6.500" x 3.062" x 0.312" (165.1mm x 77.8mm x 8.0mm).</i>	STD
Exhaust		
91H	Single, Horizontal Muffler - Frame Mounted Right Side Back of Cab w/Catalytic Converter <i>Downward facing, outlet tip.</i>	STD
Fuel Tanks		
65D	Fuel Tank - LH 60 Gallon - Steel	STD
12	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	\$0.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Gas Crew Cab Base (W6B)**

Price Level: 215 | Quote ID: NCSA36W6B3

As Configured Vehicle (cont'd)

Code	Description	MSRP
Electrical / Alternator / Battery		
STDALT	Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi <i>Extra heavy duty 12 Volt.</i>	Included
STDBAT	Battery - One 900 CCA, Includes Steel Battery Box <i>12Volt, Motorcraft.</i>	STD
Seats		
88A	30/0/30 Fixed Driver & Fixed Passenger w/Console - Vinyl	STD
87C	60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back <i>Trim will match selected driver seat material.</i>	STD
Cab Interior		
600A	Preferred Equipment Package 600A <i>Includes:</i> <i>- Bumper, Front - Black, Full Width</i> <i>- Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals</i> <i>- Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals</i> <i>- Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi</i> <i>Extra heavy duty 12 Volt.</i> <i>- Painted Grille - Plastic</i> <i>- Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights</i> <i>- Tow Hooks, Front (2) - Frame-Mounted, Painted Black</i> <i>- Floor Covering - Black Vinyl</i> <i>- Intelligent Oil Life Monitor</i> <i>- Steering Column - Tilt / Telescoping</i> <i>- Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls</i> <i>- Body Builder Wiring - At Back of Cab, Combined</i> <i>Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop,</i> <i>stop lamps, park lamps, back up lamps. Also includes 2 additional pass through wires to cab.</i>	N/C
588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD
Cab Exterior		
54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width <i>Integral spot mirror, sail type, manual fold, solid black finish.</i>	STD
Miscellaneous		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Gas Crew Cab Base (W6B)**

Price Level: 215 | Quote ID: NCSA36W6B3

As Configured Vehicle (cont'd)

Code	Description	MSRP
PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD
Interior Color		
E_01	Gray	N/C
Exterior Color		
YZ_01	Oxford White	N/C
SUBTOTAL		\$64,190.00
Destination Charge		\$2,095.00
TOTAL		\$66,285.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021



274099308

2022 F-650 Gas Crew Cab Base (W6B)

Price Level: 215 | Quote ID: NCSA36W6B3

Selected Equip & Specs

Dimensions

• Exterior length: 296.0" • Cab to axle: 84.0" • Exterior width: 96.7" • Exterior height: 88.3" • Wheelbase: 194.0" • Front track: 84.0" • Rear track: 72.6" • Rear tire outside width: 96.0" • Front legroom: 41.4" • Rear legroom: 42.1" • Front headroom: 40.7" • Rear headroom: 40.8" • Front hiproom: 67.6" • Rear hiproom: 67.6" • Front shoulder room: 68.0" • Rear shoulder room: 68.0"

Powertrain

• 350hp 7.3L OHV 16 valve V-8 engine with variable valve control, SMPI • Recommended fuel : regular unleaded • federal • TorqShift-G 6 speed automatic transmission with overdrive • Rear-wheel drive • Fuel Economy Cty: N/A • Fuel Economy Highway: N/A • 60.0 gal. rectangular Left front fuel tank • Standard rear differential • Right mounted horizontal muffler • Right mounted horizontal tailpipe • Park Pawl: PRNDM

Suspension/Handling

• Front non-independent leaf spring suspension • Rear rigid axle leaf spring suspension • Hydraulic power-assist re-circulating ball Steering • Front and rear 19.5 x 6.75 wheels • Metric measure truck tire 245/70R19.5 GBSW AS front and rear tires • Dual rear wheels • Tapered rear frame

Body Exterior

• 4 doors • Conventional left rear passenger • Conventional right rear passenger • Driver and passenger , manual folding door mirrors • Black door mirrors • Black bumpers • Side steps • Clearcoat paint • Straight front bumper ends • Hood mounted grille • Front and rear 19.5 x 6.75 white steel wheels with 8 wheel studs • 2 front tow hook(s)

Convenience

• Manual air conditioning • Cruise control with steering wheel controls • Manual windows • Manual door locks • Manual tilt steering wheel • Manual telescopic steering wheel • Wireless phone connectivity • Front cupholders • Passenger visor mirror • Dual electric horn • Automatic gearshift steering column lever

Seats and Trim

• Seating capacity of 5 • Fixed driver seat • Fixed passenger seat • Driver and passenger armrests • 60-40 folding rear split-bench seat • Bucket driver seat, Bucket passenger seat • Driver seat folding back, passenger seat fixed back • Low back seats • Driver seat with 4 way direction control, passenger seat with 2 way direction control • Manual fore/aft seats

Entertainment Features

• AM/FM stereo radio • Auxiliary audio input • Steering wheel mounted radio controls • 2 speakers • Streaming audio • Fixed antenna

Lighting, Visibility and Instrumentation

• Halogen aero-composite headlights • Delay-off headlights • Auto on/off headlights • Variable intermittent front windshield wipers • Speed sensitive wipers • Light tinted windows • Rear reading lights • Tachometer • Oil pressure gauge • Oil temperature gauge • Trip computer • Trip odometer • PRNDM

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

08/29/2021

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

274099308

**2022 F-650 Gas Crew Cab Base (W6B)**

Price Level: 215 | Quote ID: NCSA36W6B3

Selected Equip & Specs (cont'd)**Safety and Security**

• 4-wheel ABS brakes • Hill hold control • Hydraulic disc brakes • ABS traction control • Manual door locks • With stolen vehicle tracking system

Dimensions*General Weights*

Curb	9,230 lbs.	Front GAWR	8500 lbs.
Rear GAWR	13500 lbs.	GVWR	22000 lbs.
GCWR	37000 lbs.		

Front Weights

Front curb weight	5,837 lbs.	Front axle capacity	8,500 lbs.
Front spring rating	8,500 lbs.	Front tire/wheel capacity	9,080 lbs.

Rear Weights

Rear curb weight	3,393 lbs.	Rear axle capacity	13,500 lbs.
Rear spring rating	15,500 lbs.	Rear tire/wheel capacity	17,200 lbs.

Fuel Tank type

Left front Fuel tank capacity	59.99 gal.
-------------------------------------	------------

Front Frame

Height loaded	32 "	Height unloaded	33 "
---------------------	------	-----------------------	------

Rear Frame

Height loaded	32 "	Height unloaded	33 "
---------------------	------	-----------------------	------

Powertrain*Engine Type*

Block material	Iron	Cylinders	V-8
Head material	Aluminum	Ignition	Spark
Injection	Sequential MPI	Liters	7.3L
Orientation	Longitudinal	Recommended fuel	Regular unleaded
Valves per cylinder	2	Valvetrain	OHV
Variable valve control	Yes		

Engine Power

Output	350 HP @ 3,900 RPM	Torque	468 ft.-lb @ 3,900 RPM
--------------	--------------------	--------------	------------------------

Alternator

Type	HD	Amps	210
------------	----	------------	-----

Battery

Cold cranking amps	900	Location	Forward right
--------------------------	-----	----------------	---------------

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Gas Crew Cab Base (W6B)**

Price Level: 215 | Quote ID: NCSA36W6B3

Selected Equip & Specs (cont'd)

Step Yes

Transmission

Electronic control Yes

Overdrive Yes

Type Automatic

Lock-up Yes

Speed 6

Transmission Gear Ratios

1st 3.974

2nd 2.318

3rd 1.516

4th 1.149

5th 0.858

6th 0.674

Reverse Gear ratios 3.128

Transmission Torque Converter

Stall ratio 2.00

Transmission Extras

Driver selectable mode Tow/Haul Mode

Oil cooler Regular duty

Drive Type

Type Rear-wheel

Drive Feature

Traction control ABS

Drive Axle

* Ratio 5.57

Exhaust

Material Non stainless steel

System type Single

Emissions

CARB Federal

Driveability**Brakes**

ABS 4-wheel

ABS channels 4

Type Hydraulic disc

Vented discs Front and rear

Brake Assistance

Hill hold control Yes

Suspension Control

Ride Regular

Front Suspension

Independence Non-independent

Type Leaf

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Gas Crew Cab Base (W6B)**

Price Level: 215 | Quote ID: NCSA36W6B3

Selected Equip & Specs (cont'd)*Front Spring*

Type Tapered leaf Grade Regular

Front Shocks

Type Regular

Rear Suspension

Independence Rigid axle Type Leaf

Rear Spring

Type Multi-leaf Grade Regular

Steering

Activation Hydraulic power-assist Type Re-circulating ball

Steering Specs

of wheels 2

Exterior*Front Wheels*

Diameter 19.5" Width 6.75"

Rear Wheels

Diameter 19.5" Width 6.75"

Dual Yes

Front Tires

Aspect 70 Diameter 19.5"

Sidewalls BSW Tread AS

Width 245mm LT load rating G

RPM 628

Rear Tires

Aspect 70 Diameter 19.5"

Sidewalls BSW Tread AS

Width 245mm LT load rating G

RPM 621

Wheels

Front track 84.0" Rear track 72.6"

Turning radius (to curb) 27' Turning radius (to bumper) 28'

Wheelbase 194.0" Rear tire outside width 96.0"

Body Features

Front splash guards Yes Body material Composite/galvanized steel

Side steps Yes Front tow hook(s) 2

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Gas Crew Cab Base (W6B)**

Price Level: 215 | Quote ID: NCSA36W6B3

Selected Equip & Specs (cont'd)*Body Doors*

Door count 4
 Right rear passenger Conventional

Left rear passenger Conventional

Exterior Dimensions

Length 296.0"
 Body height 88.3"
 Axle to end of frame 63.0"
 Frame yield strength (psi) 80000.0
 Frame rail width 3.1"
 Max RBM (in.-lbs.) 917,600.0
 Tapered end frame rail depth 6.5"
 Front bumper to Front axle 39.0"

Body width 96.7"
 Cab to axle 84.0"
 Frame section modulus 10.7cu.in.
 Frame rail depth 9.1"
 Frame rail thickness 0.3"
 Frame rail section 8.5"
 Tapered end frame rail width 3.1"
 Nominal RBM (in.-lbs.) 860,000.0

Safety*Seatbelt*

Height adjustable Front

Seating*Passenger Capacity*

Capacity 5

Driver Seat

Type Bucket
 Back type Low
 Fore/aft Manual

Back Folding
 Way direction control 4

Passenger Seat

Type Bucket
 Back type Low
 Fore/aft Manual

Back Fixed
 Way direction control 2

Front Armrest

Driver Yes

Passenger Yes

Rear Seats

Descriptor Split-bench
 Folding 60-40
 Type Fixed

Facing Front
 Folding position Fold-up cushion

Front Seat Trim

Material Vinyl

Back material Carpet

Rear Seat Trim Group

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Gas Crew Cab Base (W6B)**

Price Level: 215 | Quote ID: NCSA36W6B3

Selected Equip & Specs (cont'd)

Material Vinyl Back material Carpet

Convenience*AC And Heat Type*

Air conditioning Manual

Audio System

Auxiliary audio input Yes

Radio grade Regular

Radio AM/FM stereo

Seek-scan Yes

Audio Speakers

Speaker type Regular

Speakers 2

Audio Controls

Steering wheel controls Yes

Streaming audio Yes

Audio Antenna

Type Fixed

Cruise Control

Cruise control With steering wheel controls

Convenience Features

Driver foot rest Yes

12V DC power outlet 2

* **Wireless phone connectivity** **Yes**

Horn Dual electric

Door Lock Activation

Type Manual

Instrumentation Type

Appearance Analog

Instrumentation Gauges

Tachometer Yes

Oil pressure Yes

Engine temperature Yes

Oil temperature Yes

Transmission fluid temp Yes

Engine hour meter Yes

Instrumentation Warnings

Oil pressure Yes

Battery Yes

Lights on Yes

Key Yes

Low fuel Yes

Door ajar Yes

Service interval Yes

Brake fluid Yes

Transmission fluid temp Yes

Instrumentation Displays

Clock In-radio display

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021

274099308

**2022 F-650 Gas Crew Cab Base (W6B)**

Price Level: 215 | Quote ID: NCSA36W6B3

Selected Equip & Specs (cont'd)*Instrumentation Feature*

Trip computer	Yes	Trip odometer	Yes
Shift indicator	PRNDM		

Steering Wheel Type

Material	Urethane	Tilting	Manual
Telescoping	Manual		

Front Side Windows

Window 1st row activation	Manual
---------------------------------	--------

Windows Rear Side

2nd row activation	Manual
--------------------------	--------

Window Features

Tinted	Light
--------------	-------

Front Windshield

Wiper	Variable intermittent	Speed sensitive wipers	Yes
-------------	-----------------------	------------------------------	-----

Rear Windshield

Window	Fixed
--------------	-------

Automatic Gearshift

Location	Steering column lever
----------------	-----------------------

Interior*Passenger Visor*

Mirror	Yes
--------------	-----

Headliner

Coverage	Full	Material	Cloth
----------------	------	----------------	-------

Floor Trim

Coverage	Full	Covering	Vinyl/rubber
----------------	------	----------------	--------------

Trim Feature

Gear shifter material	Urethane
-----------------------------	----------

Lighting

Dome light type	Delay	Rear reading	Yes
Variable IP lighting	Yes		

Floor Console Storage

Type	Partial
------------	---------

Storage

Prepared for: Mr. Jason Bennett

Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

08/29/2021



274099308

2022 F-650 Gas Crew Cab Base (W6B)

Price Level: 215 | Quote ID: NCSA36W6B3

Selected Equip & Specs (cont'd)

Front Beverage holder(s)	Yes	Glove box	Yes
Instrument panel	Bin	Dashboard	Yes
<i>Legroom</i>			
Front	41.4"	Rear	42.1"
<i>Headroom</i>			
Front	40.7"	Rear	40.8"
<i>Hip Room</i>			
Front	67.6"	Rear	67.6"
<i>Shoulder Room</i>			
Front	68.0"	Rear	68.0"