Prepared for: Mr. Jason Bennett, Director of Business Development, NC Sheriff's Association

2022 F-650 Gas Regular Cab Base (F6B) Price Level: 215

#### **Client Proposal**

1

Prepared by: SPENCER WOOD Office: 336-668-2401 Quote ID: NCSA38F6B3 Date: 08/29/2021



Director of Business Development, NC Sheriff's Association



 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

#### 2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

### As Configured Vehicle

Code	Description	MSRP
Base Vehicle		
F6B	Base Vehicle Price (F6B)	\$59,525.00
Engines		
99N	7.3L 2V DEVCT NA PFI V8 Gas - 350 HP @ 3900 rpm	STD
	Torque: 468 ft.lbs. @ 3900 rpm.	
425	50-State Emissions	N/C
Transmissions		
44P	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision, with Park Pawl	STD
Front Wheels & Tires		
645	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole (275MM BC) hub piloted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	STD
Т9А	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	STD
Rear Wheels & Tires		
665	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole (275MM BC) hub piloted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	STD
R9A	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile) Includes: - GVWR Limit: 25,600 lbs.	STD
Brakes		
67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control Full power with automatic adjustment, 4-channel ABS antilock brake system. Incluc (Bosch) DSSA type rear axle mounted parking brake, Orscheln lever control, right of hand operated park brake lever.	STD des 12" x 3" of driver and

Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

#### 2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

## As Configured Vehicle (cont'd)

Code	Description	MSRP
Front Axle and Suspension		
43A	8,500 lb. Cap. Non-Driving - Dana D- 850F	STD
61B	Taper-Leaf Springs, Parabolic - 8,500 Ib. Cap 2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.	STD
Rear Axle and Suspension		
471	<b>13,500 lb. Single-Speed</b> Single reduction with 190 wheel ends. NOTE: When specifying an axle ratio, check pe guidelines for startability and gradeability.	STD
68K	Multi-Leaf Springs - 15,500 lb. Cap 10-leaf. Includes 2,000 lb auxiliary springs for load stabilization.	STD
X5D	5.57 Axle Ratio	N/C
Wheelbase		
158WB	158" Wheelbase/84" CA/63" AF/260" OAL	STD
Frame		
537	Single Channel - 10.75 SM, 80,000 PSI 860,000/520,000 RBM. 9.125" x 3.062" x 0.312" (231.8mm x 77.8mm x 8.0mm) w/trai	STD
Exhaust	6.500" x 3.062" x 0.312" (165.1mm x 77.8mm x 8.0mm).	
91H	Single, Horizontal Muffler - Frame Mounted Right Side Back of Cab w/Catalytic Converter Downward facing, outlet tip.	STD
Fuel Tanks		
65A	Fuel Tank - LH 50 Gallon - Steel	STD
12	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	\$0.00



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021 274099308

#### 2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

## As Configured Vehicle (cont'd)

Code	Description	MSRP
Electrical / Alternator / Battery	,	
STDALT	Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi Extra heavy duty 12 Volt.	Included
STDBAT	Battery - One 900 CCA, Includes Steel Battery Box 12Volt, Motorcraft.	STD
Seats		
88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD
Cab Interior		
600A	<ul> <li>Preferred Equipment Package 600A</li> <li>Includes: <ul> <li>Bumper, Front - Black, Full Width</li> <li>Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals</li> <li>Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals</li> <li>Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi Extra heavy duty 12 Volt.</li> <li>Painted Grille - Plastic</li> <li>Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights</li> <li>Tow Hooks, Front (2) - Frame-Mounted, Painted Black</li> <li>Floor Covering - Black Vinyl</li> <li>Intelligent Oil Life Monitor</li> <li>Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Control Body Builder Wiring - At Back of Cab, Combined Includes sealed connectors for 2 ground circuits, with combined left/stop, combined rig stop lamps, park lamps, back up lamps. Also includes 2 additional pass through wires of</li> </ul> </li> </ul>	ght/stop, to cab.
588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD
Cab Exterior		
54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width Integral spot mirror, sail type, manual fold, solid black finish.	STD
Miscellaneous		
PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD



Director of Business Development, NC Sheriff's Association



 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

#### 2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

### As Configured Vehicle (cont'd)

Code	Description	MSRP
Interior Color		
E_01	Gray	N/C
Exterior Color		
YZ_01	Oxford White	N/C
SUBTOTAL		\$59,525.00
Destination Charge		\$2,095.00
TOTAL		\$61,620.00

Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

## Selected Equip & Specs

#### Dimensions

• Exterior length: 260.0" • Cab to axle: 84.0" • Exterior width: 96.7" • Exterior height: 88.3" • Wheelbase: 158.0" • Front track: 84.0" • Rear track: 72.6" • Rear tire outside width: 96.0" • Front legroom: 41.4" • Front headroom: 40.7" • Front hiproom: 67.6" • Front shoulder room: 68.0"

#### **Powertrain**

• 350hp 7.3L OHV 16 valve V-8 engine with variable valve control, SMPI • Recommended fuel : regular unleaded • federal

• TorqShift-G 6 speed automatic transmission with overdrive • Rear-wheel drive • Fuel Economy Cty: N/A • Fuel Economy Highway: N/A • 50.0 gal. rectangular Left front fuel tank • Standard rear differential • Right mounted horizontal muffler • Right mounted horizontal tailpipe • Park Pawl: PRNDM

#### Suspension/Handling

• Front non-independent leaf spring suspension • Rear rigid axle leaf spring suspension • Hydraulic power-assist recirculating ball Steering • Front and rear 19.5 x 6.75 wheels • Metric measure truck tire245/70R19.5 GBSW AS front and rear tires • Dual rear wheels • Tapered rear frame

#### **Body Exterior**

• 2 doors • Driver and passenger , manual folding door mirrors • Black door mirrors • Black bumpers • Side steps • Clearcoat paint • Straight front bumper ends • Hood mounted grille • Front and rear 19.5 x 6.75 white steel wheels with 8 wheel studs • 2 front tow hook(s)

#### Convenience

• Manual air conditioning • Cruise control with steering wheel controls • Manual front windows • Manual door locks • Manual tilt steering wheel • Manual telescopic steering wheel • Wireless phone connectivity • Front cupholders • Passenger visor mirror • Dual electric horn • Automatic gearshift steering column lever

#### Seats and Trim

• Seating capacity of 2 • Fixed driver seat • Fixed passenger seat • Driver and passenger armrests • Bucket driver seat, Bucket passenger seat • Driver seat folding back, passenger seat fixed back • Low back seats • Driver seat with 4 way direction control, passenger seat with 2 way direction control • Manual fore/aft seats

#### **Entertainment Features**

• AM/FM stereo radio • Auxiliary audio input • Steering wheel mounted radio controls • 2 speakers • Streaming audio • Fixed antenna

#### Lighting, Visibility and Instrumentation

• Halogen aero-composite headlights • Delay-off headlights • Auto on/off headlights • Variable intermittent front windshield wipers • Speed sensitive wipers • Light tinted windows • Front reading lights • Tachometer • Oil pressure gauge • Oil temperature gauge • Trip computer • Trip odometer • PRNDM

#### Safety and Security



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021 274099308

2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

### Selected Equip & Specs (cont'd)

• 4-wheel ABS brakes • Hill hold control • Hydraulic disc brakes • ABS traction control • Manual door locks • With stolen vehicle tracking system

#### **Dimensions**

Curb Rear GAWR GCWR	13500 lbs.	Front GAWR GVWR	
Front Weights			
Front curb weight Front spring rating	•	Front axle capacity Front tire/wheel capacity	
Rear Weights			
Rear curb weight Rear spring rating		Rear axle capacity Rear tire/wheel capacity	
Fuel Tank type			
Left front Fuel tank capacity	50.01 gal.		
Front Frame			
Height loaded		Height unloaded	
Rear Frame			
Height loaded		Height unloaded	
Powertrain			
Engine Type			
Block material Head material Injection Orientation Valves per cylinder Variable valve control	Aluminum Sequential MPI Longitudinal 2	Cylinders Ignition Liters Recommended fuel Valvetrain	Spark 7.3L Regular unleaded
Engine Power			
Output 350 H	HP @ 3,900 RPM	Torque	ftlb @ 3,900 RPM
Alternator			
Туре	HD	Amps	
Battery			
Cold cranking amps		Location	Forward right
Transmission			



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOODPiedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |08/29/2021274099308

2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

### Selected Equip & Specs (cont'd)

Type Type Tapered leaf	Grade Regular
Front Spring	
Front Suspension Independence Non-independent	Type Leaf
Suspension Control Ride Regular	
Brake Assistance Hill hold control Yes	
Type Hydraulic disc	Vented discs Front and rear
ABS 4-wheel	ABS channels
Brakes	
Driveability	
Emissions CARB Federal	
Material Non stainless steel	System type Single
Exhaust	
* Ratio 5.57	
Drive Axle	
Drive Feature Traction control ABS	
Drive Type Type Rear-wheel	
Driver selectable mode Tow/Haul Mode	Oil cooler Regular duty
Transmission Extras	
Transmission Torque Converter Stall ratio 2.00	
1st       3.974         3rd       1.516         5th       0.858         Reverse Gear ratios       3.128	2nd       2.318         4th       1.149         6th       0.674
Transmission Gear Ratios	
Overdrive Yes Type Automatic	Speed
Electronic control Yes	Lock-up Yes



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021

2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

## Selected Equip & Specs (cont'd)

Front Shocks	Regular
Rear Suspension	
Independence	Rigid axle
Rear Spring Type	Multi-leaf
Steering Activation	Hydraulic power-assist
Steering Specs # of wheels	2
Exterior	
Front Wheels Diameter	
<i>Rear Wheels</i> Diameter Dual	19.5" Yes
Front Tires	
Width	70 BSW 245mm 628
Rear Tires	
Wheels	
Turning radius (to curb)	84.0" 22' 158.0"
Body Features	
	Yes Yes
Body Doors	
Door count	2

Туре	Leaf
Grade	Regular

Type Re-circulating ball

Width	6.75"

Width	)"
-------	----

Diameter	19.5"
Tread	AS
LT load rating	G

Diameter	19.5"
Tread	AS
LT load rating	G

Rear track	72.6"
Turning radius (to bumper)	
Rear tire outside width	96.0"
Body material Composite/galvanized	steel
	-
Front tow hook(s)	2

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



274099308



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regiona 08/29/2021

Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 274099308

#### 2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

### Selected Equip & Specs (cont'd)

#### Exterior Dimensions

Length	260.0"
Body height	
Axle to end of frame	63.0"
Frame yield strength (psi)	80000.0
Frame rail width	
Max RBM (inIbs.)	917,600.0
Tapered end frame rail depth	6.5"
Front bumper to Front axle	

#### Seating

#### Passenger Capacity

r asseriger Dapacity	
Capacity	
Driver Seat	
Туре	Bucket
Back type	
Fore/aft	
Passenger Seat	
Туре	Bucket
Back type	
Fore/aft	

Front Armrest	
Driver	Yes
Front Seat Trim	
Material	Vinyl

#### Convenience

#### AC And Heat Type

Air conditioning Manual

#### Audio System

Auxiliary audio input	Yes
Radio grade	Regular
Audio Speakers	
Speaker type	Regular
Audio Controls	
Steering wheel controls	Yes
Audio Antenna	

Body width	96.7"
Cab to axle	84.0"
Frame section modulus	10.7cu.in.
Frame rail depth	
Frame rail thickness	
Frame rail section	8.5"
Tapered end frame rail width	
Nominal RBM (inlbs.)	860,000.0

Back	Folding
Way direction control	4
Deale	Fixed

Васк	Fixed
Way direction control	2

Back material Carpet	Back material			Carpe	ət
----------------------	---------------	--	--	-------	----

Passenger

Radio	
Seek-scan	Yes
Speakers	
	Vee
Streaming audio	Yes

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Yes



Director of Business Development, NC Sheriff's Association

Prepared by: SPENCER WOOD Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina | 08/29/2021

2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

#### Selected Equip & Specs (cont'd) Fixed Type

#### Cruise Control

Cruise control With steering wheel controls

#### **Convenience** Features

#### Door Lock Activation

Туре		Manual
Instrumentation	Туре	

Analog Appearance

#### Instrumentation Gauges

Tachometer	Yes
Engine temperature	Yes
Transmission fluid temp	Yes

#### Instrumentation Warnings

Oil pressure	Yes
Lights on	Yes
Low fuel	Yes
Service interval	Yes
Transmission fluid temp	Yes

#### Instrumentation Displays

Clock	In-radio display
-------	------------------

#### Instrumentation Feature

Trip computer Shift indicator	
Steering Wheel Type	
Material Telescoping	
Front Side Windows	
Window 1st row activation	Manual
Window Features	
Tinted	Light
Front Windshield	

Wiper Variable intermittent

12V DC power outlet 2
Horn Dual electric

Oil pressure	Yes
Oil temperature	Yes
Engine hour meter	Yes

Battery	Yes
Кеу	Yes
Door ajar	Yes
Brake fluid	Yes

Trip odometer		Yes
---------------	--	-----

Tilting	Manual
---------	--------

Speed sensitive wipers Yes

#### Rear Windshield

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

274099308

Director of Business Development, NC Sheriff's Association

 Prepared by: SPENCER WOOD
 Piedmont Truck Center, Inc. | 412 South Regional Road Greensboro North Carolina |

 08/29/2021
 274099308

#### 2022 F-650 Gas Regular Cab Base (F6B)

Price Level: 215 | Quote ID: NCSA38F6B3

# Selected Equip & Specs (cont'd)

window	FIXEU
Automatic Gearshift	
Location	Steering column lever

#### Interior

Passenger Visor	
Mirror	Yes
Headliner	
Coverage	Full
Floor Trim	
Coverage	Full
Trim Feature	
Gear shifter material	Urethane
Lighting	
Dome light type	•
Variable IP lighting	Yes
Floor Console Storage	
Туре	Partial
Storage	
Front Beverage holder(s)	
Instrument panel	Bin
Legroom	
Front	
Headroom	
Front	
Hip Room	
Front	67.6"
Shoulder Room	
Front	

Material	Cloth
----------	-------

Covering Vinyl/rubber

Front reading		Yes
---------------	--	-----

Glove box	 	 Y	'es
Dashboard		 · · · · · · · · · · · · · · · · · · ·	′es

