

Vehicle: [Fleet] 2023 Chevrolet Tahoe (CC10706) 2WD 4dr Commercial





Technical Specifications

| Te | echnical Specifications | | | | |
|----|-------------------------------------|------------------|------------------------------------|-----------------------------------|--|
| Ро | wertrain | | | | |
| T | ransmission | | | | |
| | Drivetrain | Rear Wheel Drive | Trans Order Code | MHU | |
| | Trans Type | 10 | Trans Description Cont. | Automatic | |
| | Trans Description Cont. Again | N/A | First Gear Ratio (:1) | 4.69 | |
| | Second Gear Ratio (:1) | 2.98 | Third Gear Ratio (:1) | 2.14 | |
| | Fourth Gear Ratio (:1) | 1.77 | Fifth Gear Ratio (:1) | 1.52 | |
| | Sixth Gear Ratio (:1) | 1.27 | Reverse Ratio (:1) | 4.86 | |
| | Clutch Size | N/A | Trans Power Take Off | N/A | |
| | Final Drive Axle Ratio (:1) | N/A | Transfer Case Model | N/A | |
| | Transfer Case Gear Ratio (:1), High | N/A | Transfer Case Gear Ratio (:1), Low | Automatic 4.69 2.14 1.52 4.86 N/A | |
| | Transfer Case Power Take Off | N/A | Seventh Gear Ratio (:1) | 1.00 | |
| | Eighth Gear Ratio (:1) | 0.85 | Ninth Gear Ratio (:1) 0.69 | | |
| | Tenth Gear Ratio (:1) | 0.63 | | | |
| M | ileage | | | | |
| | EPA Fuel Economy Est - Hwy | 20 (2022) MPG | Cruising Range - City | 336.00 mi | |
| | EPA Fuel Economy Est - City | 14 (2022) MPG | Fuel Economy Est-Combined | 16 (2022) MPG | |
| | Cruising Range - Hwy | 480.00 mi | Estimated Battery Range | N/A | |
| Ε | ngine | | | | |
| | Engine Order Code | L84 | Engine Type | Gas V8 | |
| | Displacement | 5.3L/-TBD- | Fuel System | Direct Injection | |
| | SAE Net Horsepower @ RPM | 355 @ 5600 | SAE Net Torque @ RPM | 383 @ 4100 | |
| | Engine Oil Cooler | N/A | | | |
| E | Electrical | | | | |
| | Cold Cranking Amps @ 0° F (Primary) | 850 | Cold Cranking Amps @ 0° F (2nd) | N/A | |
| | Cold Cranking Amps @ 0° F (3rd) | N/A | Maximum Alternator Capacity (amps) | N/A | |
| С | ooling System | | | | |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

N/A

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

Total Cooling System Capacity



| hicle | | | |
|---|-------------|--|-----------|
| missions | | | |
| Tons/yr of CO2 Emissions @ 15K mi/year | 10.4 (2022) | EPA Greenhouse Gas Score | N/A |
| | | | |
| ehicle | | | |
| Rear Door Type | Liftgate | | |
| nassis | | | |
| /eight Information | | | |
| Standard Weight - Front | 0.00 lbs | Standard Weight - Rear | 0.00 lbs |
| Base Curb Weight | N/A | Gross Axle Wt Rating - Front | 3300 lbs |
| Gross Axle Wt Rating - Rear | 4300 lbs | Curb Weight - Front | 2697 lbs |
| Curb Weight - Rear | 2659 lbs | Option Weight - Front | 0.00 lbs |
| Option Weight - Rear | 0.00 lbs | Reserve Axle Capacity - Front | 603.00 lb |
| Reserve Axle Capacity - Rear | 1641.00 lbs | As Spec'd Curb Weight | 5356.00 I |
| As Spec'd Payload | 2044.00 lbs | Maximum Payload Capacity | 2044.00 I |
| Gross Combined Wt Rating | 14000 lbs | Gross Axle Weight Rating | 7600.00 I |
| Curb Weight | 5356.00 lbs | Reserve Axle Capacity | 2244.00 l |
| Total Option Weight | 0.00 lbs | Payload Weight Front | 0 lbs |
| Payload Weight Rear | 0 lbs | Gross Vehicle Weight Rating | 7400.00 l |
| railering | | | |
| Dead Weight Hitch - Max Trailer Wt. | 5000 lbs | Dead Weight Hitch - Max Tongue Wt. | 500 lbs |
| Wt Distributing Hitch - Max Trailer Wt. | 6000 lbs | Wt Distributing Hitch - Max Tongue Wt. | 600 lbs |
| Fifth Wheel Hitch - Max Trailer Wt. | N/A | Fifth Wheel Hitch - Max Tongue Wt. | N/A |
| Maximum Trailering Capacity | 8400 lbs | | |
| rame | | | |
| Frame Type | N/A | Sect Modulus Rails Only | N/A |
| Frame RBM | N/A | Frame Strength | N/A |
| Frame Thickness | N/A | | |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



| ssis | | | |
|-----------------------------------|---------------|------------------------------------|---------------|
| spension | | | |
| Suspension Type - Front | Independent | Suspension Type - Rear | Multi-Link |
| Spring Capacity - Front | N/A | Spring Capacity - Rear | N/A |
| Axle Type - Front | N/A | Axle Type - Rear | N/A |
| Axle Capacity - Front | N/A | Axle Capacity - Rear | N/A |
| Axle Ratio (:1) - Front | N/A | Axle Ratio (:1) - Rear | 3.23 |
| Shock Absorber Diameter - Front | N/A | Shock Absorber Diameter - Rear | N/A |
| Stabilizer Bar Diameter - Front | N/A | Stabilizer Bar Diameter - Rear | N/A |
| ires | | | |
| Front Tire Order Code | XCS | Rear Tire Order Code | XCS |
| Spare Tire Order Code | RAV | Front Tire Size | 275/55R20SL |
| Rear Tire Size | 275/55R20SL | Spare Tire Size | P275/55R20 |
| Front Tire Capacity | N/A | Rear Tire Capacity | N/A |
| Spare Tire Capacity | N/A | Revolutions/Mile @ 45 mph - Front | N/A |
| Revolutions/Mile @ 45 mph - Rear | N/A | Revolutions/Mile @ 45 mph - Spare | N/A |
| Vheels | | | |
| Front Wheel Size | 20 x 9 in | Rear Wheel Size | 20 x 9 in |
| Spare Wheel Size | 20 x -TBD- in | Front Wheel Material | Steel |
| Rear Wheel Material | Steel | Spare Wheel Material | Steel |
| teering | | | |
| Steering Type | Pwr | Steering Ratio (:1), Overall | N/A |
| Steering Ratio (:1), On Center | N/A | Steering Ratio (:1), At Lock | N/A |
| Turning Diameter - Curb to Curb | 39.0 ft | Turning Diameter - Wall to Wall | N/A |
| rakes | | | |
| Brake Type | Pwr | Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A | Disc - Front (Yes or) | Yes |
| Disc - Rear (Yes or) | Yes | Front Brake Rotor Diam x Thickness | 13.5 x 1.2 in |
| Rear Brake Rotor Diam x Thickness | 13.6 x 1.0 in | Drum - Rear (Yes or) | N/A |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



| ssis | | | |
|--|-------------|---|------------|
| ikes | | | |
| Rear Drum Diam x Width | N/A | | |
| el Tank | | | |
| Fuel Tank Capacity, Approx | 24 gal | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location | N/A | Aux Fuel Tank Location | N/A |
| ensions | | | |
| erior Dimensions | | | |
| Passenger Capacity | 6 | Front Head Room | 42.3 i |
| Front Leg Room | 44.5 in | Front Shoulder Room | 66.0 i |
| Front Hip Room | 61.5 in | Second Head Room | 38.9 i |
| Second Leg Room | 42.0 in | Second Shoulder Room | 64.8 |
| Second Hip Room | 61.3 in | Third Head Room | N/A |
| Third Leg Room | N/A | Third Shoulder Room | N/A |
| Third Hip Room | N/A | | |
| erior Dimensions | | | |
| Wheelbase | 120.9 in | Length, Overall w/rear bumper | N/A |
| Length, Overall | 210.7 in | Width, Max w/o mirrors | 81 in |
| Height, Overall | 75.8 in | Overhang, Front | N/A |
| Overhang, Rear w/o bumper | N/A | Front Bumper to Back of Cab | N/A |
| Cab to Axle | N/A | Cab to End of Frame | N/A |
| Ground to Top of Load Floor | N/A | Ground to Top of Frame | N/A |
| France Middle Dage | N/A | Ground Clearance, Front | 8 in |
| Frame Width, Rear | | Body Length | 0.00 |
| Ground Clearance, Rear | 8 in | · · · | |
| | 8 in N/A | Rear Door Opening Width | N/A |
| Ground Clearance, Rear | | Rear Door Opening Width Side Door Opening Width | N/A N/A |
| Ground Clearance, Rear Rear Door Opening Height | N/A | | |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Dimensions

| Cargo A | Area | Dime | nsions |
|---------|------|------|--------|
|---------|------|------|--------|

| Cargo Area Length @ Floor to Console | N/A | Cargo Area Length @ Floor to Seat 1 | N/A |
|--------------------------------------|----------------------|-------------------------------------|-----------------------|
| Cargo Area Length @ Floor to Seat 2 | N/A | Cargo Area Length @ Floor to Seat 3 | N/A |
| Cargo Box Width @ Top, Rear | N/A | Cargo Area Width @ Beltline | N/A |
| Cargo Box Width @ Floor | N/A | Cargo Box Width @ Wheelhousings | 49.4 in |
| Cargo Box (Area) Height | N/A | Tailgate Width | N/A |
| Cargo Volume | N/A | Cargo Volume to Seat 1 | 125.9 ft ³ |
| Cargo Volume to Seat 2 | 70.3 ft ³ | Cargo Volume to Seat 3 | N/A |
| Cargo Volume to Seat 4 | N/A | Ext'd Cab Cargo Volume | N/A |

Exterior

Doors

Side Door Type N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

Page 6

Oct 5, 2022



| Selected | Model | and O | ptions |
|----------|-------|-------|--------|
|----------|-------|-------|--------|

| MODEL | • | | | |
|---------------|--|-----------------|----------------|-------------|
| CODE | MODEL | | | MSRP |
| CC10706 | 2023 Chevrolet Tahoe 2WD 4dr Commercial | | | \$48,450.00 |
| COLORS | | | | |
| CODE | DESCRIPTION | | | |
| G48 | Auburn Metallic | | | |
| SUSPENSION PK | G | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| Z56 | Suspension Package, heavy-duty, police-rated. Full independent suspension with monotube dampers, linear coil springs, 35mm solid front stabilizer bar and 32mm hollow rear stabilizer bar (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| EMISSIONS | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| FE9 | Emissions, Federal requirements | 0.00 lbs | 0.00 lbs | \$0.00 |
| ENGINE | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| L84 | Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD) | 0.00 lbs | 0.00 lbs | \$0.00 |
| TRANSMISSION | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| MHU | Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



| GVWR | | | | |
|--------------|---|-----------------|----------------|--------|
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| C6C | GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD) | 0.00 lbs | 0.00 lbs | \$0.00 |
| AXLE | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| GU5 | Rear axle, 3.23 ratio | 0.00 lbs | 0.00 lbs | \$0.00 |
| PREFERRED EG | QUIPMENT GROUP | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| 1FL | Commercial Preferred Equipment Group includes standard equipment | 0.00 lbs | 0.00 lbs | \$0.00 |
| WHEEL TYPE | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| PXT | Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| TIRES | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| xcs | Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| PAINT | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| G48 | Auburn Metallic | 0.00 lbs | 0.00 lbs | \$0.00 |
| SEAT TYPE | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| AZ3 | Seats, front 40/20/40 split-bench (STD) | 0.00 lbs | 0.00 lbs | \$0.00 |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



| SEAT TRIM | | | | | |
|-----------|--|-----------------|----------------|--------|--|
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP | |
| H1T | Jet Black, Cloth seat trim (Requires (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | \$0.00 | |
| RADIO | | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP | |
| IOR | Audio system, Chevrolet Infotainment 3 system, 8" diagonal color touchscreen AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD) | 0.00 lbs | 0.00 lbs | \$0.00 | |
| | | | | | |

| ADDITIONAL EC | ADDITIONAL EQUIPMENT - PACKAGE | | | | | | | |
|---------------|---|-----------------|----------------|--------|--|--|--|--|
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP | | | | |
| 9C1 | Identifier for Police Package Vehicle includes, (K47) heavy-duty air filter, (KX4) 250 amp high output alternator, (K6K) 760 cold-cranking amps auxiliary battery, electrical power & vehicle signals for customer connection located at the center front floor. Auxiliary battery circuit for customer connection located in the rear cargo area, (Z56) heavy-duty, police-rated suspension, (XCS) 275/55R20SL all-season tires, (RAV) 275/55R20 all-season spare tire, Police brakes, (RC1) front skid plate, (PXT) 20" steel wheels, | 0.00 lbs | 0.00 lbs | \$0.00 | | | | |

change*

Certified speedometer, SEO (5J3) Surveillance Mode interior lighting calibration, SEO (UT7) blunt cut cargo area and blunt cut console area ground wires,(V53) delete luggage rack side rails, (ATD) third row seat delete, (NP0) active single-speed transfer case (4WD only) *Upon selection of this option the base price will

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



| ADDITIONAL EQUIPMENT - MECHANICAL | | | | | | |
|-----------------------------------|---|-----------------|----------------|------|--|--|
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP | | |
| | Capless Fuel Fill (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. | | |
| J55 | Brake system, heavy duty with front Brembo calipers and 16" front rotors (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. | | |
| K3W | Battery, 850 cold-cranking amps with 95 amp hour rating (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. | | |
| K6K | Battery, auxiliary, 760 cold-cranking amps with 70 amp hour rating (packaged behind left rear cargo area panel) (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. | | |
| KX4 | Alternator, 250 amps (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. | | |
| RC1 | Skid plate, front (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. | | |
| V03 | Cooling system, extra capacity (Included and only available with (9C1) Police Vehicle or (NHT) Max Trailering Package. Not included when (LM2) Duramax 3.0L Turbo-Diesel I6 engine is ordered.) | 0.00 lbs | 0.00 lbs | Inc. | | |

| ADDITIONAL EQUIPMENT - EXTERIOR | | | | |
|---------------------------------|--|-----------------|----------------|------|
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| | Exterior ornamentation delete (front & rear Chevrolet bowties will remain) (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| RAV | Tire, spare 275/55R20 all-season, blackwall, Firestone Firehawk Pursuit (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| RNQ | Wheel, full-size spare, matching 20" (50.8 cm) steel wheel without center cap (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| V53 | Luggage rack side rails, delete (Included with (9C1) Police Vehicle.) *CREDIT* | 0.00 lbs | 0.00 lbs | Inc. |
| WUA | Fascia, front high-approach angle (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



| ADDITIONAL E | ADDITIONAL EQUIPMENT - INTERIOR | | | |
|--------------|---|-----------------|----------------|------|
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| | Instrumentation, analog with certified 140 mph speedometer, odometer with trip odometer, engine hour meter, fuel level, voltmeter, engine temperature, oil pressure and tachometer (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| | Power supply, 100-amp, auxiliary battery, rear electrical center (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| | Power supply, 120-amp, (4) 30-amp circuit, Primary battery relay controlled, passenger compartment harness wiring (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| | Power supply, 50-amp, power supply, auxiliary battery passenger compartment wiring harness (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| | Theft-deterrent system, vehicle, PASS-Key III (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| ATD | Seat delete, third row passenger *CREDIT* | 0.00 lbs | 0.00 lbs | Inc. |
| AX2 | Key, unique Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| BCV | Lock control, driver side auto door lock disable (Requires (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| VZ2 | Speedometer calibration (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |

| ADDITIONAL EQUIPMENT - SAFETY-INTERIOR | | | | |
|--|---|-----------------|----------------|------|
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| | Seat belts, 3-point, all seating positions (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
|------|--|-----------------|----------------|--------|
| 5J3 | Calibration, Surveillance Mode interior lighting (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| 5J9 | Calibration, taillamp flasher, Red/White (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| 5LO | Calibration, taillamp flasher, Red/Red (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| 6J7 | Flasher system, headlamp and taillamp, DRL compatible with control wire (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| | Protected idle allows vehicle engine to remain idling and vehicle immobilized while FOB is outside vehicle (Included and only available (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| T66 | Wiring provision, for outside mirrors and cargo side mirrors (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| UT7 | Ground wires, blunt cut cargo area and blunt cut console area (Included and only available with (9C1) Police Vehicle.) | 0.00 lbs | 0.00 lbs | Inc. |
| VXT | Incomplete vehicle (Included and only available with (9C1) Police Vehicle. Included and only available with (ATZ) rear seat delete.) | 0.00 lbs | 0.00 lbs | Inc. |
| | Options Total | 0.00 lbs | 0.00 lbs | \$0.00 |

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Standard Equipment

| otarida a =qaip | |
|-----------------|--|
| Mechanical | |
| | Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD) |
| | Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (STD) |
| | Rear axle, 3.23 ratio |
| | Suspension Package, Premium Smooth Ride (STD) |
| | GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD) |
| | Keyless start, push button |
| | Automatic Stop/Start |
| | Engine control, stop/start system disable button, non-latching |
| | Engine air filtration monitor |
| | Fuel, gasoline, E15 |
| | Differential, mechanical limited-slip |
| | Rear wheel drive |
| | Air filter, heavy-duty |
| | Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator |
| | Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil |
| | Battery, 730 cold-cranking amps with 80 amp hour rating |
| | Alternator, 220 amps |
| | Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver |
| | Trailer sway control |
| | Hitch Guidance |
| | Suspension, front coil-over-shock with stabilizer bar |
| | Suspension, rear multi-link with coil springs |
| | Steering, power |
| | Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors |
| | Exhaust, single system, single-outlet |
| | Mechanical Jack with tools |
| Exterior | |
| | Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD) |
| | |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



| Exterior | |
|---------------|--|
| | Tires, 265/65R18SL all-season, blackwall (Standard with (PZX) 18" Bright Silver painted aluminum wheels only.) (STD) |
| | Wheel, full-size spare, 17" (43.2 cm) |
| | Tire, spare P265/70R17 all-season, blackwall |
| | Tire carrier, lockable outside spare, winch-type mounted under frame at rear |
| | Active aero shutters, upper |
| | Fascia, front |
| | Luggage rack side rails, roof-mounted, Black |
| | Assist steps, Black with chrome accent strip |
| | Headlamps, LED |
| | Lamps, stop and tail, LED |
| | Mirrors, outside heated power-adjustable, manual-folding, body-color |
| | Mirror caps, body-color |
| | Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass) |
| | Glass, acoustic, laminated |
| | Glass, windshield shade band |
| | Windshield, solar absorbing |
| | Wipers, front intermittent, Rainsense |
| | Wiper, rear intermittent with washer |
| | Door handles, body-color |
| | Liftgate, rear manual |
| Entertainment | |
| | Audio system, Chevrolet Infotainment 3 system, 8" diagonal color touchscreen AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD) |
| | Audio system feature, 6-speaker system |
| | SiriusXM Radio delete |
| | Infotainment display, 8" diagonal touchscreen |
| | Bluetooth for phone personal cell phone connectivity to vehicle audio system |
| | Wireless Apple CarPlay/Wireless Android Auto |
| | Wi-Fi Hotspot capable (Standard with (UE1) OnStar only. Terms and limitations apply. See onstar.com or dealer for details.) |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



| Interior | |
|----------|--|
| | Seats, front 40/20/40 split-bench (Not available with (D07) center floor console and (USR) USB data ports.) (STD) |
| | Seat trim, cloth |
| | Seat adjusters, 8-way power includes 6-way power front passenger seat with 2-way power lumbar |
| | Seat adjusters, 10-way power includes 8-way power driver seat with 2-way power lumbar |
| | Seats, second row 60/40 split-folding bench, manual |
| | Seats, third row 60/40 split-folding bench, manual (Not available with (9C1) Police Vehicle.) |
| | Floor covering, Black rubberized vinyl (Deleted when (B30) floor covering is ordered.) |
| | Electronic Precision Shift |
| | Steering column lock, electrical (Standard on models built after July 18, 2022.) |
| | Steering column, manual tilt and telescopic |
| | Steering wheel, urethane |
| | Steering wheel controls, mounted audio, Driver Information Center, cruise control and Forward Collision Alert following gap button (if equipped) (left backside Seek/Scan steering wheel radio buttons are inoperable; these 2 buttons can be repurposed for aftermarket emergency equipment) |
| | Driver Information Center, 4.2" diagonal color display includes driver personalization |
| | Rear Seat Reminder |
| | Door locks, power programmable with lockout protection and delayed locking (When ordered with (9C1) Police Vehicle or (5W4) Special Service Vehicle, Auto Lockout is disabled on driver door.) |
| | Keyless Open includes extended range Remote Keyless Entry |
| | Cruise control, electronic with set and resume speed |
| | Theft-deterrent system, content, electrical, unauthorized entry |
| | USB data ports, 2, one type-A and one type-C, located within center console |
| | USB charging-only ports, 4, (2) located on rear of center console and (2) in 3rd row (1 left and 1 right side below quarter glass side window) (When ordered with (9C1) Police Vehicle, (2) type-C ports are moved to the rear of center seat base and (2) type-C are moved to the cargo area. Deleted when (A50) front bucket seats are ordered.) |
| | Window, power with driver Express-Up/Down |
| | Window, power with front passenger Express-Up/Down |
| | Windows, power with rear Express-Down |
| | Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants |
| | Air conditioning, rear |
| | Defogger, rear-window electric |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



| Interior | |
|-------------------|---|
| | Power outlets, 2, 120-volt, located on the rear of the center seat and rear cargo area |
| | Power outlet, front auxiliary, 12-volt, located in the center stack of instrument panel |
| | Mirror, inside rearview manual day/night |
| | Visors, driver and front passenger illuminated vanity mirrors, sliding |
| | Assist handles, overhead, driver and front passenger, located in headliner |
| | Assist handles, front passenger A-pillar and second row outboard B-pillar (Deleted when SEO (7X2) left- and right-hand spotlamps or SEO (7X3) left-hand spotlamp are ordered.) |
| | Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions. On Police/Special Service vehicles, the control switch is located in the roof console in lieu of the driver - and passenger-side door switch with delayed entry feature. |
| | Cargo management system |
| | Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.) |
| Safety-Mechanical | |
| | Automatic Emergency Braking |
| | Hill Start Assist |
| | StabiliTrak, stability control system with brake assist, includes traction control |
| Safety-Exterior | |
| | Daytime Running Lamps, reduced intensity low beam |
| Safety-Interior | |
| | Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver |
| | Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for all rows in outboard seating positions (Deleted when (A50) front bucket seats are ordered. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.) |
| | Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.) |
| | OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.) |
| | Front and Rear Park Assist |
| | Following Distance Indicator |
| | |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



| Safety-Interior | |
|-----------------|---|
| | Front Pedestrian Braking |
| | Lane Keep Assist with Lane Departure Warning |
| | Forward Collision Alert |
| | Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu (When ordered with (9C1) Police Vehicle, defaulted off. Feature can be turned on in the Infotainment menu.) |
| | Door locks, rear child security, manual |
| | LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions (Deleted when (ATZ) second row seat delete is ordered.) |
| | Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire) |
| | Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on |
| | 3 Years of Remote Access. The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Deleted when (UDA) vehicle deactivated communication system is ordered. Remote Access Plan does not include emergency or security services. See onstar.com for details and limitations. Available on select Apple and Android devices. Service availability, features and functionality vary by vehicle, device, and the plan you are enrolled in. Terms apply. Device data connection required.) |

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000

Drivetrain Miles/km: 60,000

Drivetrain Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.