

Vehicle: [Fleet] 2023 Chevrolet Tahoe (CK10706) 4WD 4dr Commercial





# **Technical Specifications**

#### **Powertrain Transmission** Drivetrain Four Wheel Drive Trans Order Code MHU 10 Trans Description Cont. Automatic Trans Type Trans Description Cont. Again First Gear Ratio (:1) 4.69 N/A Second Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 2.14 Fourth Gear Ratio (:1) 1.77 Fifth Gear Ratio (:1) 1.52 Sixth Gear Ratio (:1) 1.27 Reverse Ratio (:1) 4.86 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High 1 Transfer Case Gear Ratio (:1), Low N/A Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.69 Tenth Gear Ratio (:1) 0.63 Mileage EPA Fuel Economy Est - Hwy 20 (2022) MPG Cruising Range - City 336.00 mi 14 (2022) MPG Fuel Economy Est-Combined EPA Fuel Economy Est - City 16 (2022) MPG N/A Cruising Range - Hwy 480.00 mi **Estimated Battery Range Engine Engine Order Code** L84 **Engine Type** Gas V8 Displacement 5.3L/-TBD-Fuel System **Direct Injection** SAE Net Horsepower @ RPM 355 @ 5600 SAE Net Torque @ RPM 383 @ 4100 **Engine Oil Cooler** N/A **Electrical** Cold Cranking Amps @ 0° F (Primary) 850 Cold Cranking Amps @ 0° F (2nd) N/A Cold Cranking Amps @ 0° F (3rd) N/A Maximum Alternator Capacity (amps) N/A **Cooling System**

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

N/A

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

**Total Cooling System Capacity** 

Oct 5, 2022



ehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	11 (2022)	EPA Greenhouse Gas Score	N/A
/ehicle			
Rear Door Type	Liftgate		
•	Litigate		
hassis			
Veight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3700 lbs
Gross Axle Wt Rating - Rear	4300 lbs	Curb Weight - Front	2852 lbs
Curb Weight - Rear	2701 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	848.00 lbs
Reserve Axle Capacity - Rear	1599.00 lbs	As Spec'd Curb Weight	5553.00 lbs
As Spec'd Payload	1947.00 lbs	Maximum Payload Capacity	1947.00 lbs
Gross Combined Wt Rating	14000 lbs	Gross Axle Weight Rating	8000.00 lbs
Curb Weight	5553.00 lbs	Reserve Axle Capacity	2447.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7500.00 lbs
railering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	7700 lbs	Wt Distributing Hitch - Max Tongue Wt.	770 lbs
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	8200 lbs		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



sis			
pension			
Suspension Type - Front	Independent	Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QDF	Rear Tire Order Code	QDF
Spare Tire Order Code	XCQ	Front Tire Size	265/65R18SL
Rear Tire Size	265/65R18SL	Spare Tire Size	P265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	38.1 ft	Turning Diameter - Wall to Wall	N/A
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	13.5 x 1.2 in
Rear Brake Rotor Diam x Thickness	13.6 x 1.0 in	Drum - Rear (Yes or )	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



ikes			
Rear Drum Diam x Width	N/A		
el Tank			
Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
erior Dimensions			
Passenger Capacity	6	Front Head Room	42.3 i
Front Leg Room	44.5 in	Front Shoulder Room	66.0 i
Front Hip Room	61.5 in	Second Head Room	38.9 i
Second Leg Room	42.0 in	Second Shoulder Room	64.8 ii
Second Hip Room	61.3 in	Third Head Room	N/A
Third Leg Room	N/A	Third Shoulder Room	N/A
Third Hip Room	N/A		
terior Dimensions			
terior Dimensions Wheelbase	120.9 in	Length, Overall w/rear bumper	N/A
	120.9 in 210.7 in	Length, Overall w/rear bumper Width, Max w/o mirrors	N/A 81 in
Wheelbase			
Wheelbase Length, Overall	210.7 in	Width, Max w/o mirrors	81 in
Wheelbase Length, Overall Height, Overall	210.7 in 75.9 in	Width, Max w/o mirrors  Overhang, Front	81 in N/A
Wheelbase Length, Overall Height, Overall Overhang, Rear w/o bumper	210.7 in 75.9 in N/A	Width, Max w/o mirrors  Overhang, Front  Front Bumper to Back of Cab	81 in N/A N/A
Wheelbase Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle	210.7 in 75.9 in N/A N/A	Width, Max w/o mirrors  Overhang, Front  Front Bumper to Back of Cab  Cab to End of Frame	81 in N/A N/A N/A
Wheelbase Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor	210.7 in 75.9 in N/A N/A N/A	Width, Max w/o mirrors  Overhang, Front  Front Bumper to Back of Cab  Cab to End of Frame  Ground to Top of Frame	81 in N/A N/A N/A N/A
Wheelbase Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear	210.7 in 75.9 in N/A N/A N/A N/A	Width, Max w/o mirrors  Overhang, Front  Front Bumper to Back of Cab  Cab to End of Frame  Ground to Top of Frame  Ground Clearance, Front	81 in N/A N/A N/A N/A 8 in
Wheelbase Length, Overall Height, Overall Overhang, Rear w/o bumper Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	210.7 in 75.9 in N/A N/A N/A N/A N/A 8 in	Width, Max w/o mirrors  Overhang, Front  Front Bumper to Back of Cab  Cab to End of Frame  Ground to Top of Frame  Ground Clearance, Front  Body Length	81 in N/A N/A N/A N/A 8 in 0.00 f

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



### **Dimensions**

### **Cargo Area Dimensions**

Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	49.4 in
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	125.9 ft <sup>3</sup>
Cargo Volume to Seat 2	70.3 ft <sup>3</sup>	Cargo Volume to Seat 3	N/A
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A

### **Exterior**

### **Doors**

Side Door Type N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Selected	Model	and	<b>Options</b>

MODEL MODEL	i and Options			
CODE	MODEL			MSRP
CK10706	2023 Chevrolet Tahoe 4WD 4dr Commercial			\$50,750.00
COLORS				
CODE	DESCRIPTION			
G48	Auburn Metallic			
SUSPENSION PK	G			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZW7	Suspension Package, Premium Smooth Ride (STD)	0.00 lbs	0.00 lbs	\$0.00
EMISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00
ENGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
L84	Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)	0.00 lbs	0.00 lbs	\$0.00
TRANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
MHU	Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
GVWR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

0.00 lbs

0.00 lbs

\$0.00

GVWR, 7500 lbs. (3402 kg) (4WD models only.) (STD)

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

C6H



AXLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GU5	Rear axle, 3.23 ratio	0.00 lbs	0.00 lbs	\$0.00
PREFERRED EQ	UIPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
1FL	Commercial Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00
WHEEL TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
PZX	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)	0.00 lbs	0.00 lbs	\$0.00
TIRES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
QDF	Tires, 265/65R18SL all-season, blackwall (Standard with (PZX) 18" Bright Silver painted aluminum wheels only.) (STD)	0.00 lbs	0.00 lbs	\$0.00
PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
G48	Auburn Metallic	0.00 lbs	0.00 lbs	\$0.00
SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AZ3	Seats, front 40/20/40 split-bench (STD)	0.00 lbs	0.00 lbs	\$0.00
SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
H1T	Jet Black, Cloth seat trim (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
IOR	Audio system, Chevrolet Infotainment 3 system, 8" diagonal color touchscreen AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)	0.00 lbs	0.00 lbs	\$0.00

ADDITIONAL EG	DITIONAL EQUIPMENT - PACKAGE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
5W4	Identifier for Special Service vehicle includes (K47) heavy-duty air filter, (KX4) 250 amp high output alternator, (K6K) 760 cold-cranking amps auxiliary battery, electrical power and vehicle signals for customer connection located at the center front floor, auxiliary battery circuit for customer connection located in the rear cargo area, (RC1) front skid plate, SEO (5J3) Surveillance Mode interior lighting calibration, SEO (UT7) blunt cut cargo area and blunt cut console area ground wires, (V53) delete luggage rack side rails, (ATD) third row seat delete and (NP0) active single-speed transfer case *Upon selection of this option the base price will change*	0.00 lbs	0.00 lbs	\$0.00	

ADDITIONAL EQUIPMENT - MECHANICAL				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
	Capless Fuel Fill (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
K3W	Battery, 850 cold-cranking amps with 95 amp hour rating (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
K6K	Battery, auxiliary, 760 cold-cranking amps with 70 amp hour rating (packaged behind left rear cargo area panel) (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
KX4	Alternator, 250 amps (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
RC1	Skid plate, front (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EC	DDITIONAL EQUIPMENT - EXTERIOR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
<u></u>	Exterior ornamentation delete (front & rear Chevrolet bowties will remain) (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.	
RM7	Wheel, full-size spare 17" x 8" (43.2 cm x 20.3 cm) steel (Included and only available with (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.	
V53	Luggage rack side rails, delete (Included with (9C1) Police Vehicle or (5W4) Special Service Vehicle.) *CREDIT*	0.00 lbs	0.00 lbs	Inc.	
WUA	Fascia, front high-approach angle (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.	

ADDITIONAL E	QUIPMENT - INTERIOR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
	Instrumentation, analog with certified 140 mph speedometer, odometer with trip odometer, engine hour meter, fuel level, voltmeter, engine temperature, oil pressure and tachometer (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
	Power supply, 100-amp, auxiliary battery, rear electrical center (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
	Power supply, 120-amp, (4) 30-amp circuit, Primary battery relay controlled, passenger compartment harness wiring (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
	Power supply, 50-amp, power supply, auxiliary battery passenger compartment wiring harness (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
	Theft-deterrent system, vehicle, PASS-Key III (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
ATD	Seat delete, third row passenger *CREDIT*	0.00 lbs	0.00 lbs	Inc.
AX2	Key, unique Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
BCV	Lock control, driver side auto door lock disable (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
VZ2	Speedometer calibration (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



ADDITIONAL EQUIPMENT - SAFETY-INTERIOR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
	Seat belts, 3-point, all seating positions (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.

CODE	DESCRIPTION	FRONT	REAR	MSR
		WEIGHT	WEIGHT	
5J3	Calibration, Surveillance Mode interior lighting (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
5J9	Calibration, taillamp flasher, Red/White (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
5LO	Calibration, taillamp flasher, Red/Red (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
6J7	Flasher system, headlamp and taillamp, DRL compatible with control wire (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
	Protected idle allows vehicle engine to remain idling and vehicle immobilized while FOB is outside vehicle (Included and only available (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
T66	Wiring provision, for outside mirrors and cargo side mirrors (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
UT7	Ground wires, blunt cut cargo area and blunt cut console area (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs	Inc.
VXT	Incomplete vehicle (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle. Included and only available with (ATZ) rear seat delete.)	0.00 lbs	0.00 lbs	Inc.
	Options Total	0.00 lbs	0.00 lbs	\$0.0

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Standard Equipment**

Otanida =quip	
Mechanical	
	Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (STD)
	Rear axle, 3.23 ratio
	Suspension Package, Premium Smooth Ride (STD)
	GVWR, 7500 lbs. (3402 kg) (4WD models only.) (STD)
	Keyless start, push button
	Automatic Stop/Start
	Engine control, stop/start system disable button, non-latching
	Engine air filtration monitor
	Fuel, gasoline, E15
	Transfer case, active, single-speed, electronic Autotrac does not include neutral. Cannot be dinghy towed (4WD models only. Deleted when (NHT) Max Trailering Package is ordered.)
	Differential, mechanical limited-slip
	4-wheel drive
	Air filter, heavy-duty
	Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Battery, 730 cold-cranking amps with 80 amp hour rating
	Alternator, 220 amps
	Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver
	Trailer sway control
	Hitch Guidance
	Suspension, front coil-over-shock with stabilizer bar
	Suspension, rear multi-link with coil springs
	Steering, power
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Exhaust, single system, single-outlet
	Mechanical Jack with tools

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)
	Tires, 265/65R18SL all-season, blackwall (Standard with (PZX) 18" Bright Silver painted aluminum wheels only. (STD)
	Wheel, full-size spare, 17" (43.2 cm)
	Tire, spare P265/70R17 all-season, blackwall
	Tire carrier, lockable outside spare, winch-type mounted under frame at rear
	Active aero shutters, upper
	Fascia, front
	Luggage rack side rails, roof-mounted, Black
	Assist steps, Black with chrome accent strip
	Headlamps, LED
	Lamps, stop and tail, LED
	Mirrors, outside heated power-adjustable, manual-folding, body-color
	Mirror caps, body-color
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated
	Glass, windshield shade band
	Windshield, solar absorbing
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Door handles, body-color
	Liftgate, rear manual
Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 8" diagonal color touchscreen AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system
	SiriusXM Radio delete
	Infotainment display, 8" diagonal touchscreen
	Bluetooth for phone personal cell phone connectivity to vehicle audio system
	Wireless Apple CarPlay/Wireless Android Auto

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Entertainment	
	Wi-Fi Hotspot capable (Standard with (UE1) OnStar only. Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench (Not available with (D07) center floor console and (USR) USB data ports.) (STD)
	Seat trim, cloth
	Seat adjusters, 8-way power includes 6-way power front passenger seat with 2-way power lumbar
	Seat adjusters, 10-way power includes 8-way power driver seat with 2-way power lumbar
	Seats, second row 60/40 split-folding bench, manual
	Seats, third row 60/40 split-folding bench, manual (Not available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)
	Floor covering, Black rubberized vinyl (Deleted when (B30) floor covering is ordered.)
	Electronic Precision Shift
	Steering column lock, electrical (Standard on models built after July 18, 2022.)
	Steering column, manual tilt and telescopic
	Steering wheel, urethane
	Steering wheel controls, mounted audio, Driver Information Center, cruise control and Forward Collision Alert following gap button (if equipped) (left backside Seek/Scan steering wheel radio buttons are inoperable; these 2 buttons can be repurposed for aftermarket emergency equipment)
	Driver Information Center, 4.2" diagonal color display includes driver personalization
	Rear Seat Reminder
	Door locks, power programmable with lockout protection and delayed locking (When ordered with (9C1) Police Vehicle or (5W4) Special Service Vehicle, Auto Lockout is disabled on driver door.)
	Keyless Open includes extended range Remote Keyless Entry
	Cruise control, electronic with set and resume speed
	Theft-deterrent system, content, electrical, unauthorized entry
	USB data ports, 2, one type-A and one type-C, located within center console
	USB charging-only ports, 4, (2) located on rear of center console and (2) in 3rd row (1 left and 1 right side below quarter glass side window) (When ordered with (9C1) Police Vehicle or (5W4) Special Service Vehicle, (2) type-C ports are moved to the rear of center seat base and (2) type-C are moved to the cargo area. Deleted when (A50) front bucket seats are ordered.)
	Window, power with driver Express-Up/Down
	Window, power with front passenger Express-Up/Down
	Windows, power with rear Express-Down

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Interior	
	Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants
	Air conditioning, rear
	Defogger, rear-window electric
	Power outlets, 2, 120-volt, located on the rear of the center seat and rear cargo area
	Power outlet, front auxiliary, 12-volt, located in the center stack of instrument panel
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger illuminated vanity mirrors, sliding
	Assist handles, overhead, driver and front passenger, located in headliner
	Assist handles, front passenger A-pillar and second row outboard B-pillar (Deleted when SEO (7X2) left- and right-hand spotlamps or SEO (7X3) left-hand spotlamp are ordered.)
	Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions. On Police/Special Service vehicles, the control switch is located in the roof console in lieu of the driver - and passenger-side door switch with delayed entry feature.
	Cargo management system
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Hill Start Assist
	StabiliTrak, stability control system with brake assist, includes traction control
Safety-Exterior	
	Daytime Running Lamps, reduced intensity low beam
Safety-Interior	
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for all rows in outboard seating positions (Deleted when (A50) front bucket seats are ordered. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Safety-Interior	
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	Front and Rear Park Assist
	Following Distance Indicator
	HD Rear Vision Camera
	Front Pedestrian Braking
	Lane Keep Assist with Lane Departure Warning
	Forward Collision Alert
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu (When ordered with (9C1) Police Vehicle or (5W4) Special Service Vehicle, defaulted off. Feature can be turned on in the Infotainment menu.)
	Door locks, rear child security, manual
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions (Deleted when (ATZ) second row seat delete is ordered.)
	Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)
	Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on
	3 Years of Remote Access. The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Deleted when (UDA) vehicle deactivated communication system is ordered. Remote Access Plan does not include emergency or security services. See onstar.com for details and limitations. Available on select Apple and Android devices. Service availability, features and functionality vary by vehicle, device, and the plan you are enrolled in. Terms apply. Device data connection required.)

### **WARRANTY**

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000

Drivetrain Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.