





Technical Specifications

Powertrain

Jwei (i aii i			
ransmission			
Drivetrain	Rear Wheel Drive	Trans Order Code	MHS
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.14
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.27	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		
f ileage			
EPA Fuel Economy Est - Hwy	20 (2022) MPG	Cruising Range - City	420.00 mi
EPA Fuel Economy Est - City	15 (2022) MPG	Fuel Economy Est-Combined	17 (2022) MP
Cruising Range - Hwy	560.00 mi	Estimated Battery Range	N/A
ngine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	N/A
Cooling System			
Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



hicle			
missions			
Tons/yr of CO2 Emissions @ 15K mi/year	10.4 (2022)	EPA Greenhouse Gas Score	N/A
ehicle			
Rear Door Type	Liftgate		
nassis			
/eight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3600 lbs
Gross Axle Wt Rating - Rear	4300 lbs	Curb Weight - Front	2816 lbs
Curb Weight - Rear	2687 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	784.00 lbs
Reserve Axle Capacity - Rear	1613.00 lbs	As Spec'd Curb Weight	5503.00 lbs
As Spec'd Payload	1997.00 lbs	Maximum Payload Capacity	1997.00 lbs
Gross Combined Wt Rating	14000 lbs	Gross Axle Weight Rating	7900.00 lbs
Curb Weight	5503.00 lbs	Reserve Axle Capacity	2397.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7500.00 lbs
railering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	7800 lbs	Wt Distributing Hitch - Max Tongue Wt.	780 lbs
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	8300 lbs		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



hassis			
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QDF	Rear Tire Order Code	QDF
Spare Tire Order Code	N/A	Front Tire Size	265/65R18SL
Rear Tire Size	265/65R18SL	Spare Tire Size	P265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	42.3 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13.5 x 1.2 in
Rear Brake Rotor Diam x Thickness	13.6 x 1.0 in	Drum - Rear (Yes or)	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Chassis

Brakes

Fuel Tank

Vehicle: [Fleet] 2023 Chevrolet Suburban (CC10906) 2WD 4dr Commercial (✓ Complete)

rolet Subulban (CC 10300)	2000 -di Commerciai (V comp	iete)
N/A		
28 gal	Aux Fuel Tank Capacity, Approx	N/A
N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Fuel Tank Location

Rear Drum Diam x Width

Fuel Tank Capacity, Approx

Passenger Capacity	9	Front Head Room	42.3 in
Front Leg Room	44.5 in	Front Shoulder Room	66.0 in
Front Hip Room	61.5 in	Second Head Room	38.9 in
Second Leg Room	42.0 in	Second Shoulder Room	64.8 in
Second Hip Room	61.3 in	Third Head Room	38.2 in
Third Leg Room	36.7 in	Third Shoulder Room	62.8 in
Third Hip Room	49.4 in		

Exterior Dimensions

Wheelbase	134.1 in	Length, Overall w/rear bumper	N/A
Length, Overall	225.7 in	Width, Max w/o mirrors	81.1 in
Height, Overall	75.7 in	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	8 in
Ground Clearance, Rear	8 in	Body Length	0.00 ft
Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
Side Door Opening Height	N/A	Side Door Opening Width	N/A
Step Up Height - Front	N/A	Step Up Height - Side	N/A
Cab to Body	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Dimensions

Cargo Area Dimensions

Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	49.4 in
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	144.7 ft ³
Cargo Volume to Seat 2	93.8 ft ³	Cargo Volume to Seat 3	41.5 ft ³
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A

Exterior

Doors

Side Door Type N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Selected Mode	el and Options			
MODEL				
CODE	MODEL			MSRP
CC10906	2023 Chevrolet Suburban 2WD 4dr Commercial			\$55,300.00
COLORS				
CODE	DESCRIPTION			
GBA	Black			
EMISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00
ENGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
L84	Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)	0.00 lbs	0.00 lbs	\$0.00
TRANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
MHS	Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (STD)	0.00 lbs	0.00 lbs	\$0.00
AXLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GU5	Rear axle, 3.23 ratio	0.00 lbs	0.00 lbs	\$0.00
PREFERRED EQ	UIPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
1FL	Commercial Preferred Equipment Group includes standard	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

equipment



WHEEL TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
PZX	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)	0.00 lbs	0.00 lbs	\$0.00
TIRES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
QDF	Tires, 265/65R18SL all-season, blackwall (Standard with (PZX) 18" Bright Silver painted aluminum wheels only.) (STD)	0.00 lbs	0.00 lbs	\$0.00
PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GBA	Black	0.00 lbs	0.00 lbs	\$0.00
SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AZ3	Seats, front 40/20/40 split-bench (STD)	0.00 lbs	0.00 lbs	\$0.00
SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
H0U	Jet Black, Premium cloth seat trim	0.00 lbs	0.00 lbs	\$0.00
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
IOR	Audio system, Chevrolet Infotainment 3 system, 8" diagonal color touchscreen AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)	0.00 lbs	0.00 lbs	\$0.00
	Options Total	0.00 lbs	0.00 lbs	\$0.00

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Standard Equipment

Mechanical	
	Suspension, Premium Smooth Ride
	Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (STD)
	GVWR, 7500 lbs. (3402 kg) (2WD models only.)
	Rear axle, 3.23 ratio
	Keyless start, push button
	Automatic Stop/Start
	Engine control, stop/start system disable button, non-latching
	Engine air filtration monitor
	Fuel, gasoline, E15
	Differential, mechanical limited-slip
	Rear wheel drive
	Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Battery, 730 cold-cranking amps with 80 amp hour rating
	Alternator, 220 amps
	Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver
	Trailer sway control
	Hitch Guidance
	Suspension, front coil-over-shock with stabilizer bar
	Suspension, rear multi-link with coil springs
	Steering, power
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Exhaust, single system, single-outlet
	Mechanical Jack with tools
Exterior	
	Wheels 18" v 8 5" (45 7 cm v 21 6 cm) Bright Silver painted aluminum (STD)

Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Exterior	
	Tires, 265/65R18SL all-season, blackwall (Standard with (PZX) 18" Bright Silver painted aluminum wheels only.) (STD)
	Wheel, full-size spare, 17" (43.2 cm)
	Tire, spare P265/70R17 all-season, blackwall
	Tire carrier, lockable outside spare, winch-type mounted under frame at rear
	Active aero shutters, upper
	Fascia, front
	Luggage rack side rails, roof-mounted, Black
	Assist steps, Black with chrome accent strip
	Headlamps, LED
	Lamps, stop and tail, LED
	Mirrors, outside heated power-adjustable, manual-folding, body-color
	Mirror caps, body-color
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated
	Glass, windshield shade band
	Windshield, solar absorbing
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Door handles, body-color
	Liftgate, rear manual
Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 8" diagonal color touchscreen AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system
	Infotainment display, 8" diagonal touchscreen
	SiriusXM Radio delete
	Bluetooth for phone personal cell phone connectivity to vehicle audio system
	Wireless Apple CarPlay/Wireless Android Auto
	Wi-Fi Hotspot capable (Standard with (UE1) OnStar only. Terms and limitations apply. See onstar.com or dealer for details.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Interior	
	Seats, front 40/20/40 split-bench (Not available with (D07) center floor console and (USR) USB data ports.) (STD)
	Seat trim, cloth
	Seat adjusters, 8-way power includes 6-way power front passenger seat with 2-way power lumbar
	Seat adjusters, 10-way power includes 8-way power driver seat with 2-way power lumbar
	Seats, second row 60/40 split-folding bench, manual
	Seats, third row 60/40 split-folding bench, manual
	Floor covering, Black rubberized vinyl
	Electronic Precision Shift
	Steering column lock, electrical (Standard on models built after July 18, 2022.)
	Steering column, manual tilt and telescopic
	Steering wheel, urethane
	Steering wheel controls, mounted audio, Driver Information Center, cruise control, Forward Collision Alert following gap button and heated steering wheel (when equipped)
	Driver Information Center, 4.2" diagonal color display includes driver personalization
	Rear Seat Reminder
	Door locks, power programmable with lockout protection and delayed locking
	Keyless Open includes extended range Remote Keyless Entry
	Cruise control, electronic with set and resume speed
	Theft-deterrent system, electrical, unauthorized entry
	USB data ports, 2, one type-A and one type-C, located within center console
	USB charging-only ports, 4, (2) located on rear of center console and (2) in 3rd row
	Window, power with driver Express-Up/Down
	Window, power with front passenger Express-Up/Down
	Windows, power with rear Express-Down
	Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants
	Air conditioning, rear
	Defogger, rear-window electric
	Power outlets, 2, 120-volt, located on the rear of the center console and rear cargo area
	Power outlet, front auxiliary, 12-volt, located in the center stack of instrument panel
	Mirror, inside rearview manual day/night

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Interior	
	Visors, driver and front passenger illuminated vanity mirrors, sliding
	Assist handles, overhead, driver and front passenger, located in headliner
	Assist handles, front passenger A-pillar and second row outboard B-pillar
	Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
	Cargo management system
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Hill Start Assist
	StabiliTrak, stability control system with brake assist, includes traction control
Safety-Exterior	
	Daytime Running Lamps, reduced intensity low beam
Safety-Interior	
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for all rows in outboard seating positions (Deleted when (A50) front bucket seats are ordered. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	Front and Rear Park Assist
	Following Distance Indicator
	HD Rear Vision Camera
	Front Pedestrian Braking
	Lane Keep Assist with Lane Departure Warning
	Forward Collision Alert

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Safety-Interior	
Salety-Interior	
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu
	Door locks, rear child security, manual
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions, top tethers located in third row seating positions
	Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)
	Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on
	3 Years of Remote Access. The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Deleted when (UDA) vehicle deactivated communication system is ordered. Remote Access Plan does not include emergency or security services. See onstar.com for details and limitations. Available on select Apple and Android devices. Service availability, features and functionality vary by vehicle, device, and the plan you are enrolled in. Terms apply. Device data connection required.)
WARRANTY	

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000

Drivetrain Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.