





Technical Specifications

Powertrain Transmission Drivetrain Rear Wheel Drive Trans Order Code MYD Automatic Trans Type Trans Description Cont. Trans Description Cont. Again N/A First Gear Ratio (:1) 4.027 Second Gear Ratio (:1) 2.364 Third Gear Ratio (:1) 1.532 Fourth Gear Ratio (:1) 1.152 Fifth Gear Ratio (:1) 0.852 Sixth Gear Ratio (:1) 0.667 Reverse Ratio (:1) 3.064 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Power Take Off N/A Second Reverse Gear Ratio (:1) N/A Third Reverse Gear Ratio (:1) N/A Fourth Reverse Gear Ratio (:1) N/A N/A Fifth Reverse Gear Ratio (:1) N/A Sixth Reverse Gear Ratio (:1) Transmission Manufacturer N/A Transmission Type N/A **Engine** Engine Order Code L8T **Engine Type** Gas V8 6.6L/400 Direct Fuel Displacement Fuel System Injection SAE Net Horsepower @ RPM 350 @ 4500 SAE Net Torque @ RPM 425 @ 3800 Governed Engine Speed (RPM) **Engine Oil Cooler** Yes N/A **GMPT Engine Series Electrical** Cold Cranking Amps @ 0° F (Primary) 750 Cold Cranking Amps @ 0° F (2nd) N/A Cold Cranking Amps @ 0° F (3rd) N/A Maximum Alternator Capacity (amps) 145 **Cooling System Total Cooling System Capacity** N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

Oct 5, 2022



hicle			
ehicle			
Axle Ratio - Low Rear (:1)	N/A	As Spec Curb Weight - Front	N/A
As Spec Curb Weight - Rear	N/A		
assis			
eight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Total Weight	N/A	Gross Axle Wt Rating - Front	4860 lbs
Gross Axle Wt Rating - Rear	8840 lbs	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	N/A
As Spec'd Payload	N/A	Gross Combined Wt Rating	18000 lbs
Cargo Weight	0.00 lbs	Gross Vehicle Weight	N/A
Axle Weight	N/A	Gross Axle Weight Rating	13700.00 lbs
Curb Weight	N/A	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0.00 lbs
Payload Weight Rear	0.00 lbs	Maximum Axle Rating Front	4860.00 lbs
Maximum Axle Rating Rear	8840.00 lbs	Maximum Axle Rating Total	13700.00 lbs
Gross Vehicle Weight Rating	12000.00 lbs	Front PayLoad	N/A
Rear Payload	N/A	Total Payload Weight (Cargo + Driver + Body)	350.00 lbs
ame			
Frame Type	Ladder-Type Channel-Section	Sect Modulus Rails Only	7.20 in ³
Frame RBM	316800	Frame Strength	44000 lbs
Frame Thickness	8.50 X 2.76 X 0.24 in		
uspension			
Suspension Type - Front	Semi Elliptical Spring	Suspension Type - Rear	Multi-Leaf Spring

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



hassis			
Suspension			
Spring Capacity - Front	6830 lbs	Spring Capacity - Rear	12900 lbs
Axle Type - Front	Reverse Elliot I- Beam	Axle Type - Rear	Full-Floating
Axle Capacity - Front	6830 lbs	Axle Capacity - Rear	11020 lbs
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	4.10
Shock Absorber Diameter - Front	42.0 mm	Shock Absorber Diameter - Rear	42.0 mm
Stabilizer Bar Diameter - Front	1.65 in	Stabilizer Bar Diameter - Rear	N/A
Tires Tires			
Front Tire Order Code	2TA	Rear Tire Order Code	3ТА
Spare Tire Order Code	N/A	Front Tire Size	LT215/85R16
Rear Tire Size	LT215/85R16	Spare Tire Size	N/A
Front Tire Capacity	4860 lbs	Rear Tire Capacity	8840 lbs
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	682.9
Revolutions/Mile @ 45 mph - Rear	682.9	Revolutions/Mile @ 45 mph - Spare	N/A
Tire Rating Total	13700.00		
Vheels			
Front Wheel Size	16 x 6.0 in	Rear Wheel Size	16 x 6.0 in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Front Bolt Pattern	N/A	Rear Bolt Pattern	N/A
Spare Bolt Pattern	N/A		
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Center	18.8 - 20.9
Steering Ratio (:1), At Lock	18.8 - 20.9	Turning Diameter - Curb to Curb	33.5 ft
Turning Diameter - Wall to Wall	37.5 ft		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



hassis				
Brakes				
Brake ABS System (Second Line) N/A		Disc - Front (Yes or)	Yes	
Disc - Rear (Yes or)	N/A	Front Brake Rotor Diam x Thickness	14.3 x -TBD- ir	
Rear Brake Rotor Diam x Thickness	N/A	Drum - Front (Yes or)	N/A	
Front Drum Diam x Width	N/A	Drum - Rear (Yes or)	Yes	
Rear Drum Diam x Width	12.6 x 4.72 in			
Fuel Tank				
Fuel Tank Capacity, Approx	38.6 gal	Aux Fuel Tank Capacity, Approx	N/A	
Fuel Tank Location	Frame Rail	Aux Fuel Tank Location	N/A	
Trailering				
Trailer Weight	0.0 lbs			
imensions				
nterior Dimensions				
Passenger Capacity	3	Front Head Room	38.40 in	
Front Leg Room	29.50 in	Front Shoulder Room	70.70 in	
Front Hip Room	67.70 in			
Exterior Dimensions				
Wheelbase	109.00 in	Length, Overall w/o rear bumper	N/A	
Length, Overall	200.5 in	Width, Max w/o mirrors	81.3 in	
Height, Overall	90.0 in	Overhang, Front	48.4 in	
Overhang, Rear w/o bumper	43.1 in	Front Bumper to Back of Cab	70.9 in	
Cab to Axle	86.5 in	Cab to End of Frame	129.6 in	
Ground to Top of Load Floor	N/A	Ground to Top of Frame	31.8 in	
Frame Width, Rear	33.5 in	Ground Clearance, Front	7.5 in	
Ground Clearance, Rear	7.5 in	Body Length	0.0 ft	
Cab to Body	0.0 in	Frontal Area	0.00 ft ²	

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.





Medium Duty

ium Duty Performance			
Front Axle %	N/A	Rear Axle %	N/A
Driver Weight	350.0 lbs	Front Ground Load	N/A
Rear Ground Load	N/A	1st gear High Speed (High Axle Gear)	N/A
2nd gear High Speed (High Axle Gear)	N/A	3rd gear High Speed (High Axle Gear)	N/A
4th gear High Speed (High Axle Gear)	N/A	5th gear High Speed (High Axle Gear)	N/A
6th gear High Speed (High Axle Gear)	N/A	1st gear Low Speed (High Axle Gear)	20.22 MF
2nd gear Low Speed (High Axle Gear)	34.45 MPH	3rd gear Low Speed (High Axle Gear)	53.15 MF
4th gear Low Speed (High Axle Gear)	70.69 MPH	5th gear Low Speed (High Axle Gear)	95.58 MF
6th gear Low Speed (High Axle Gear)	122.09 MPH	1st gear High Speed (Low Axle Gear)	N/A
2nd gear High Speed (Low Axle Gear)	N/A	3rd gear High Speed (Low Axle Gear)	N/A
4th gear High Speed (Low Axle Gear)	N/A	5th gear High Speed (Low Axle Gear)	N/A
6th gear High Speed (Low Axle Gear)	N/A	1st gear Low Speed (Low Axle Gear)	N/A
2nd gear Low Speed (Low Axle Gear)	N/A	3rd gear Low Speed (Low Axle Gear)	N/A
4th gear Low Speed (Low Axle Gear)	N/A	5th gear Low Speed (Low Axle Gear)	N/A
6th gear Low Speed (Low Axle Gear)	N/A	Reduction	16.51
Torque @ Clutch Engage	N/A	Starting Grade Index	N/A
1st Gear Tractive Effort (High Axle Gear)	4983.62	2nd Gear Tractive Effort (High Axle Gear)	2925.57
3rd Gear Tractive Effort (High Axle Gear)	1895.93	4th Gear Tractive Effort (High Axle Gear)	1425.66
5th Gear Tractive Effort (High Axle Gear)	1054.39	6th Gear Tractive Effort (High Axle Gear)	825.45
1st Gear Tractive Effort (Low Axle Gear)	N/A	2nd Gear Tractive Effort (Low Axle Gear)	N/A
3rd Gear Tractive Effort (Low Axle Gear)	N/A	4th Gear Tractive Effort (Low Axle Gear)	N/A
5th Gear Tractive Effort (Low Axle Gear)	N/A	6th Gear Tractive Effort (Low Axle Gear)	N/A
1st Gear Gradeability (High Axle Gear)	N/A	2nd Gear Gradeability (High Axle Gear)	N/A
3rd Gear Gradeability (High Axle Gear)	N/A	4th Gear Gradeability (High Axle Gear)	N/A
5th Gear Gradeability (High Axle Gear)	N/A	6th Gear Gradeability (High Axle Gear)	N/A
1st Gear Gradeability (Low Axle Gear)	47.66	2nd Gear Gradeability (Low Axle Gear)	26.61
3rd Gear Gradeability (Low Axle Gear)	14.61	4th Gear Gradeability (Low Axle Gear)	7.49
5th Gear Gradeability (Low Axle Gear)	-0.91	6th Gear Gradeability (Low Axle Gear)	-9.76
Geared Road Speed	0.00 MPH	Actual Loaded Speed	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Medium Duty Medium Duty Performance 2.0 Grade (%) Maximum Speed Gradeability N/A **Torque Converter** N/A Maximum Capacity @ 0° F 750.00 % of Body on Front Axle 73.39 % of Body on Rear Axle 26.61 **Body Weight Front** 0.00 lbs **Body Weight Rear** 0.00 lbs Actual Loaded Speed (First Part, MPH) Actual Loaded Speed (Second Part, RPM) N/A Actual Loaded Speed (Third Part, Gear) Road Type Concrete **Body Weight** 0.0 lbs **Driver Weight Front** N/A **Driver Weight Rear** N/A Medium Duty Body Type None **Front Total Load** N/A **Rear Total Load** N/A

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

Oct 5, 2022

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.




CA: 86.5 in BOC: 0.0 in

WB: 109.00 in

Weight Distribution

SPECIFICATION SUMMARY	
Model #	CP11003
Truck/Tractor	
Wheelbase (WB)	109.00 in
Cab to Axle (CA)	86.5 in
Cab to Body/Swing Clear (BOC)	0.0 in
Body Length	0.0 ft
Body Weight	0.0 lbs
Cargo Weight	0.00 lbs
Front GAWR	4860 lbs
Rear GAWR	8840 lbs
GVWR	12000.00 lbs



Front Wt: N/A

Rr%: N/A Rear Wt: N/A

GAWR/GVWR	GVW	Remaining Payload Wt
12000.00 lbs	N/A	12,000.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Weight Distribution

ECIFICATION DETAILS			
	Front Axle	Rear Axle	Tota
Actual			
Chassis	N/A	N/A	N/A
Body	0.00 lbs	0.00 lbs	0.0 lbs
Payload	0.00 lbs	0.00 lbs	0.00 lbs
Trailer			0.0 lbs
Totals	N/A	N/A	N/A
Capacity			
Axle	4860 lbs	8840 lbs	13700.00 lbs
Suspension	6830 lbs	12900 lbs	19,730.00 lbs
Tire	4860 lbs	8840 lbs	13700.00
Total Axle Rating	4860.00 lbs	8840.00 lbs	13700.00 lbs

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Selected Model and Options

Selected Model a			
MODEL			
CODE	MODEL		
CP11003	2023 Chevrolet 3500 LCF Gas 2WD Reg Cab 109"		
COLORS			
CODE	DESCRIPTION		
16U	Arc White		
REQUIRED OPTION	V.		
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
R9J	Ocean Freight Surcharge (Required on all models until further notice.)	0.00 lbs	0.00 lbs
ENGINE			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
L8T	Engine, 6.6L V8 SIDI, GMPT-V8 8 cylinder V Iron block, four cycle overhead valve water cooled 6.6L SIDI V8 350 hp [261 kW] @ 4500 rpm, 425 lbft of torque [575.8 N-m] @ 3800 rpm. Electronically controlled direct fuel injection. Six bolt main cap design for heavy-duty performance. Engine Control Module (ECM) and Transmission Control Module (TCM) engine control system. Engine cruise control, engine oil cooler, High Idle Mode (1200 rpm). (STD)	0.00 lbs	0.00 lbs
TRANSMISSION			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
MYD	Transmission, 6-speed automatic, 6L90-E Hydra-Matic with lock-up converter and overdrive. Ratios: Gear and Ratios 4.027, 2.364 ,1.532,	0.00 lbs	0.00 lbs

TRANSINISSION				
	CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
	MYD	Transmission, 6-speed automatic, 6L90-E Hydra-Matic with lock-up converter and overdrive. Ratios: Gear and Ratios 4.027, 2.364 ,1.532, 1.152, 0.852, 0.667, Rev. 3.064:1 (STD)	0.00 lbs	0.00 lbs

AXLE			
CODE	DESCRIPTION	FRONT WEIGHT REAR WEIGHT	
066	Rear axle, 4.10 ratio (Standard on 3500 model only.)	0.00 lbs 0.00 lbs	

PREFERRED EQUIPMENT GROUP				
	CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
	1WT	Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
16U	Arc White	0.00 lbs	0.00 lbs	
SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
A1F	Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD)	0.00 lbs	0.00 lbs	
SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
H72	Medium Ash Gray, Cloth Seat Trim	0.00 lbs	0.00 lbs	
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
UIZ	Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD)	0.00 lbs	0.00 lbs	
	Options Total	0.00 lbs	0.00 lbs	
	As Specified Curb Weight	N/A	N/A	

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Standard Equipment

• •	
Mechanical	
	Emissions, 50 state certification
	Engine, 6.6L V8 SIDI, GMPT-V8 8 cylinder V Iron block, four cycle overhead valve water cooled 6.6L SIDI V8 350 hp [261 kW] @ 4500 rpm, 425 lbft of torque [575.8 N-m] @ 3800 rpm. Electronically controlled direct fuel injection. Six bolt main cap design for heavy-duty performance. Engine Control Module (ECM) and Transmission Control Module (TCM) engine control system. Engine cruise control, engine oil cooler, High Idle Mode (1200 rpm). (STD)
	Transmission, 6-speed automatic, 6L90-E Hydra-Matic with lock-up converter and overdrive. Ratios: Gear and Ratios 4.027, 2.364 ,1.532, 1.152, 0.852, 0.667, Rev. 3.064:1 (STD)
	Rear axle, 4.10 ratio (Standard on 3500 model only.)
	Air cleaner, heavy-duty, 11" diameter dry paper single element. Air cleaner canister standard with air restriction gauge. Back of cab location.
	Drivetrain, rear-wheel drive
	Battery, 750 cold-cranking amps, 12-volt single, maintenance free, frame-mounted battery box
	Frame, ladder-type channel frame. Full C section straight frame 33.5" (85.1 cm) wide. Yield strength 44,000 psi, section modulus 7.20 cu.in. and RBM 316,800 lb-ft/in per rail.
	Incomplete vehicle certification
	Wheelbase, 109" (276.9 cm)
	GVWR, 12,000 lbs. (5443 kg)
	Rear suspension, 12,900 lbs. (5851 kg), multi-leaf, semi-elliptical steel alloy. Includes shock absorbers
	Front axle, 6,830 lbs. (3098 kg), reverse Elliot "I"-beam includes integral hydraulic power steering. ratio 18.8-20.9:1
	Vehicle Application Truck
	Brakes, 4-wheel antilock, front disc
	Fuel tank, 38.6 Gallon, (146L), rectangular fuel tank. mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.
	Exhaust, single outlet
Exterior	
	Wheels, 16" x 6, K. steel
	Tires, front, LT215/85R16 E, LRR (low rolling resistance) tubeless steel belted radial, all-season
	Tires, rear, LT215/85R16 E, LRR (low rolling resistance) tubeless steel belted radial, all-season
	Assist steps
	LED Headlamps
	Grille, Silver

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Glass, tinted Mirror, outside left hand and right hand dual cab mounted exterior with integral convex mirror Windshield wiper, pulse, wet arm Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD) Audio system feature, 2 speakers Audio system feature, 2 speakers Auterior Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD) Seat trim, Cloth Cup holders Floor mats Steering wheel, urethane Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets interior Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		
Mirror, outside left hand and right hand dual cab mounted exterior with integral convex mirror Windshield wiper, pulse, wet arm Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD) Audio system feature, 2 speakers Audio system feature, 2 speakers Audio system feature, 2 speakers Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD) Seat trim, Cloth Cup holders Floor mats Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Lighting, interior dome Brake, parking, cable actuated, internal expanding drum type, transmission-mounted	Exterior	
Windshield wiper, pulse, wet arm Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD) Audio system feature, 2 speakers Interior Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD) Seat trim, Cloth Cup holders Floor mats Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Interior Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Glass, tinted
Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD) Audio system feature, 2 speakers Interior Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD) Seat trim, Cloth Cup holders Floor mats Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Interior Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Mirror, outside left hand and right hand dual cab mounted exterior with integral convex mirror
Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD) Audio system feature, 2 speakers Interior Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD) Seat trim, Cloth Cup holders Floor mats Steering wheel, urethane Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Interior Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Windshield wiper, pulse, wet arm
Audio system feature, 2 speakers Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD) Seat trim, Cloth Cup holders Floor mats Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Safety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted	Entertainment	
Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD) Seat trim, Cloth Cup holders Floor mats Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets safety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD)
Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD) Seat trim, Cloth Cup holders Floor mats Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets safety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Audio system feature, 2 speakers
two-occupant fold down passenger seat (STD) Seat trim, Cloth Cup holders Floor mats Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets safety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted	Interior	
Cup holders Floor mats Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Stafety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		
Floor mats Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Storage, seatback pockets Stafety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Seat trim, Cloth
Steering wheel, urethane Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Storage, seatback pockets Stafety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Cup holders
Steering column, Tilt-Wheel Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Storage, seatback pockets Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Floor mats
Driver Information Center Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Storage, seatback pockets Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Steering wheel, urethane
Windows, power Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Steering column, Tilt-Wheel
Door locks, power Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Storage, seatback pockets Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Driver Information Center
Cruise control, electronic, automatic Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Storage, seatback pockets Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Windows, power
Air conditioning, single-zone manual, integral in-dash mounted Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Safety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted Safety-Exterior		Door locks, power
Windshield washer bottle access on passenger side dash when passenger-side door is open Storage, door pockets Lighting, interior dome Storage, seatback pockets Safety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted Safety-Exterior		Cruise control, electronic, automatic
Storage, door pockets Lighting, interior dome Storage, seatback pockets Safety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted Safety-Exterior		Air conditioning, single-zone manual, integral in-dash mounted
Lighting, interior dome Storage, seatback pockets Safety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted Safety-Exterior		Windshield washer bottle access on passenger side dash when passenger-side door is open
Storage, seatback pockets Safety-Mechanical Brake, parking, cable actuated, internal expanding drum type, transmission-mounted Safety-Exterior		Storage, door pockets
Brake, parking, cable actuated, internal expanding drum type, transmission-mounted Safety-Exterior		Lighting, interior dome
Brake, parking, cable actuated, internal expanding drum type, transmission-mounted		Storage, seatback pockets
Safety-Exterior	Safety-Mechanical	
		Brake, parking, cable actuated, internal expanding drum type, transmission-mounted
Daytime Running Lamns	Safety-Exterior	
Dayamo Rampo		Daytime Running Lamps

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 75,000

Drivetrain Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years: 4

Corrosion Miles/km: Unlimited

Rear Axle Years: 5

Rear Axle Miles/km: 75,000

Frame Rail Years: 3

Frame Rail Miles/km: 36,000

Frame Rail Note: 3 years/36,000 miles (no charge) AND up to 5 years/Unlimited miles (50% charge)

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 75,000

Roadside Assistance Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Geared Road Speed

SPECIFICATION SUMMARY	
Model #	CP11003
Engine Order Code	L8T
Model Manufacturer	GMPT
Туре	Gas V8
Displacement	6.6L/400
Horsepower	350 @ 4500
Starting Torque	N/A
Transmission Order Code	MYD
Model Manufacturer	N/A
Туре	6-Speed Automatic
Rear Axle Order Code	
Model Manufacturer	N/A
Weight Rating	8840 lbs
Ratio:1	4.10
Rear Tires	LT215/85R16
Revolutions/Mile Front	682.9
Revolutions/Mile Rear	682.9
Surface Type	Concrete
Desired Grade	2%

Geared Road Speed



Actual Loaded Speed



0% Grade in gear

2% Grade in gear

Note: Simulated speedometer appearance may not correspond with selected equipment.


This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Gradeability Chart

SPECIFICATION SUMMARY				
Model #	CP11003			
Engine Order Code	L8T			
Model Manufacturer	GMPT			
Туре	Gas V8			
Displacement	6.6L/400			
Horsepower	350 @ 4500			
Starting Torque	N/A			
Transmission Order Code	MYD			
Model Manufacturer	N/A			
Туре	6-Speed Automatic			
Rear Axle Order Code				
Model Manufacturer	N/A			
Weight Rating	8840 lbs			
Ratio:1				
	4.10			
Rear Tires	4.10 LT215/85R16			
Rear Tires	LT215/85R16			
Rear Tires Revolutions/Mile Front	LT215/85R16 682.9			



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.




Turning Circle

SPECIFICATION SUMMARY	
Model #	CP11003
Front Axle Order Code	
Capacity (lbs)	6830 lbs
Wheelbase Order Code	
Wheelbase (in)	109.00 in
Front Wheel Order Code	
Size/Type (in)	16 x 6.0 in
Front Tire Order Code	2TA
Size/Type	LT215/85R16

Wall to Wall (ft): 37.5 ft

Wall to Wall diameter is measured from the outermost part of the cab.



Curb to Curb (ft): 33.5 ft

Curb to Curb diameter is measured from the outside of the front tire.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.