





Selecte	Selected Model and Options			
MODEL				
CC	DDE	MODEL		
CC	C31003	2024 Chevrolet Silverado 3500HD CC 2WD Reg Cab 146" WB, 60" CA	Work Truck	
COLORS	S			
CC	DDE	DESCRIPTION		
G7	7C	Red Hot		
EMISSIC	ONS			
со	DE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
FE	9	Emissions, Federal requirements	0.00 lbs	0.00 lbs
ENGINE				
со	DE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
L8T	Γ	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)	0.00 lbs	0.00 lbs
TRANS	MISSION			
со	DE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
MK	Μ	Transmission, Allison 10-Speed automatic (STD)	0.00 lbs	0.00 lbs
AXLE				
СО	DE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GT	4	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs
PREFER	PREFERRED EQUIPMENT GROUP			
со	DE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
1W	Т	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs
WHEEL	WHEELS			
со	DE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
PY	W	Wheels, 17" (43.2 cm) painted steel	0.00 lbs	0.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



TIRES	TIRES			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
QZT	Tires, LT235/80R17E all-terrain, blackwall	0.00 lbs	0.00 lbs	
SPARE TIRE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
9L3	Spare tire delete	0.00 lbs	0.00 lbs	
PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
G7C	Red Hot	0.00 lbs	0.00 lbs	
SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under- seat storage (lockable) (STD)	0.00 lbs	0.00 lbs	
SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
H2G	Jet Black, Vinyl seat trim	0.00 lbs	0.00 lbs	
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)	0.00 lbs	0.00 lbs	
	Options Total	0.00 lbs	0.00 lbs	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



#### **Standard Equipment**

Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb- ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-Speed automatic (STD)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	Auto-locking rear differential
	Air filter, heavy-duty
	Air filtration monitoring
	Rear wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Recovery hooks, front, frame-mounted, Black
	Body, Chassis Cab
	Frame, fully-boxed, hydroformed front section and an open "C" rear section
	GVWR, 14,000 lbs. (6350 kg)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Fuel tank, front and rear, 63.5 gallon
	Capped Fuel Fill
Exterior	
	Wheels, 17" (43.2 cm) painted steel
	Tires, LT235/80R17E all-terrain, blackwall
	Dual Rear Wheels
	Wheel trim, painted center caps

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Exterior	
	Bumpers, front, Black
	Bumper, rear, delete
	Moldings, beltline, Black
	Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Lamps, Smoked Amber roof marker, (LED)
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp with switch in bank on left side of steering wheel
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]) (Standard on Regular Cab models. Included and only available with (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.)
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Door handles, Black grained
Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Audio system feature, 2-speakers (Requires Regular Cab model.)
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Vinyl seat trim
	Floor covering, rubberized-vinyl
	Steering wheel, urethane
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Interior	
	Compass, located in instrument cluster
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Brake lining wear indicator
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Power outlet, front auxiliary, 12-volt
	USB Ports, 2, Charge/Data ports located on instrument panel
	Air conditioning, single-zone
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
	Back-up alarm calibration. This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting (Not available with (8S3) Back-up alarm.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
	Automatic Emergency Braking
	Front Pedestrian Braking
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Following Distance Indicator
	Forward Collision Alert
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
This document contains informat	tion considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices,

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Safety-Interior	
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	3 Years of Remote Access The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Remote Access Plan does not include emergency or security services. See onstar.com for details and limitations. Available on select Apple and Android devices. Service availability, features and functionality vary by vehicle, device, and the plan you are enrolled in. Terms apply. Device data connection required.)
WARRANTY	
	Warranty Note: <<< Preliminary 2024 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Corrosion Years: 3 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000 Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.