

## MAJOR PRODUCT CHANGES

### OVERVIEW

The 2022 Super Duty® Chassis Cab reinforces the long tradition of F-Series toughness and continues to meet the needs of a multitude of commercial vocations, as well as personal use towing customers. Trademark "Built Ford Tough®" attributes such as capability to get the job done, quality, reliability, power, breadth and depth of product choices are solidly behind Chassis Cab users.

To learn more about the features on this vehicle, go to [www.fordsourcebook.com](http://www.fordsourcebook.com)

### MODEL/SERIES/AVAILABILITY

- XL, XLT, Lariat

### MECHANICAL

- ★ **New/Changed**
  - None
- **Deleted**
  - None

### EXTERIOR

- ★ **New/Changed**
  - None
- **Deleted**
  - Manual telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror (546)
- ★ **New Colors**
  - Atlas Blue (B3)
- **Deleted Colors**
  - Lithium Gray
  - Velocity Blue

### INTERIOR/COMFORT

- ★ **New/Changed**
  - Baja Interior – Lariat only
  - Black Onyx Interior – Lariat
  - Center armrest storage with 40/20/40 split bench front seat – XL
- **Deleted**
  - Interior Seat – Camel – XLT

### SAFETY/SECURITY

- ★ **New/Changed**
  - None
- **Deleted**
  - Underhood Service Light

### FORD CO-PILOT360™ TECHNOLOGY

- ★ **New/Changed**
  - None

### FUNCTIONAL

- ★ **New/Changed**
  - SYNC® 4 – standard on Lariat
  - SiriusXM® with 360L – standard on Lariat

### PACKAGES

- ★ **New/Changed**
  - 360-Degree Dual Beacon LED Warning Strobes replaced the 4-Corner LED Warning Strobes (91S/91G)
  - Revised frame bridging reinforcements will come standard on all variants of F-450, F-550 and F-600 chassis cabs, therefore the Aerial Lift / Severe Duty Prep Pkg (76X) is discontinued
- **Deleted**
  - Aerial Lift / Severe Duty Prep Package (76X)

### Product Changes and Features Availability

Features, options and package content subject to change. Please check [www.fmcdealer.com](http://www.fmcdealer.com) for the most current information.

**2022 SUPER DUTY® CHASSIS CAB  
(F-350CC / F-450CC / F-550 / F-600)  
MAJOR PRODUCT SUMMARY**

The all-new 2022 F-SUPER DUTY® reinforces the tough image of the F-Series and continues to meet the needs of both commercial and personal use towing customers.

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where otherwise noted:

| XL  | XLT  | LARIAT  |
|---|--|---|
| <p><b>MECHANICAL</b></p> <ul style="list-style-type: none"> <li>Brakes – Four-wheel Disc Brakes; Anti-lock Brake System (ABS)</li> <li>Electronic-Shift-On-the-Fly (ESOF) (4x4 only)</li> <li>Engine                     <ul style="list-style-type: none"> <li>6.2L 2 Valve Gas SOHC EFI NA V8 (Flex-Fuel) (F-350)</li> <li>7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550/F-600)</li> </ul> </li> <li>Transmission – Ten-Speed Automatic Transmission with Neutral Idle and Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow &amp; Slippery</li> </ul> <p><b>EXTERIOR</b></p> <ul style="list-style-type: none"> <li>Bumper – front, black painted</li> <li>Fender vents – front</li> <li>Fuel Tank                     <ul style="list-style-type: none"> <li>26.5 gallon mid ship (F-350 SRW)</li> <li>40 gallon aft axle (F-350 DRW/F-450/F-550/F-600)</li> </ul> </li> <li>Glass – solar-limited</li> <li>Grille – black painted</li> <li>Soff plates – front, color-coordinated</li> <li>Splash Guards/Mud Flaps – Front (F-450/550/F-600 only)</li> <li>“Three Blink” Lane change signal</li> <li>Tow hooks – front (2)</li> <li>Trailer wiring – 7 wire harness w/relays, blunt cut &amp; labeled</li> <li>Wheels                     <ul style="list-style-type: none"> <li>F-350 SRW – 18” Argent Painted Steel wheel w/Argent Hub Cover/Center Ornaments</li> <li>F-350 DRW – 17” Argent Painted Steel (hub covers/center ornaments not included)</li> <li>F-450, F-550 &amp; F-600 – 19.5” Argent Painted Steel</li> <li>Manual Locking Hubs (4x4)</li> </ul> </li> <li>Windshield Wipers – intermittent</li> </ul> <p><b>INTERIOR/COMFORT</b></p> <ul style="list-style-type: none"> <li>2.3” Productivity Screen in IP Cluster Instrumentation Center – Multi-function switch message center display with Ice Blue® Lighting</li> <li>12V Powerpoint, auxiliary</li> <li>Air conditioning – single-zone, manual</li> <li>Air conditioning vents – black w/chrome ring and knob</li> <li>Cabin Air Particulate Filter</li> <li>Door-trim – armrest/grab handle and reflector</li> <li>Floor covering – black, full length vinyl</li> <li>Mirror – rearview 11.5” day/night</li> <li>Outside Temperature Display</li> <li>Seat – Front, HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage (manual lumbar – driver’s side)</li> <li>Steering – power</li> <li>Steering wheel – black urethane with tilt and telescoping steering wheel/column; includes three (3) button message control</li> <li>Sun visors – color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror insert with 6 inch overhead</li> <li>Uplifter switches – 6 located in Overhead Console</li> <li>Window – Rear, fixed</li> </ul> <p><b>SAFETY/SECURITY</b></p> <ul style="list-style-type: none"> <li>AdvanceTrac® with RSC® (Roll Stability Control™)</li> <li>Belt-Minder® (front safety belt reminder)</li> <li>Driver and passenger frontal airbag; passenger side deactivation switch</li> <li>Headlamps – Quad beam jewel effect halogen</li> <li>Lamps – Roof marker/clearance – LED</li> <li>Mirrors – manually telescoping two-way fold trailer tow with manual glass</li> <li>Safety Belts – w/height adjustment (front-outboard seating positions only)</li> <li>Safety Canopy® System (incl. side-curtain airbags)</li> <li>Stationary Elevated Idle Control (SEIC)</li> <li>SOS Post-Crash Alert System™</li> </ul> <p><b>FORD CO-PILOT360™ TECHNOLOGY</b></p> <ul style="list-style-type: none"> <li>Autolamp – Auto On/Off Headlamps</li> </ul> <p><b>FUNCTIONAL</b></p> <ul style="list-style-type: none"> <li>Alternators:                     <ul style="list-style-type: none"> <li>6.2L 2 Valve Gas – 200 AMP</li> <li>7.3L 2 Valve Gas – 240 AMP</li> <li>6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel – 220 AMP</li> </ul> </li> <li>Audio – AM/FM stereo (four (4) speakers)</li> <li>FordPass™ Connect 4G Wi-Fi Modem                     <ul style="list-style-type: none"> <li>4G LTE Wi-Fi hotspot connects up to 10 devices<sup>1</sup></li> <li>Remotely start, lock and unlock vehicle<sup>2</sup></li> <li>Schedule specific times to remotely start vehicle<sup>2</sup></li> <li>Locate parked vehicle<sup>2</sup></li> <li>Check vehicle status<sup>2</sup></li> </ul> </li> <li>Note: Ford Telematics™ and Data Services Prep included for Fleet Only; FordPass™ Connect 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at <a href="http://www.fleet.ford.com">www.fleet.ford.com</a> or call 833-FCS-FORD or 833-327-3673.</li> <li>Stabilizer bars – front &amp; rear</li> <li>SYNC®                     <ul style="list-style-type: none"> <li>Enhanced Voice Recognition Communication and Entertainment</li> <li>911 Assist®</li> <li>4.2” LCD Center Stack screen</li> <li>AppLink®</li> <li>Smart-Charging USB port – one (1)</li> </ul> </li> </ul> | <p>All XLT content, plus:</p> <p><b>EXTERIOR</b></p> <ul style="list-style-type: none"> <li>Bumper – front, chrome</li> <li>Grille – two (2) bar, bright chrome</li> <li>Wheels – F-350 SRW – 18” Argent Painted Steel Wheel w/Argent Hub Cover/Center Ornaments</li> </ul> <p><b>INTERIOR/COMFORT</b></p> <ul style="list-style-type: none"> <li>4.2” LCD Productivity Screen in IP Cluster w/Compass display</li> <li>110V/400W Outlet dash mounted</li> <li>Auxiliary audio input jack</li> <li>Door-trim – soft armrest, grab handle, power windowlock switches and reflector; front map pockets on Regular Cab and SuperCab; front and rear map pockets on Crew Cab</li> <li>Floor mats – color-coordinated carpet</li> <li>Power Equipment Group – 1<sup>st</sup> row (front-seat) windows w/one-touch up/down, power 2<sup>nd</sup> row (rear-seat) windows (Super/Crew Cab); power/door-locks w/backlit switches &amp; accessory delay</li> <li>Seats, Front                     <ul style="list-style-type: none"> <li>Front, high-series cloth 40/20/40 split bench – 20% center under-seat storage, w/center armrest, cupholder and storage</li> <li>Two-way adjustable driver/passenger headrests</li> </ul> </li> <li>Sun visors – Color-coordinated cloth, both driver and passenger w/covered mirrors</li> <li>Window – rear, fixed privacy glass</li> </ul> <p><b>SAFETY/SECURITY</b></p> <ul style="list-style-type: none"> <li>Advanced Security Pack</li> <li>Mirrors – manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamp/turn signals</li> <li>MyKey® owner controls feature</li> <li>Remote keyless entry</li> <li>SecuriLock® Passive Anti-Theft System (PATS)</li> </ul> <p><b>FORD CO-PILOT360™ TECHNOLOGY</b></p> <ul style="list-style-type: none"> <li>Cruise control (steering wheel-mounted)</li> </ul> <p><b>FUNCTIONAL</b></p> <ul style="list-style-type: none"> <li>Audio – AM/FM stereo MP3 player &amp; five (5) speakers w/Rear Cab, seven (7) speakers w/Super/Crew Cabs</li> <li>SiriusXM® Radio<sup>3</sup></li> <li>Note: Includes a three (3)-month prepaid subscription. Service is not available in Alaska or Hawaii.</li> <li>SYNC® 3                     <ul style="list-style-type: none"> <li>Enhanced Voice Recognition Communications and Entertainment System</li> <li>8” LCD Capacitive Touchscreen in Center Stack with Swipe Capability</li> <li>Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation System</li> <li>AppLink®</li> <li>911 Assist®</li> <li>Apple CarPlay™ and Android Auto™</li> <li>Smart Charging USB Ports – two (2)</li> </ul> </li> <li>Note: SYNC® AppLink® lets you control some of your favorite compatible mobile apps with your voice. It is compatible with select smartphone platforms. Commands may vary by phone and AppLink® softwares</li> <li>Trailer Brake Controller</li> </ul> | <p>All XLT content, plus:</p> <p><b>EXTERIOR</b></p> <ul style="list-style-type: none"> <li>Fog lamps</li> <li>Grille – two (2) bar, chrome (includes additional chrome inserts)</li> <li>Handles – door, body-color</li> <li>Wheels                     <ul style="list-style-type: none"> <li>F-350 SRW – 18” Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright Hub Covers/Center Ornaments</li> <li>F-350 DRW – 17” Forged Polished Aluminum w/bright hub covers/center ornaments</li> <li>F-450/F-550 – 19.5” Forged Polished Aluminum w/white hub covers/center ornaments</li> </ul> </li> </ul> <p><b>INTERIOR/COMFORT</b></p> <ul style="list-style-type: none"> <li>110V/400W outlets; one (1) dash mounted and one (1) in rear console</li> <li>Air conditioning – Dual-Zone Electronic Automatic Temperature Control (DEATC)</li> <li>Air conditioning vents – painted obsidian with chrome ring</li> <li>Instrumentation Center – 8” LCD Productivity Screen with steering wheel-mounted five (5) button control; includes compass and menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications</li> <li>Mirror – rearview, electrochromic self-dimming</li> <li>Power-Adjustable Pedals</li> <li>Seats, Front                     <ul style="list-style-type: none"> <li>Leather seating surfaces, 40/Console40</li> <li>10-way power driver &amp; 8-way front-passenger seats (six-way power-adjustable track, two-way power recline and two-way power lumbar)</li> </ul> </li> <li>Seats, Rear                     <ul style="list-style-type: none"> <li>Armrest with cupholders (Crew Cab)</li> <li>Rear under-seat storage (SuperCab); floor fold-flat and locking (Crew Cab)</li> </ul> </li> <li>Steering wheel – leather-wrapped, color-coordinated</li> <li>Sun visors – color-coordinated cloth; both driver and passenger w/covered illuminated visor vanity mirrors</li> <li>Window – rear, power-sliding with privacy glass and defrost</li> </ul> <p><b>SAFETY/SECURITY</b></p> <ul style="list-style-type: none"> <li>Autolock, Auto unlock</li> <li>Mirrors – Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights and body-color skull caps)</li> <li>SecuriCode™ keyless entry keypad</li> </ul> <p><b>FUNCTIONAL</b></p> <ul style="list-style-type: none"> <li>Alternators:                     <ul style="list-style-type: none"> <li>6.2L 2 Valve Gas – 240 AMP</li> <li>7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550) – 307 AMP</li> </ul> </li> <li>Audio – B&amp;O Sound System by Bang &amp; Olufsen – (10) speakers including subwoofer</li> <li>SiriusXM® with 360L<sup>4</sup></li> <li>Note: Includes a three (3)-month prepaid subscription. Service is not available in Alaska and Hawaii</li> <li>SYNC® 4 with Enhanced Voice Recognition                     <ul style="list-style-type: none"> <li>12” LCD Capacitive Touchscreen with Swipe Capability</li> <li>Information On Demand Panel</li> <li>Wireless Phone Connection</li> <li>Cloud Connected</li> <li>AppLink® w/ App Catalog</li> <li>911 Assist</li> <li>Apple CarPlay® and Android Auto™ Compatibility</li> <li>Digital Owner’s Manual</li> <li>Conversational Voice Command Recognition</li> <li>Connected Navigation<sup>5</sup></li> </ul> </li> </ul> |

Please see Standard Equipment pages for more details.

<sup>1</sup> Includes a complimentary trial subscription of 3 months or 3 gigabytes – whichever comes first, Wireless Service Plan required after trial subscription ends. Visit [att.com/ford](http://att.com/ford) to start complimentary trial and sign up for a Wireless Service Plan

<sup>2</sup> Includes Service for one year from the vehicle sale date as recorded by the dealer

<sup>3</sup> Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of SiriusXM Radio Inc

<sup>4</sup> SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc. Your SiriusXM service will automatically stop at the end of your trial unless you decide to subscribe. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). All fees and programming subject to change. Not all vehicles or devices are capable of receiving all services offered by SiriusXM. Current information and features may not be available in all locations, or on all receivers. Satellite and streaming lineups vary slightly. © 2020 Sirius XM Radio Inc. Sirius, XM, SiriusXM and all related marks and logos are trademarks of Sirius XM Radio Inc

<sup>5</sup> Navigation services require SYNC®4 and FordPass Connect (optional on select vehicles), complimentary connect service and the FordPass app (see FordPass Terms for details). Customer receives a complimentary 90-day trial of navigation services when an eligible vehicle is added to a member’s FordPass account. Trial period begins on the new vehicle warranty start date. At the end of the complimentary period, navigation service will terminate. Connected service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. FordPass App, compatible with select smartphone platforms, is available via a download. Message and data rates may apply. Ford Telematics™ and Ford Data Services™, subscription services available only for fleet customers, provide access to manufacturer-grade data including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics, and maintenance alerts. Ford Telematics Drive mobile app for drivers is also available for Ford Telematics subscribers. FordPass Connect™ 4G Wi-Fi Modem enables Ford Telematics service directly from Ford or Ford Data Services through authorized providers. Learn more at [commercialsolutions.ford.com](http://commercialsolutions.ford.com) or activate by calling 833-FCS-Ford, (833-327-3673).

**Product Features Availability**

Features, options and package content subject to change.

★ = New for this model year

**2022 SUPER DUTY® CHASSIS CAB  
(F-350CC / F-450CC / F-550 / F-600)  
STANDARD EQUIPMENT**

The following features are standard on every 2022 SUPER DUTY® Chassis Cab vehicle:

**MECHANICAL**

- Brakes – Four-wheel Disc Brakes with Anti-Lock Brake System (ABS)

**EXTERIOR**

- Doors
  - Two (Regular Cab only)
  - Four (SuperCab/Crew Cab only)
- Fuel Tank
  - 26.5 gallon mid ship (F-350 SRW)
  - 40 gallon aft axle (F-350 DRW/F-450/F-550/F-600)
  - Diesel Exhaust Fluid (DEF) Tank Location:
    - Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails.
    - Mid ship fuel tank is paired with the DEF tank located outside of the frame rail
    - Dual tanks are paired with the DEF tank located outside of the frame rail
- Glass
  - Solar-tinted complete (Std. on XL)
  - Privacy (Std. on XLT and Lariat; NA front-seat windows)
- Manual Locking Hubs (4x4)
- Scuff plates – front, color-coordinated
- "Three-Blink" lane change signal
- Tow hooks – front, (two) (2)
- Trailer wiring – 7 wire harness w/relays, blunt cut and labeled
- Windshield wipers – intermittent

**INTERIOR/COMFORT**

- Convenience
  - Coat hooks, LH/RH color-coordinated
  - Dash top tray
  - Dome lamp – LH/RH door activated & I/P switch operated w/delay
  - Handles, grab – driver & front-passenger
  - Handles, roof ride – front-passenger (also over rear-doors on Crew Cab)
  - Map lights – dual (front and rear w/Crew Cab)
  - 12V Powerpoint, auxiliary
- Door-trim – color-coordinated molded w/grab handle & reflector
- Gauges and Meters – Fuel, Transmission Temperature, Engine Coolant Temperature, Oil Pressure (Gas engine) and Turbo (Diesel engine) Gauges; Speedometer, Odometer and Tachometer
- Headliner – color-coordinated cloth
- Instrument panel – color-coordinated w/ glove box, four (4) air registers w/positive shut-off and powerpoint

**INTERIOR/COMFORT (continued)**

- Instrumentation Center
  - 2.3" LCD Productivity Screen in IP Cluster (standard on XL)
  - 4.2" LCD Productivity Screen in IP Cluster (standard on XLT)
  - 8.0" LCD Productivity Screen in IP Cluster (Standard on Lariat)
- Overhead Console with 6 Upfitter Switches
- Steering – power
- Steering damper

**SAFETY/SECURITY**

- AdvanceTrac® with RSC® (Roll Stability Control™)
- Airbags
  - Driver and Passenger frontal and side airbag/curtain
  - Passenger side airbag deactivation switch
- Child tethers (Regular Cab front-passenger and all rear-seating positions)
- Lamps – LED Roof marker/clearance
- Safety Belts
  - Belt-Minder® (front safety belt reminder) – chime and flashing warning lights on I/P if belts not buckled
  - Color-coordinated safety belts w/height adjustment (front-outboard seating positions only)
- SecuriLock® Passive Anti-Theft System (PATS); includes MyKey® owner controls feature (XLT and Lariat Only)
- SOS Post-Crash Alert System™
- Stationary Elevated Idle Control (SEIC)

**FUNCTIONAL**

- Alternator
  - XL:
    - 6.2L 2 Valve Gas – 200 AMP
    - 7.3L 2 Valve Gas – 240 AMP
    - 6.7L 4 Valve Diesel – 240 AMP
  - XLT:
    - 6.2L 2 Valve Gas – 240 AMP
    - 7.3L 2 Valve Gas – 397 AMP Dual
    - 6.7L 4 Valve Diesel – 332 AMP Dual
  - Lariat:
    - 6.2L 2 Valve Gas – 240 AMP
    - 7.3L 2 Valve Gas (F-450/F-550) – 397 AMP Dual
    - 6.7L 4 Valve Diesel – 332 AMP Dual
- Hood release
- Horn – dual electric
- Intelligent Oil-Life Monitor® (6.7L Power Stroke® Diesel engine)
- Oil minder system (6.2L Gas engine)
- Shock absorbers – heavy-duty gas
- Springs, rear auxiliary
- Stabilizer bar – front and rear

The following features are standard on selected 2022MY SUPER DUTY® Chassis Cab vehicles:

| MECHANICAL  | XL | XLT | LARIAT |
|---|----|-----|--------|
| <b>Engine</b>   |    |     |        |
| 6.2L 2 Valve Gas SOHC EFI NA V8 (Flex-Fuel) (F-350)   | ●  | ●   | ●      |
| 7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550/F-600)   | ●  | ●   | ●      |
| <b>Transmission</b>   |    |     |        |
| Ten-Speed 10R140 with Neutral Idle Automatic Transmission with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery | ●  | ●   | ●      |
| <b>Base Alternator</b>  |    |     |        |
| 200 Amp (F-350 Std. on 6.2L Gas Engine)   | ●  |     |        |
| 240 Amp (F-450/F-550/F-600 Std. on 7.3L Gas Engine)   | ●  |     |        |
| 240 Amp (F-450/F-550 Std. on 6.7L Diesel Engine)  | ●  |     |        |
| 240 Amp (F-350 Std. on 6.2L Gas Engine)   |    | ●   | ●      |
| 332 Amp Dual (F-450/F-550 Std. on 6.7L Diesel)  |    | ●   | ●      |
| 397 Amp (F-450/F-550 Std. on 7.3L Engine)   |    | ●   | ●      |
| <b>Axle</b>   |    |     |        |
| Monobeam front axle w/coil spring suspension (F-350 4x4, F-450, F-550 and F-600)  | ●  | ●   | ●      |
| Independent Twin-I-beam front axle w/coil spring suspension (F-350 4x2)   | ●  | ●   | ●      |

★ = New for this model year  
● = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

**2022 SUPER DUTY® CHASSIS CAB**  
**(F-350CC / F-450CC / F-550 / F-600)**  
**STANDARD EQUIPMENT**

| <b>MECHANICAL (continued)</b>  | <b>XL</b> | <b>XLT</b> | <b>LARIAT</b> |
|--|-----------|------------|---------------|
| <b>Battery</b>   |           |            |               |
| 650 CCA, 72 AH (6.2L Gas engine only) (F-350 XL SRW/DRW)   | •         |            |               |
| 750 CCA, 78 AH Single (6.2L Gas F-350 SRW/DRW XLT & Lariat)  |           | •          | •             |
| 750 CCA, 78 AH Single (7.3L Gas F-450, F-550, F-600 XL & XLT)  |           | •          | •             |
| 750 CCA, 78 AH, Dual (7.3L Gas F-450 and F-550 Lariat)   |           |            | •             |
| <b>Fuel Tanks</b>  |           |            |               |
| 26.5 gallon mid ship (F-350 SRW w/68D Payload Downgrade Pkg)   | •         | •          | •             |
| 40 gallon aft axle (F-350 SRW/F-350 DRW/F-450/F-550/F-600; NA with 68D Payload Downgrade Pkg. on F-350 SRW)  | •         | •          | •             |
| <b>KEY EXTERIOR FEATURES</b>   |           |            |               |
| <b>Bumper – Front</b>  |           |            |               |
| Black painted steel w/grained MIC top cover and black lower air dam  | •         |            |               |
| Chrome w/grained MIC top cover and black lower air dam   |           | •          | •             |
| <b>Grille</b>  |           |            |               |
| Black MIC  | •         |            |               |
| Bright Chrome – two (2) bar  |           | •          |               |
| Chrome – two (2) bar (includes additional chrome inserts)  |           |            | •             |
| <b>Handles – Door and Tailgate</b>   |           |            |               |
| Black  | •         | •          |               |
| Body-color   |           |            | •             |
| <b>Headlamps/Taillamps/Lamps</b>   |           |            |               |
| Quad-beam halogen jewel effect   | •         | •          | •             |
| Center High-Mounted Stop Lamp (CHMSL) (Standard on vehicles 10k GVWR and below)  | •         | •          | •             |
| Fog lamps  |           |            | •             |
| LED Roof Marker/Clearance Lamps  | •         | •          | •             |
| Utility Lighting System (LED Side-mirror Spotlights) (see mirror descriptions below)   |           |            | •             |
| <b>Mirrors</b>   |           |            |               |
| Manually telescoping/folding trailer tow with manual glass   | •         |            |               |
| Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, Integrated Clearance Lamps/Turn Signals  |           | •          |               |
| Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights) |           |            | •             |
| <b>Wheels (SRW)</b>  |           |            |               |
| 18" Argent Painted Steel w/painted hub covers/center ornaments (F-350)   | •         |            |               |
| 18" Sparkle Silver Painted Cast Aluminum w/bright hub covers/center ornaments (F-350)  |           | •          |               |
| 18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and bright hub covers/center ornaments (F-350)  |           |            | •             |
| <b>Wheels (DRW)</b>  |           |            |               |
| 17" Argent Painted Steel (hub covers/center ornaments not included (F-350)   | •         | •          |               |
| 17" Forged Polished Aluminum w/bright hub covers/center ornaments (F-350)  |           |            | •             |
| 19.5" Argent Painted Steel (F-450/F-550/F-600)   | •         | •          |               |
| 19.5" Forged Polished Aluminum w/bright hub covers/center ornaments (F-450/F-550)  |           |            | •             |
| <b>Windows and Glass</b>   |           |            |               |
| 1 <sup>st</sup> Row (front-seat) – Manual  | •         |            |               |
| 1 <sup>st</sup> Row (front-seat) – Power w/one-touch up/down   |           | •          | •             |
| 2 <sup>nd</sup> Row (rear-seat) – Fixed  | •(2)      |            |               |
| 2 <sup>nd</sup> Row (rear-seat) – Power  |           | •(2,3)     | •(2,3)        |
| Rear (backlight) – Fixed   | •         | •          |               |
| Rear (backlight) – Power-sliding w/defrost   |           |            | •             |
| Solar-tinted glass (complete)  | •         |            |               |
| Privacy glass, (rear backlight on all cabs; 2 <sup>nd</sup> Row (rear-seat) windows on SuperCab and Crew Cab. Other glass is solar-tinted.)  |           | •          | •             |
| <b>KEY INTERIOR/COMFORT FEATURES</b>   |           |            |               |
| <b>Air Conditioning</b>  |           |            |               |
| Manual, Single Zone  | •         | •          |               |
| Dual-Zone Electronic Automatic Temperature Control (DEATC)   |           |            | •             |

★ = New for this model year  
 • = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

**2022 SUPER DUTY® CHASSIS CAB  
(F-350CC / F-450CC / F-550 / F-600)  
STANDARD EQUIPMENT**

| KEY INTERIOR/COMFORT FEATURES (continued)   | XL        | XLT        | LARIAT        |
|---|-----------|------------|---------------|
| <b>Audio</b>  |           |            |               |
| AM/FM stereo MP3 Player(speakers; four (4) w/ Regular Cab, six (6) w/ SuperCab and Crew Cab)  | •         |            |               |
| AM/FM stereo MP3 player (speakers; five (5) with Regular Cab, seven (7) with SuperCab and Crew Cab)   |           | •          |               |
| SiriusXM® Radio <sup>1</sup> (speakers; adds one (1) I/P mounted center speaker on XLT only)<br><b>Note:</b> Includes a three (3)-month prepaid subscription. Service is not available in Alaska and Hawaii.    |           | •          |               |
| ★ SiriusXM® with 360L Radio <sup>2</sup><br><b>Note:</b> Includes a three (3)-month prepaid subscription. Service is not available in Alaska and Hawaii.  |           |            | •             |
| B&O Sound System by Bang & Olufsen (ten (10) speakers including subwoofer)  |           |            | •             |
| SYNC®   |           |            |               |
| – Enhanced Voice Recognition Communications and Entertainment System  |           |            |               |
| – 911 Assist®   | •         |            |               |
| – 4.2 LCD Center Stack screen   |           |            |               |
| – AppLink®  |           |            |               |
| – Smart-Charging USB port – one (1)   |           |            |               |
| SYNC® 3   |           |            |               |
| – Enhanced Voice Recognition Communications and Entertainment System  |           |            |               |
| – 8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability   |           |            |               |
| – Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation System  |           |            |               |
| – AppLink®  |           |            |               |
| – 911 Assist®   |           | •          |               |
| – Apple CarPlay™ and Android auto™  |           |            |               |
| – Smart-Charging USB Ports – two (2)  |           |            |               |
| <b>Note:</b> SYNC® AppLink® lets you control some of your favorite compatible mobile apps with your voice. It is compatible with select smartphone platforms. Commands may vary by phone and AppLink® software. |           |            |               |
| ★ SYNC® 4   |           |            |               |
| with Enhanced Voice Recognition   |           |            |               |
| – 12" LCD Capacitive Touchscreen with Swipe Capability  |           |            |               |
| – Information On Demand Panel   |           |            |               |
| – Wireless Phone Connection   |           |            |               |
| – Cloud Connected   |           |            |               |
| – AppLink w/ App Catalog  |           |            |               |
| – 911 Assist®   |           |            |               |
| – Apple CarPlay® and Android Auto™ Compatibility  |           |            |               |
| – Digital Owner's Manual  |           |            |               |
| – Conversational Voice Command Recognition  |           |            |               |
| – Connected Navigation <sup>3</sup>   |           |            | •             |
| <b>KEY INTERIOR/COMFORT FEATURES (continued)</b>  | <b>XL</b> | <b>XLT</b> | <b>LARIAT</b> |

<sup>1</sup> Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

<sup>2</sup> SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc. Your SiriusXM service will automatically stop at the end of your trial unless you decide to subscribe. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). All fees and programming subject to change. Not all vehicles or devices are capable of receiving all services offered by SiriusXM. Current information and features may not be available in all locations, or on all receivers. Satellite and streaming lineups vary slightly. © 2020 Sirius XM Radio Inc. Sirius, XM, SiriusXM and all related marks and logos are trademarks of Sirius XM Radio Inc.

<sup>3</sup> Navigation services require SYNC®4 and FordPass Connect (optional on select vehicles), complimentary connect service and the FordPass app (see FordPass Terms for details). Customer receives a complimentary 90-day trial of navigation services when an eligible vehicle is added to a member's FordPass account. Trial period begins on the new vehicle warranty start date. At the end of the complimentary period, navigation service will terminate.

Connected service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features.

FordPass App, compatible with select smartphone platforms, is available via a download. Message and data rates may apply. Ford Telematics™ and Ford Data Services™, subscription services available only for fleet customers, provide access to manufacturer-grade data including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics, and maintenance alerts. Ford Telematics Drive mobile app for drivers is also available for Ford Telematics subscribers. FordPass Connect™ 4G Wi-Fi Modem enables Ford Telematics service directly from Ford or Ford Data Services through authorized providers. Learn more at [commercialsolutions.ford.com](http://commercialsolutions.ford.com) or activate by calling 833-FCS-Ford. (833-327-3673).

★ = New for this model year  
• = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

**2022 SUPER DUTY® CHASSIS CAB  
(F-350CC / F-450CC / F-550 / F-600)  
STANDARD EQUIPMENT**

|  |   |   |      |
|--|---|---|------|
| FordPass™ Connect 4G<br>– Wi-Fi Modem<br>– Wi-Fi® hotspot connects up to 10 devices <sup>4</sup><br>– Remotely start, lock and unlock vehicle <sup>5</sup><br>– Schedule specific times to remotely start vehicle <sup>5</sup><br>– Locate parked vehicle <sup>5</sup><br>– Check vehicle status <sup>5</sup><br><b>Note:</b> Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass™ Connect 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at <a href="http://www.fleet.ford.com">www.fleet.ford.com</a> or call 833-FCS-FORD or 833-327-3673. | • | • | •    |
| <b>Cupholders</b>  |   |   |      |
| Dual, instrument panel-mounted   | • | • | •    |
| Integrated w/armrest on rear-seat  |   |   | •(3) |
| <b>Door-Trim</b>   |   |   |      |
| Armrest, grab handle and reflector   | • |   |      |
| Soft armrest, grab handle, power window/lock switches and reflector; front map pockets on Regular Cab and SuperCab; front and rear map pockets on Crew Cab   |   | • | •    |
| <b>Floor Covering</b>  |   |   |      |
| Black vinyl  | • |   |      |
| Color-coordinated carpet and carpeted floor mats (includes rear mats on SuperCab & Crew Cab) (deleted when all-weather floor mats are ordered)   |   | • | •    |
| <b>Instrumentation Center</b>  |   |   |      |
| 2.3" Productivity Screen display includes menus for Multi-function switch message center w/Ice Blue® Lighting (three (3) button message control on steering wheel)   | • |   |      |
| 4.2 Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications five (5) button message control on steering wheel (included with the SYNC® and SYNC® Services)  |   | • |      |
| 8.0" Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications; five (5) button message control on steering wheel (included with the SYNC® and SYNC® Services)  |   |   | •    |
| Manual door-locks and windows  | • |   |      |
| Overhead Console – with dual storage bin and map lights  | • | • | •    |
| <b>Power Equipment</b>   |   |   |      |
| Accessory delay  |   | • | •    |
| Door-locks w/backlit switches  |   | • | •    |
| Windows w/backlit switches   |   | • | •    |
| <b>Powerpoint and 110V/400W Outlet</b>   |   |   |      |
| One (1) Powerpoint in front center under-seat storage  |   | • |      |
| Two (2) Powerpoints in instrumentation center  | • | • | •    |
| Two (2) Powerpoints in rear side of Flow-through Console   |   |   | •    |
| 110V/400W Outlet dash mounted  |   | • | •    |
| 110V/150W Outlet in rear side of Flow-through Console  |   |   | •    |
| 110V/150W Inverter outlet in IP  |   | • | •    |
| <b>Rearview Mirror</b>   |   |   |      |
| 11.5" day/night  | • | • |      |
| Electrochromic self-dimming  |   |   | •    |
| <b>Seats (Front)</b>   |   |   |      |
| HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage   | • |   |      |
| Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage  |   | • |      |
| Leather seating surfaces, 40/Console/40  |   |   | •    |
| Manual lumbar support, driver's side   | • | • |      |
| 10-way power driver & 8-way power front-passenger seats (six-way power-adjustable track, two-way power recline and two-way power lumbar)   |   |   | •    |
| Two-way adjustable driver/passenger headrests  |   | • | •    |
| <b>Seats (Rear) SuperCab</b>   |   |   |      |
| Vinyl, 60/40 fold-up bench seat  | • |   |      |
| Cloth, 60/40 fold-up bench seat  |   | • |      |
| Premium vinyl seating surfaces, 60/40 fold-up bench seat   |   |   | •    |

<sup>4</sup> Includes a trial subscription of 3 months or 3 gigabytes – whichever comes first, Wireless Service Plan required after trial subscription ends

<sup>5</sup> Includes Service for one year from the vehicle sale date as recorded by the dealer

**2022 SUPER DUTY® CHASSIS CAB**  
**(F-350CC / F-450CC / F-550 / F-600)**  
**STANDARD EQUIPMENT**

| <b>KEY INTERIOR/COMFORT FEATURES (continued)</b>   | <b>XL</b> | <b>XLT</b> | <b>LARIAT</b> |
|--|-----------|------------|---------------|
| <b>Seats (Rear) Crew Cab</b>   |           |            |               |
| 60/40 bench w/flip-up/fold-down w/2 outboard head restraints and a center head restraint   | •         |            |               |
| 60/40 bench w/flip-up seats & fold-down backrests, two (2) outboard head restraints and a center head restraint.   |           | •          |               |
| 60/40 bench w/flip-up seats & fold-down backrests w/under-seat partitioned lockable fold-flat storage, two (2) outboard head restraints and a center head restraint. Dual integrated cupholders in armrest |           |            | •             |
| Vinyl  | •         |            |               |
| Cloth  |           | •          |               |
| Leather  |           |            | •             |
| <b>Steering Wheel</b>  |           |            |               |
| Urethane – Black – w/redundant audio and SYNC® controls  | •         | •          |               |
| Leather-Wrapped – w/redundant audio and SYNC® controls (Lariat, color-coordinated)   |           |            | •             |
| Cruise Control (steering wheel-mounted)  |           | •          | •             |
| Manual Tilt and Telescoping steering wheel/column  | •         | •          | •             |
| <b>Sun Visors</b>  |           |            |               |
| Color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror   | •         |            |               |
| Color-coordinated Cloth, both driver and passenger w/covered mirrors   |           | •          |               |
| Color-coordinated Cloth; both driver and passenger w/covered illuminated visor vanity mirror   |           |            | •             |
| <b>SAFETY/SECURITY</b>   | <b>XL</b> | <b>XLT</b> | <b>LARIAT</b> |
| AdvanceTrac® with RSC® (Roll Stability Control™)   | •         | •          | •             |
| Advanced Security Pack (incl. Inclination / Intrusion Sensors)   |           | •          | •             |
| AutoLamp (Auto On/Off Headlamps), Rainlamp Wiper Activated Headlamps   | •         | •          | •             |
| Autolock, Auto unlock  |           | •          | •             |
| Remote Keyless Entry   |           | •          | •             |
| SecuriLock® Passive Anti-Theft System (PATS)   |           | •          | •             |
| Trailer Sway Control and Hill Start Assist   | •         | •          | •             |
| <b>Airbags</b>   |           |            |               |
| Driver & Passenger side  | •         | •          | •             |
| Passenger-side deactivation switch   | •         | •          | •             |

★ = New for this model year  
 • = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

**2022 SUPER DUTY® CHASSIS CAB  
(F-350CC / F-450CC / F-550 / F-600)  
FUNCTIONAL EQUIPMENT**

**AXLE AVAILABILITY**

| Series    | Engine  | Transmission  | Non-Limited-Slip |      |                | Limited-Slip |                |                | Electronic-Locking |      |
|-----------|---|---|------------------|------|----------------|--------------|----------------|----------------|--------------------|------|
|           |   |   | 3.73             | 4.10 | 4.88           | 4.10         | 4.30           | 4.88           | 3.73               | 4.30 |
|           |   |   | X37              | X41  | X48            | X4N          | X4L            | X8L            | X3E                | X4M  |
| F-350 SRW | 6.2L 2V Gas SOHC EFI NA V8                    | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | S                | —    | —              | —            | —              | —              | O                  | O    |
|           | 7.3L 2V DEVCT NA PFI V8 Gas                   | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | —    | —              | —            | —              | —              | —                  | S    |
|           | 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | S                | —    | —              | —            | —              | —              | O                  | —    |
| F-350 DRW | 6.2L 2V Gas SOHC EFI NA V8                    | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | S                | —    | —              | —            | O              | —              | —                  | —    |
|           | 7.3L 2V DEVCT NA PFI V8 Gas                   | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | S                | —    | —              | —            | O              | —              | —                  | —    |
|           | 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | S                | —    | —              | O            | —              | —              | —                  | —    |
| F-450     | 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | S    | —              | O            | —              | —              | —                  | —    |
|           | 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | —    | —              | —            | O <sup>1</sup> | —              | —                  | —    |
|           | 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | —    | —              | —            | S <sup>2</sup> | —              | —                  | —    |
|           | 7.3L 2V DEVCT NA PFI V8 Gas                   | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | —    | S              | —            | —              | O              | —                  | —    |
| F-550     | 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | S    | —              | O            | —              | —              | —                  | —    |
|           | 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | —    | —              | —            | —              | O <sup>3</sup> | —                  | —    |
|           | 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | —    | —              | —            | O <sup>4</sup> | —              | —                  | —    |
|           | 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | —    | —              | —            | S <sup>5</sup> | —              | —                  | —    |
|           | 7.3L 2V DEVCT NA PFI V8 Gas                   | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | —    | S <sup>6</sup> | —            | —              | O              | —                  | —    |
| F-600     | 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | —    | —              | —            | —              | S              | —                  | —    |
|           | 7.3L 2V DEVCT NA PFI V8 Gas                   | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | —                | —    | —              | —            | —              | S              | —                  | —    |

<sup>1</sup> Requires Trailer Tow Package – High Capacity (535)

<sup>2</sup> Standard when Extra Heavy Duty Front End Suspension (67P)

<sup>3</sup> Requires Payload Upgrade Package (68M). Also available with Trailer Tow Package – High Capacity (535) when ordered with Payload Upgrade Package (68M)

<sup>4</sup> Requires Trailer Tow Package – High Capacity (535) with Payload Downgrade Package (68D) or Trailer Tow Package – High Capacity (535) with Base Payload

<sup>5</sup> Standard when Extra Heavy Duty Front End Suspension (67P) is ordered unless 4.88 LS is already selected

<sup>6</sup> Not available with the Payload Upgrade Package (68U) or Payload Plus Upgrade Package (68M)

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

S = Standard, O = Optional, P = Packaged Option

★ = New for this model year

**2022 SUPER DUTY® CHASSIS CAB**  
**(F-350CC / F-450CC / F-550 / F-600)**  
**FUNCTIONAL EQUIPMENT**

| F-350<br>6.2L Gas Chassis Cab<br>Alternator Application Chart | 6.2L Gas |          |          |
|---|----------|----------|----------|
|   | XL       | XLT      | Lariat   |
| Base - All Chassis Cabs Include Upfitter Switches             | SC5 200A | SC7 240A | SC7 240A |
| Snow Plow Package   | SC5 200A | SC7 240A | SC7 240A |
| 110V Inverter (standard on XLT and Lariat)                    | SC7 240A | SC7 240A | SC7 240A |
| <b>ONA = Option Not Available</b>                             |          |          |          |

| F-350/ F-450 / F-550 / F-600<br>7.3L Gas Chassis Cab<br>Alternator Application Chart | 7.3L Gas       |                |                |
|--|----------------|----------------|----------------|
|  | XL             | XLT            | Lariat         |
| Base - All Chassis Cabs Include Upfitter Switches                                    | SC7 240A       | SC2 + SC7 397A | SC2 + SC7 397A |
| Snow Plow Package  | SC2 + SC7 397A | SC2 + SC7 397A | SC2 + SC7 397A |
| Dual Batteries   | 397            | 397            | 397            |
| 110V Inverter (standard on XLT and Lariat)   | SC2 + SC7 397A | SC2 + SC7 397A | SC2 + SC7 397A |
| 110V Inverter & Snow Plow Prep   | SC2 + SC7 397A | SC2 + SC7 397A | SC2 + SC7 397A |
| <b>ONA = Option Not Available</b>  |                |                |                |

| F-350/ F-450 / F-550 / F-600<br>6.7L Diesel Chassis Cab<br>Alternator Application Chart | 6.7L Diesel    |                |                |
|---|----------------|----------------|----------------|
|   | XL             | XLT            | Lariat         |
| Base - All Chassis Cabs Include Upfitter Switches                                       | SC7 240A       | SC2 + SC3 332A | SC2 + SC3 332A |
| Snow Plow Package   | SC2 + SC3 332A | SC2 + SC3 332A | SC2 + SC3 332A |
| 110V Inverter (standard on XLT and Lariat)  | SC2 + SC3 332A | SC2 + SC3 332A | SC2 + SC3 332A |
| 110V Inverter & Snow Plow Prep  | SC2 + SC3 332A | SC2 + SC3 332A | SC2 + SC3 332A |
| Ambulance OR Fire Prep  | SC2 + SC7 397A | SC2 + SC7 397A | <b>ONA</b>     |
| Rapid Heat  | SC2 + SC7 397A | SC2 + SC7 397A | SC2 + SC7 397A |
| <b>ONA = Option Not Available</b>   |                |                |                |

**LEGEND:**

Single SC5 - 200A

Single SC7 - 240A

Single SC7 - 67D (6.7L)

Dual SC2 and SC3 - 332A - 67A

Dual SC2 and SC7 - 397A - 67B

Option Not Available (ONA)

2022 SUPER DUTY® CHASSIS CAB  
(F-350CC / F-450CC / F-550 / F-600)  
**FUNCTIONAL EQUIPMENT**

**WHEEL AVAILABILITY – SRW ONLY**



17" Argent Painted Steel w/painted hub cover/center ornament (Opt. on XL and XLT) – 64A



18" Argent Painted Steel w/painted hub cover/center ornament (Std. on XL F-350 SRW) – 64F



18" Sparkle Silver Painted Cast Aluminum w/bright hub cover/center ornament (Std. on XLT F-350 SRW) – 648



18" Bright Mached Cast Aluminum w/Magnetic Painted Pockets and bright hub cover/center ornament (Std. on Lariat) – 64C

**WHEEL AVAILABILITY – DRW ONLY**



17" Argent Painted Steel (hub covers/center ornament not included) (Std. on XL and XLT F-350) – 64K



17" Forged Polished Aluminum w/bright hub cover/center ornament (Std. on Lariat F-350; Opt. on XL and XLT F-350) – 64J



19.5" Argent Painted Steel (19.5"x6.75"; std on XL and XLT F-600) – 64B

**Wheel Image Coming Soon**

19.5" Argent Painted Steel (19.5"x6"; hub cover/center ornament not included; Std. on XL and XLT F-450 and F-550) – 64Z



19.5" Forged Polished Aluminum w/bright hub cover/center ornament; 19.5"x6.75" (Opt. on XLT F-600) – 64M



19.5" Forged Polished Aluminum w/bright hub cover/center ornament; 19.5"x6" (Std. on Lariat F-450 and F-550; Opt. on XLT F-450 and F-550) – 64D

**Wheel Image Coming Soon**

17" or 19.5" Stainless Steel Wheel Covers (Front & Rear) (Opt. on XL and XLT) – 945

**2022 SUPER DUTY® CHASSIS CAB  
(F-350CC / F-450CC / F-550 / F-600)  
OPTIONAL EQUIPMENT**

|   | Order Code | XL    |      |       |       |       | XLT   |      |       |       |                | LARIAT |      |       |       |
|---|------------|-------|------|-------|-------|-------|-------|------|-------|-------|----------------|--------|------|-------|-------|
|   |            | F-350 |      | F-450 | F-550 | F-600 | F-350 |      | F-450 | F-550 | F-600          | F-350  |      | F-450 | F-550 |
|   |            | SRW   | DRW  |       |       |       | SRW   | DRW  |       |       |                | SRW    | DRW  |       |       |
|   |            | 630A  | 640A | 650A  | 660A  | 680A  | 633A  | 643A | 653A  | 663A  | 683A           | 638A   | 648A | 658A  | 668A  |
| <b>BODYSTYLE &amp; WHEELBASE</b>  |            |       |      |       |       |       |       |      |       |       |                |        |      |       |       |
| Regular Cab 4X2 – Cab to Axle 60"   | 145"       | F3E   | F3G  | F4G   | F5G   | F6K   | F3E   | F3G  | F4G   | F5G   | F6K            | —      | —    | —     | —     |
| Regular Cab 4X2 – Cab to Axle 84"   | 169"       | —     | F3G  | F4G   | F5G   | F6K   | —     | F3G  | F4G   | F5G   | F6K            | —      | —    | —     | —     |
| Regular Cab 4X2 – Cab to Axle 108"  | 193"       | —     | —    | F4G   | F5G   | F6K   | —     | —    | F4G   | F5G   | F6K            | —      | —    | —     | —     |
| Regular Cab 4X2 – Cab to Axle 120"  | 205"       | —     | —    | F4G   | F5G   | F6K   | —     | —    | F4G   | F5G   | F6K            | —      | —    | —     | —     |
| Regular Cab 4X4 – Cab to Axle 60"   | 145"       | F3F   | F3H  | F4H   | F5H   | F6L   | F3F   | F3H  | F4H   | F5H   | F6L            | —      | —    | —     | —     |
| Regular Cab 4X4 – Cab to Axle 84"   | 169"       | —     | F3H  | F4H   | F5H   | F6L   | —     | F3H  | F4H   | F5H   | F6L            | —      | —    | —     | —     |
| Regular Cab 4X4 – Cab to Axle 108"  | 193"       | —     | —    | F4H   | F5H   | F6L   | —     | —    | F4H   | F5H   | F6L            | —      | —    | —     | —     |
| Regular Cab 4X4 – Cab to Axle 120"  | 205"       | —     | —    | F4H   | F5H   | F6L   | —     | —    | F4H   | F5H   | F6L            | —      | —    | —     | —     |
| SuperCab 4X2 – Cab to Axle 60"  | 168"       | X3E   | X3G  | X4G   | X5G   | —     | X3E   | X3G  | X4G   | X5G   | —              | X3E    | X3G  | X4G   | X5G   |
| SuperCab 4X2 – Cab to Axle 84"  | 192"       | —     | —    | X4G   | X5G   | —     | —     | —    | X4G   | X5G   | —              | —      | —    | X4G   | X5G   |
| SuperCab 4X4 – Cab to Axle 60"  | 168"       | X3F   | X3H  | X4H   | X5H   | —     | X3F   | X3H  | X4H   | X5H   | —              | X3F    | X3H  | X4H   | X5H   |
| SuperCab 4X4 – Cab to Axle 84"  | 192"       | —     | —    | X4H   | X5H   | —     | —     | —    | X4H   | X5H   | —              | —      | —    | X4H   | X5H   |
| Crew Cab 4X2 – Cab to Axle 60"  | 179"       | W3E   | W3G  | W4G   | W5G   | —     | W3E   | W3G  | W4G   | W5G   | —              | W3E    | W3G  | W4G   | W5G   |
| Crew Cab 4X2 – Cab to Axle 84"  | 203"       | —     | —    | W4G   | W5G   | —     | —     | —    | W4G   | W5G   | —              | —      | —    | W4G   | W5G   |
| Crew Cab 4X4 – Cab to Axle 60"  | 179"       | W3F   | W3H  | W4H   | W5H   | —     | W3F   | W3H  | W4H   | W5H   | —              | W3F    | W3H  | W4H   | W5H   |
| Crew Cab 4X4 – Cab to Axle 84"  | 203"       | —     | —    | W4H   | W5H   | —     | —     | —    | W4H   | W5H   | —              | —      | —    | W4H   | W5H   |
| <b>ENGINE/TRANSMISSION</b>  |            |       |      |       |       |       |       |      |       |       |                |        |      |       |       |
| 6.2L 2 Valve Gas SOHC EFI NA V8 (Flex Fuel)/TorqShift® Ten-Speed 10R140 with Neutral Idle Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery   | 996/44G    | S     | S    | —     | —     | —     | S     | S    | —     | —     | —              | S      | S    | —     | —     |
| ★7.3L 2V DEVCT NA PFI V8 Gas/TorqShift® Ten-Speed 10R140 with Neutral Idle Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery  | 99N/44G    | O     | O    | S     | S     | S     | O     | O    | S     | S     | S              | O      | O    | S     | S     |
| 6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine-Exhaust Braking/TorqShift® Ten-Speed 10R140 with Neutral Idle Automatic with Selectable Drive Modes: Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery w/Transmission Power Take-Off Provision | 99T/44G    | O     | O    | O     | O     | O     | O     | O    | O     | O     | O <sup>1</sup> | O      | O    | O     | O     |
| <b>WHEELS</b>   |            |       |      |       |       |       |       |      |       |       |                |        |      |       |       |
| <b>4-Wheels (SRW); 6 Wheels (DRW). Spare Wheel included with Spare Tire.</b>  |            |       |      |       |       |       |       |      |       |       |                |        |      |       |       |
| 17" Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. 6.2L Gas (996) or 6.7L Diesel (99T) and Payload Downgrade Package (68D); NA w/7.3L Gas (99N))  | 64A        | O     | —    | —     | —     | —     | O     | —    | —     | —     | —              | —      | —    | —     | —     |
| 17" Argent Painted Steel (Hub Covers/Center Ornaments not included)   | 64K        | —     | S    | —     | —     | —     | —     | S    | —     | —     | —              | —      | —    | —     | —     |
| 17" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner)  | 64J        | —     | O    | —     | —     | —     | —     | O    | —     | —     | —              | —      | S    | —     | —     |
| 18" Argent Painted Steel w/Painted Hub Cover/Center Ornaments   | 64F        | S     | —    | —     | —     | —     | —     | —    | —     | —     | —              | —      | —    | —     | —     |
| 18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments   | 64C        | —     | —    | —     | —     | —     | —     | —    | —     | —     | —              | S      | —    | —     | —     |
| 18" Sparkle Silver Painted Cast Aluminum w/Bright Hub Covers/Center Ornaments   | 648        | —     | —    | —     | —     | —     | S     | —    | —     | —     | —              | —      | —    | —     | —     |
| 19.5" Argent Painted Steel (19.5" x 6")   | 64Z        | —     | —    | S     | S     | —     | —     | —    | S     | S     | —              | —      | —    | —     | —     |
| 19.5" Argent Painted Steel (19.5" x 6.75")  | 64B        | —     | —    | —     | —     | S     | —     | —    | —     | —     | S              | —      | —    | —     | —     |
| 19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6")  | 64D        | —     | —    | —     | —     | —     | —     | —    | O     | O     | —              | —      | —    | S     | S     |
| 19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6.75")   | 64M        | —     | —    | —     | —     | —     | —     | —    | —     | —     | O              | —      | —    | —     | —     |
| <b>TIRES</b>  |            |       |      |       |       |       |       |      |       |       |                |        |      |       |       |
| <b>4 Tires (SRW); 6 Tires (DRW)</b>   |            |       |      |       |       |       |       |      |       |       |                |        |      |       |       |
| <b>Spare Tire required in Rhode Island, optional in all other states. Spare may not be the same as road tire. Ford reserves the right to shift tire manufacturers to meet production capacity demands.</b>  |            |       |      |       |       |       |       |      |       |       |                |        |      |       |       |
| LT245/75Rx17E BSW A/S PLU (F-350 SRW req. 6.2L Gas (996) and Payload Downgrade Package (68D))   | TD8        | O     | S    | —     | —     | —     | O     | S    | —     | —     | —              | —      | S    | —     | —     |
| LT245/75Rx17E BSW A/T (F-350 SRW req. 6.2L Gas (996) and Payload Downgrade Package (68D))   | TBM        | O     | O    | —     | —     | —     | O     | O    | —     | —     | —              | —      | O    | —     | —     |
| LT245/75Rx17E OWL A/T (DRW inner rear)  | TBL        | —     | —    | —     | —     | —     | —     | O    | —     | —     | —              | —      | O    | —     | —     |
| LT265/70Rx17E OWL A/T (F-350 SRW req. 6.2L Gas (996) Payload Downgrade Package (68D))   | TCD        | O     | —    | —     | —     | —     | O     | —    | —     | —     | —              | —      | —    | —     | —     |

<sup>1</sup> F-600 w/ Diesel on Late Availability

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only  
□ = New for this model year

S = Standard, O = Optional, P = Packaged Option  
F = Fleet Only Option

**2022 SUPER DUTY® CHASSIS CAB  
(F-350CC / F-450CC / F-550 / F-600)  
OPTIONAL EQUIPMENT**

|   | Order Code | XL    |      |       |       |       | XLT   |      |       |       |       | LARIAT |      |       |       |
|---|------------|-------|------|-------|-------|-------|-------|------|-------|-------|-------|--------|------|-------|-------|
|   |            | F-350 |      | F-450 | F-550 | F-600 | F-350 |      | F-450 | F-550 | F-600 | F-350  |      | F-450 | F-550 |
|   |            | SRW   | DRW  |       |       |       | SRW   | DRW  |       |       |       | SRW    | DRW  |       |       |
|   |            | 630A  | 640A | 650A  | 660A  | 680A  | 633A  | 643A | 653A  | 663A  | 683A  | 638A   | 648A | 658A  | 668A  |
| <b>TIRES</b>  |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| <b>4 Tires (SRW); 6 Tires (DRW)</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| Spare Tire required in Rhode Island, optional in all other states. Spare may not be the same as road tire. Ford reserves the right to shift tire manufacturers to meet production capacity demands. (continued)   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| LT275/65R18E BSW A/S  | TCH        | S     | —    | —     | —     | —     | S     | —    | —     | —     | —     | S      | —    | —     | —     |
| LT275/70R18E BSW A/T Plus, 4X4  | TDX        | O     | —    | —     | —     | —     | O     | —    | —     | —     | —     | O      | —    | —     | —     |
| LT275/70R18E OWL A/T, 4X4   | TDU        | —     | —    | —     | —     | —     | O     | —    | —     | —     | —     | O      | —    | —     | —     |
| 225/70R19.5G BSW A/P (NA w/ XLT Regular Cab 4x2)  | TGJ        | —     | —    | S     | S     | —     | —     | —    | S     | S     | —     | —      | —    | S     | S     |
| 245/70RX19.5G BSW A/P   | TD5        | —     | —    | —     | —     | S     | —     | —    | —     | —     | S     | —      | —    | —     | —     |
| 225/70R19.5G BSW A/P – 4x2 only   | THB        | —     | —    | —     | —     | —     | —     | —    | S-1   | S-1   | —     | —      | —    | —     | —     |
| 225/70R19.5G BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the front.) – 4x2 only  | THC        | —     | —    | —     | —     | —     | —     | —    | O-1   | O-1   | —     | —      | —    | —     | —     |
| 225/70R19.5G BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the front.; NA w/ XLT Regular Cab 4x2)  | TGM        | —     | —    | O     | O     | —     | —     | —    | O     | O     | —     | —      | —    | O     | O     |
| 225/70R19.5G BSW Traction, 4X4 (includes 4 traction tires on the rear and 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire wear and/or NVH.)   | TGK        | —     | —    | O     | O     | —     | —     | —    | O     | O     | —     | —      | —    | O     | O     |
| 245/70RX19.5 BSW Traction (includes 6 traction tires.)  | TGT        | —     | —    | —     | —     | O     | —     | —    | —     | —     | O     | —      | —    | —     | —     |
| 245/70RX19.5 BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the front.)   | TGU        | —     | —    | —     | —     | O     | —     | —    | —     | —     | O     | —      | —    | —     | —     |
| Spare Tire, Wheel and Jack (Excludes carrier; includes Hydraulic Jack (61J); required in RI)  | 512        | O     | O    | O     | O     | O     | O     | O    | O     | O     | O     | O      | O    | O     | O     |
| Jack (Two-ton Mechanical – F-350 SRW / Four-ton Hydraulic – F-350 DRW / Six-ton Hydraulic – F-450, F-550 & F-600) (required in RI)  | 61J        | O     | O    | O     | O     | O     | O     | O    | O     | O     | O     | O      | O    | O     | O     |
| Spare Tire and Wheel Delete (only available to Pool Accounts for sales to RI)   | 51D        | O     | O    | O     | O     | O     | O     | O    | O     | O     | O     | O      | O    | O     | O     |
| <b>GROUPS/PACKAGES (see Packaged Options/Emissions pages for complete content and restrictions)</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| Trailer Tow Package (NA w/F-600A)   | 531        |       |      | O     |       |       |       |      |       |       |       |        |      |       |       |
| XL Value Package  | 96V        |       |      | O     |       |       |       |      |       |       |       |        |      |       |       |
| Power Equipment Group   | 90L        |       |      | O     |       |       |       |      | S     |       |       |        |      | S     |       |
| XLT Value Package   | 17V        |       |      |       |       |       |       |      | O     |       |       |        |      |       |       |
| Lariat Value Package  | 96L        |       |      |       |       |       |       |      |       |       |       |        |      | O     |       |
| Heavy-Service Front Suspension Package (NA w/F-600)   | 67H        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Extra Heavy-Service Suspension Package (NA w/F-600)   | 67X        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only; std on F-600 (requires 4.30 or 4.88 axle)  | 67P        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and req. Center High-Mounted Stop Lamp (CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550; NA w/ 7.3L (99N) or 6.7L (99T) engines on F-350 SRW) | 68D        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| 16,000 GVWR Package (avail. on F-450 only)  | 68L        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Payload Upgrade Package (F-550 only w/7.3L Gas and 145" WB)   | 68U        |       |      | O     |       |       |       |      | O     |       |       |        |      | —     |       |
| Payload Plus Upgrade Package (avail. on F-550 only)   | 68M        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Snow Plow Prep Package (req. 4x4 on F-350) <b>Note:</b> Reference alternator chart for required engine / alternator requirements  | 473        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Trailer Tow Package – High Capacity (avail. on F-450 & F-550 only; reqs. 6.7L Engine (99T))   | 535        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Low Deflection Package (avail. on F-450, F-550 & F-600 only (NA w/4x4 w/145"WB))  | 86S        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| CNG/Propane Gaseous Engine Prep Package (req. 7.3L Gas Engine w/ F-450, F-550 or F-600)   | 98G        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| CNG/Propane Gaseous Engine Prep Package (avail. on F-350 w/6.2L engine only)  | 98F        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Wrecker Package (avail. on F-450 only; req. 145" WB)  | 474        |       |      | O-1   |       |       |       |      | O-1   |       |       |        |      | —     |       |

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only  
 = New for this model year

S = Standard, O = Optional, P = Packaged Option  
 F = Fleet Only Option

**2022 SUPER DUTY® CHASSIS CAB  
(F-350CC / F-450CC / F-550 / F-600)  
OPTIONAL EQUIPMENT**

|   | Order Code | XL    |      |       |       |       | XLT   |      |       |       |       | LARIAT |      |       |       |
|---|------------|-------|------|-------|-------|-------|-------|------|-------|-------|-------|--------|------|-------|-------|
|   |            | F-350 |      | F-450 | F-550 | F-600 | F-350 |      | F-450 | F-550 | F-600 | F-350  |      | F-450 | F-550 |
|   |            | SRW   | DRW  |       |       |       | SRW   | DRW  |       |       |       | SRW    | DRW  |       |       |
|   |            | 630A  | 640A | 650A  | 660A  | 680A  | 633A  | 643A | 653A  | 663A  | 683A  | 638A   | 648A | 658A  | 668A  |
| <b>FUNCTIONAL</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| Aft-Axle Frame Extension (req. 145" or 169" wheelbase) – F-450/F-550/F-600 only (145" Wheelbase/60" CA – 42.4" aft-of-axle frame extension increases AF dimension to 89.4") (169" Wheelbase/84" CA – 32.4" aft-of-axle frame extension increases AF dimension to 79.6")                                       | 63C        |       |      | O     |       |       |       |      | O     |       |       |        |      | —     |       |
| Engine Block Heater   | 41H        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Skid Plates – Transfer Case (4X4 only)  | 41P        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Transmission Power Take-Off Provision (all engines include Mobile and Stationary PTO modes; 6.2L req. 4.30 final drive ratio; std on 6.7L Power Stroke® Diesel engine; std on F-600A)   | 62R        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Programmable Engine Idle Shutdown – 5 minute  | 86A        |       |      | O     |       |       |       |      | O     |       |       |        |      | —     |       |
| Programmable Engine Idle Shutdown – 10 minute   | 86B        |       |      | O     |       |       |       |      | O     |       |       |        |      | —     |       |
| Programmable Engine Idle Shutdown – 15 minute   | 86C        |       |      | O     |       |       |       |      | O     |       |       |        |      | —     |       |
| Programmable Engine Idle Shutdown – 20 minute   | 86D        |       |      | O     |       |       |       |      | O     |       |       |        |      | —     |       |
| Operator Commanded Regeneration (req. 6.7L Power Stroke® Diesel engine)   | 98R        |       |      | O     |       |       |       |      | O     |       |       |        |      | —     |       |
| Dual Battery (Dual 78 AH; req. 6.2L Gas or 7.3L Gas engine; std on XL w/ 110V/400W Outlet (43C) and 7.3L Gas engine; std on XLT and Lariat w/ 7.3L Gas engine)  | 86M        |       |      | S/O   |       |       |       |      | S/O   |       |       |        |      | S/O   |       |
| Upfitter Interface Module   | 18A        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| <b>Alternators (*Refer to alternator charts on pg. 7 for further details)</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| 332 Amp Alternators (req. 6.7L Power Stroke® Diesel engine; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.7L is ordered; NA 6.2L)  | 67A        |       |      | S     |       |       |       |      | S     |       |       |        |      | S     |       |
| 397 Amp Alternators (req. 6.7L Power Stroke® Diesel engine; required with Rapid-Heat Supplemental Cab Heater (41A), Ambulance (47A/47L) or Fire Truck (47J/47K); req. 7.3L Gas reqs. Dual Battery (86M) – std on Lariat, required with 110V/400W Outlet (43C) or Snowplow (473) on XL & XLT; NA 6.2L or 6.8L) | 67B        |       |      | S/O   |       |       |       |      | S/O   |       |       |        |      | S/O   |       |
| 240 Amp Alternator (Opt. XL/XLT w/6.2L engine; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.2L is ordered; NA w/67A or 6.7L)  | 67E        |       |      | S/O   |       |       |       |      | S/O   |       |       |        |      | S     |       |
| <b>Fuel Tanks</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| 26.5 Gallon Mid Ship (NA w/193" WB Regular Cabs & 203.4" WB Crew Cabs equipped w/gas engines; included with F-350 SRW w/Payload Downgrade Pkg. (68D); removes 40 gallon fuel tank)  | 65M        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Dual Diesel – combines 40 gallon aft-of-axle & 26.5 gallon mid ship tank (req. DRW)   | 65C        |       |      | O     |       |       |       |      | O     |       |       |        |      | —     |       |
| <b>Trailer Towing Equipment</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals; included with Power Equipment Group (90L) on XL; reqs. Utility Lighting System (63A)  | 54K        |       |      | P-90L |       |       |       |      | S     |       |       |        |      | —     |       |
| Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals, 102" Width; DRW only; req. Power Equipment Group (90L) on XL; NA w/ 6.2L gas engine (996) or F-350 4x2; Utility Lighting System (63A) is std on XL and XLT)   | 54L        |       |      | O-1   |       |       |       |      | O-1   |       |       |        |      | —     |       |
| Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights)  | 54F        |       |      | —     |       |       |       |      | O     |       |       |        |      | S     |       |

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only  
 = New for this model year

S = Standard, O = Optional, P = Packaged Option  
 F = Fleet Only Option

**2022 SUPER DUTY® CHASSIS CAB**  
**(F-350CC / F-450CC / F-550 / F-600)**  
**OPTIONAL EQUIPMENT**

|   | Order Code | XL    |      |       |       |       | XLT   |      |       |       |       | LARIAT |      |       |       |
|---|------------|-------|------|-------|-------|-------|-------|------|-------|-------|-------|--------|------|-------|-------|
|   |            | F-350 |      | F-450 | F-550 | F-600 | F-350 |      | F-450 | F-550 | F-600 | F-350  |      | F-450 | F-550 |
|   |            | SRW   | DRW  |       |       |       | SRW   | DRW  |       |       |       | SRW    | DRW  |       |       |
|   |            | 630A  | 640A | 650A  | 660A  | 680A  | 633A  | 643A | 653A  | 663A  | 683A  | 638A   | 648A | 658A  | 668A  |
| <b>FUNCTIONAL (continued)</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| Utility Lighting System (LED Side-mirror Spotlights) (req. Manual Telescoping (54K); std on XLT when ordering 54F)  | 63A        |       |      | O     |       |       |       |      | O/S   |       |       |        |      | S     |       |
| Trailer Brake Controller (TBC) (Verified to be compatible with electronic actuated drum brakes only. NA w/531 Trailer Tow Pkg.; includes Smart Trailer Tow Connector)   | 52B        |       |      | O     |       |       |       |      | S     |       |       |        |      | S     |       |
| <b>Steps</b>  |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| Platform Running Boards   | 18B        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| <b>KEY EXTERIOR OPTIONS</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| Audible Lane Departure Warning (reqs. Pre-Collision Assist with Automatic Emergency Braking (AEB) and Forward Collision Warning)  | 60C        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Pre-Collision Assist with Automatic Emergency Braking (AEB), Automatic High Beam and Forward Collision Warning  | 94P        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Center High-Mounted Stop Lamp (CHMSL) (opt. for vehicles with GVWR over 10,000 lbs.; required with Payload Downgrade Package (68D) for vehicles with GVWR 10,000 lbs. or less)  | 59H        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| Rear View Camera and Prep Kit (includes loose camera, wiring bundle); required on 10,000 GVWR and under   | 872        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| FOG Lamps (reqs. XL Décor (17F) on XL)  | 595        |       |      | O     |       |       |       |      | O     |       |       |        |      | S     |       |
| Rain-Sensing Windshield Wipers  | 60W        |       |      | —     |       |       |       |      | —     |       |       |        |      | O     |       |
| Front License Plate Bracket<br><b>Note:</b> Standard in states requiring two license plates and optional to all others  | 153        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| <b>Rear-windows</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| Defrost with Fixed and Privacy Glass (Privacy Glass is standard on XLT; XL req. Privacy Glass (924) and XL Power Equipment Group (90L))   | 43B        |       |      | O     |       |       |       |      | O     |       |       |        |      | —     |       |
| Power-Sliding w/Defrost and Privacy Glass (XL req. 90L Power Equipment Group; 924 Privacy Glass is standard on XLT)   | 435/924    |       |      | O-2,3 |       |       |       |      | O-2,3 |       |       |        |      | S     |       |
| <b>KEY INTERIOR OPTIONS</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| All weather floor mats (Doesn't include carpet floor mats)  | 16T        |       |      | —     |       |       |       |      | O-2,3 |       |       |        |      | O-2,3 |       |
| Carpet Delete (XLT & Lariat replaced w/black flooring)  | 166        |       |      | S     |       |       |       |      | O     |       |       |        |      | O     |       |
| Power-Adjustable Pedals   | 62M        |       |      | —     |       |       |       |      | O     |       |       |        |      | S     |       |
| Rapid-Heat Supplemental Cab Heater (Optional in all states with 6.7L Power Stroke® Diesel engine)   | 41A        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     |       |
| 110V/400W Outlet (with 40/20/40 seats, there is one in-dash mounted outlet; 2 <sup>nd</sup> outlet in the console req. 40/Console/40 seats; req. 332 Amp Alternator (67A) when 6.7L Power Stroke® Diesel engine is ordered and 240 Amp Alternator (67E) when the 6.2L 2 Valve Gas Engine is ordered and the 397 Amp Alternators (67B) when 7.3L Gas is ordered) | 43C        |       |      | O     |       |       |       |      | S     |       |       |        |      | S     |       |
| Remote Start System (req. 90L Power Equipment Group)  | 76S        |       |      | O     |       |       |       |      | O     |       |       |        |      | O     | P-96L |
| <b>Audio</b>  |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| SiriusXM® Radio <sup>2</sup> (Includes a three (3)-month prepaid subscription. Service is not available in Alaska and Hawaii.; adds one (1) I/P mounted center speaker on XL only)  | 39S        |       |      | O     |       |       |       |      | S     |       |       |        |      | —     |       |
| <b>KEY INTERIOR OPTIONS (continued)</b>   |            |       |      |       |       |       |       |      |       |       |       |        |      |       |       |
| Voice-activated Navigation with HD and SiriusXM Radio <sup>2</sup> Traffic and Travel Link® (SiriusXM Traffic and Travel Link® includes a 5-year prepaid subscription. Services are not available in Alaska and Hawaii)   | 21N        |       |      | —     |       |       |       |      | O     |       |       |        |      | —     |       |

<sup>2</sup> Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only  
 = New for this model year

S = Standard, O = Optional, P = Packaged Option  
 F = Fleet Only Option

OPTIONAL EQUIPMENT

|  | Order Code | XL    |      |       |       | XLT   |       |      |       | LARIAT |       |       |      |       |       |
|--|------------|-------|------|-------|-------|-------|-------|------|-------|--------|-------|-------|------|-------|-------|
|  |            | F-350 |      | F-450 | F-550 | F-600 | F-350 |      | F-450 | F-550  | F-600 | F-350 |      | F-450 | F-550 |
|  |            | SRW   | DRW  |       |       |       | SRW   | DRW  |       |        |       | SRW   | DRW  |       |       |
|  |            | 630A  | 640A | 650A  | 660A  | 680A  | 633A  | 643A | 653A  | 663A   | 683A  | 638A  | 648A | 658A  | 668A  |
| <b>Front-Seats (See Color &amp; Trim Availability page for additional information)</b>   |            |       |      |       |       |       |       |      |       |        |       |       |      |       |       |
| Cloth, 40/20/40 Split Bench  | 1          |       |      | O     |       |       |       |      |       |        |       |       |      |       |       |
| Vinyl, 40/Mini Console/40  | L          |       |      | O     |       |       |       |      |       |        |       |       |      |       |       |
| Cloth, 40/Mini Console/40  | 4          |       |      | O     |       |       |       |      |       |        |       |       |      |       |       |
| Cloth, 40/Console/40   | 2          |       |      |       |       |       |       |      | O-2,3 |        |       |       |      |       |       |
| Leather, 40/20/40 Split Bench  | 6          |       |      |       |       |       |       |      |       |        |       |       |      | O     |       |
| Driver Heated Seat w/ Variable Temperature – req. XLT Value Pkg (17V) and Power-Sliding w/Defrost (435) or Defrost with Fixed (43B)                              | 90A        |       |      |       |       |       |       |      | O-2,3 |        |       |       |      |       |       |
| <b>Rear-Seats</b>  |            |       |      |       |       |       |       |      |       |        |       |       |      |       |       |
| Heated Seats (req. 40/Console/40 front-seat; req. 96L Lariat Value Pkg.)   | 90R        |       |      |       |       |       |       |      |       |        |       |       |      | O-3   |       |
| <b>LPO/FLEET OPTIONS (Requires Valid FIN Code) (see Packaged Options/Emissions pages for complete content and restrictions on packages)</b>                      |            |       |      |       |       |       |       |      |       |        |       |       |      |       |       |
| Ambulance Prep Package – req. 6.7 Power Stroke® Diesel Engine (99T) or 7.3L Gas  | 47A        |       |      | F     |       |       |       |      | F     |        |       |       |      |       |       |
| Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions – req. 6.7 Power Stroke® Diesel Engine (99T)  | 47L        |       |      | F     |       |       |       |      | F     |        |       |       |      |       |       |
| Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine – req. 6.7 Power Stroke® Diesel Engine (99T)  | 47J        |       |      | F     |       |       |       |      | F     |        |       |       |      |       |       |
| Cruise Control (steering wheel-mounted)  | 525        |       |      | F     |       |       |       |      |       |        |       |       |      |       |       |
| Daytime Running Lamps (DRL) (the non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL) (On/Off Cluster Controllable) | 942        |       |      | F     |       |       |       |      | F     |        |       |       |      |       |       |
| Speed Limitation – 65-mph governed top speed   | 926        |       |      | F     |       |       |       |      | F     |        |       |       |      |       |       |
| Speed Limitation – 75-mph governed top speed   | 927        |       |      | F     |       |       |       |      | F     |        |       |       |      |       |       |
| TPMS Delete (optional on F-350 SRW over 10,000 lbs. GVWR)  | 18L        |       |      | F     |       |       |       |      | F     |        |       |       |      | F     |       |
| Bright Grille (reqs. XL Décor Group (17F))   | 63G        |       |      | F     |       |       |       |      | S     |        |       |       |      |       |       |
| XL Décor Group   | 17F        |       |      | F     |       |       |       |      |       |        |       |       |      |       |       |
| <b>FORD ACCESSORIES, PRE-INSTALLED</b>   |            |       |      |       |       |       |       |      |       |        |       |       |      |       |       |
| Hood Deflector – Black Molded  | 87H        |       |      | O     |       |       |       |      | O     |        |       |       |      | O     |       |
| Vehicle Safe by Console Vault (reqs. Seat-Bucket 40/console/40)  | 21X        |       |      |       |       |       |       |      | O     |        |       |       |      | O     |       |
| Exterior Backup Alarm  | 76C        |       |      | O     |       |       |       |      | O     |        |       |       |      | O     |       |
| ★360-Degree Dual Beacon LED Warning Strobes – Amber (req. Center High-mounted Stop Lamp (CHMSL))   | 91S        |       |      | O     |       |       |       |      | O     |        |       |       |      | O     |       |
| ★360-Degree Dual Beacon LED Warning Strobes – Amber-White (req. Center High-mounted Stop Lamp (CHMSL))   | 91G        |       |      | O     |       |       |       |      | O     |        |       |       |      | O     |       |
| Splash Guards/Mud Flaps – Front only (optional on F-350 only)  | 61S        |       |      | O     |       |       |       |      | O     |        |       |       |      | O     |       |
| Stainless Steel Wheel Covers – Front & Rear (NA F-350 SRW; req. 64K 17" Argent Painted Steel Wheel or 64Z 19.5" Argent Painted Steel Wheel)                      | 945        |       |      | O     |       |       |       |      | O     |        |       |       |      |       |       |
| Wheel Well, Front  | 61L        |       |      | O     |       |       |       |      | O     |        |       |       |      | O     |       |

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only  
 = New for this model year

S = Standard, O = Optional, P = Packaged Option  
 F = Fleet Only Option

## COLOR & TRIM AVAILABILITY

| INTERIOR COLOR                                      |   | INTERIOR AND SEAT COLOR |              |      |
|---|---|-------------------------|--------------|------|
|   |   | Medium Earth Gray       | Black/Onyx   | Baja |
| <b>XL</b>   | • HD Vinyl, 40/20/40 Split Bench w/center armrest, cupholder and storage; manual lumbar (driver's side only)  | AS                      |              |      |
|   | • Cloth, 40/20/40 Split Bench w/center armrest, cupholder and storage; manual lumbar (driver's side only)   | 1S                      |              |      |
|   | • Vinyl, 40/Mini Console/40 manual lumbar (driver's side only)  | LS                      |              |      |
|   | • Cloth, 40/Mini Console/40 manual lumbar (driver's side only)  | 4S                      |              |      |
| <b>XLT</b>  | • Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage, Two-way adjustable driver/passenger headrests, manual lumbar (driver's side only)  | 3S                      |              |      |
|   | • Cloth, 40/Console/40; Two-way adjustable driver/passenger headrests manual lumbar (driver's side only); Flow-through Console with 110V/400W outlet in rear (SuperCab & Crew Cab Only).  | 2S                      |              |      |
| <b>Lariat</b>                                       | • Front, leather seating surfaces, 40/Console/40; 10-way power driver and 8-way front passenger seating, Two-way adjustable driver/passenger headrests, matching 60/40 Rear Bench w/partitioned locking under-seat storage and 12V Powerpoint, Flow-through Console with 110v/150w Inverter outlet in rear. |                         | 5B           | 5J   |
|   | • Front, leather seating surfaces, 40/20/40 Split Bench; 10-way power driver and 8-way passenger seating, Two-way adjustable driver/passenger headrests, matching 60/40 Rear Bench w/partitioned locking under-seat storage and 12V Powerpoint  |                         | 6B           | 6J   |
| EXTERIOR COLOR                                      |   | MONOTONE                | Availability |      |
| <b>XL</b>   |   |                         |              |      |
| Agate Black Metallic                                | UM  | •                       |              |      |
| Antimatter Blue Metallic                            | HX  | •                       |              |      |
| ★ Atlas Blue <sup>2</sup>                           | B3  | •                       |              |      |
| Carbonized Gray Metallic                            | M7  | •                       |              |      |
| Iconic Silver Metallic                              | JS  | •                       |              |      |
| Oxford White  | Z1  | •                       |              |      |
| Race Red  | PQ  | •                       |              |      |
| Stone Gray Metallic                                 | D1  | •                       |              |      |
| <b>XLT</b>  |   |                         |              |      |
| Agate Black Metallic                                | UM  | •                       |              |      |
| Antimatter Blue Metallic                            | HX  | •                       |              |      |
| ★ Atlas Blue <sup>2</sup>                           | B3  | •                       |              |      |
| Carbonized Gray Metallic                            | M7  | •                       |              |      |
| Iconic Silver Metallic                              | JS  | •                       |              |      |
| Oxford White  | Z1  | •                       |              |      |
| Race Red  | PQ  | •                       |              |      |
| Rapid Red Metallic Tinted Clearcoat <sup>1, 2</sup> | D4  | •                       |              |      |
| Stone Gray Metallic                                 | D1  | •                       |              |      |
| <b>LARIAT</b>                                       |   |                         |              |      |
| Agate Black Metallic                                | UM  |                         | •            | •    |
| Antimatter Blue Metallic                            | HX  |                         | •            | •    |
| ★ Atlas Blue  | B3  |                         | •            | •    |
| Carbonized Gray Metallic                            | M7  |                         | •            |      |
| Iconic Silver Metallic                              | JS  |                         | •            | •    |
| Oxford White  | Z1  |                         | •            | •    |
| Race Red  | PQ  |                         | •            | •    |
| Rapid Red Metallic Tinted Clearcoat <sup>1</sup>    | D4  |                         | •            | •    |
| Star White Metallic Tri-Coat <sup>1</sup>           | AZ  |                         | •            | •    |
| Stone Gray Metallic                                 | D1  |                         | •            | •    |

<sup>1</sup> Extra Charge Paint<sup>2</sup> NA w/ ★F-600, XLT F-450/550 Regular Cab 4x2, Manual Telescoping Mirror w/102" width (54L) and Aft-Axle Frame Extension (63C)

★ = New for this model year

• = Available

# COLOR & TRIM AVAILABILITY

| FLEET ONLY EXTERIOR COLORS – (REQUIRES VALID FIN CODE) <sup>3</sup> | MONOTONE | Availability |   |  |
|---|----------|--------------|---|--|
| <b>XL</b>   |          |              |   |  |
| Green <sup>2</sup>  | GR       | •            |   |  |
| Green Gem <sup>2</sup>  | W6       | •            |   |  |
| Orange <sup>2</sup>   | MB       | •            |   |  |
| School Bus Yellow   | BY       | •            |   |  |
| Vermillion Red <sup>2</sup>   | E4       | •            |   |  |
| Yellow <sup>2</sup>   | AT       | •            |   |  |
| <b>XLT</b>  |          |              |   |  |
| Green <sup>2</sup>  | GR       | •            | • |  |
| Green Gem <sup>2</sup>  | W6       | •            | • |  |
| Orange <sup>2</sup>   | MB       | •            | • |  |
| School Bus Yellow   | BY       | •            | • |  |
| Vermillion Red <sup>2</sup>   | E4       | •            | • |  |
| Yellow <sup>2</sup>   | AT       | •            | • |  |

<sup>3</sup> Fleet only exterior colors will be priced as VSO colors.

★ = New for this model year

• = Available

## PACKAGED OPTIONS/EMISSIONS

### XL VALUE PACKAGE (96V)

**Availability:**

- Optional on XL

**Includes:**

- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper
- Cruise Control (steering wheel-mounted)

### XL DÉCOR GROUP (17F)

**Availability:**

- Optional on XL (Fleet Only)

**Includes:**

- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper

**Options Available:**

- Chrome/Bright Grille (63G)

### POWER EQUIPMENT GROUP (90L)

**Availability:**

- Optional on XL
- Standard on XLT and Lariat

**Includes:**

- Accessory Delay
- Advanced Security Pack (Incl. SecuriLock® Passive Anti-Theft System (PATS) and Inclination / Intrusion Sensors)
- Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals (54K) (XL & XLT Only)
- MyKey® owner controls feature
- Power 1<sup>st</sup> row (front-seat) windows w/one-touch up/down
- Power 2<sup>nd</sup> row (rear-seat) windows (Super/Crew Cab)
- Power locks
- Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights) (54F) (Lariat only)
- Remote keyless entry
- SecuriLock® Passive Anti-Theft System (PATS) (XLT and Lariat Only)
- Upgraded door-trim panel XL

**Deletes:**

- Passenger side lock cylinder

**Options Available:**

- Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights) (54F) (XLT only)

### XLT VALUE PACKAGE (17V)

**Availability:**

- Optional on XLT

**Includes:**

- Autolock/Auto unlock
- Power Driver's Seat (eight-way)
- Rear Under Seat Storage (NA w/ Regular Cab; fixed/non-locking on SuperCab; foldable/locking on Crew Cab)
- SecuriCode™ keyless entry keypad (driver's side)

### LARIAT VALUE PACKAGE (96L)

**Availability:**

- Optional on Lariat

**Includes:**

- Easy Entry/Exit Memory Driver's Seat Feature
- Power-Adjustable Pedals with Memory
- Power Heated/Ventilated Driver/Passenger Seat with Driver Side Memory
- PowerScope® Trailer Tow Mirrors with Memory
- Remote Start System

### WRECKER PACKAGE (474)

**Availability:**

- Optional on XL and XLT F-450

**Not available with:**

- Heavy-Service Front Suspension Package (67H)
- Snow Plow Prep Package (473)
- Extra Heavy-Service Suspension Package (67X)
- Extra Heavy-Duty Front End Suspension – 7,500 FGAWR (67P)

**Requires:**

- Regular Cab
- 145" WB

**Includes:**

- 7K Front Springs
- 19.5K Rear Springs
- 2" Rear Spacer Block (4x2 only)

**Note 1:** May result in a deterioration of ride quality

**Note 2:** Vehicle ride height will increase w/the addition of this package

### TRAILER TOW PACKAGE (531)

**Availability:**

- Optional on XL

**Not available with:**

- Ambulance Prep Packages (47A/47L) or Trailer Brake Controller (52B)
- F-600

**Includes:**

- Aftermarket trailer brake wiring kit
- Trailer Brake Controller not included

**NOTE:** Salespersons Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability.

### TRAILER TOW PACKAGE – HIGH CAPACITY (535)

**Availability:**

- Optional on all F-450 and F-550

**Not available with:**

- Ambulance Prep Packages (47A/47L)

**Requires:**

- 6.7L Power Stroke® Diesel engine (99T)
- 4.30 Limited-slip rear-axle (X4L) available on F-450 (or F-550 w/Base Payload or Payload Downgrade Package (68D))
- 4.88 Limited-slip rear-axle (X8L) available on F-550 w/Payload Plus Upgrade Package (68M)

**Includes:**

- Trailer brake wiring kit (not included if 52B Trailer Brake Controller is ordered)
- Increase GCW on diesel engine from 32,500 lbs. to 35,000 lbs. (F-450)
- Increase GCW on diesel engine from 32,500 lbs. to 40,000 lbs. (F-550)
- Upgraded rear-axle
- Trailer brake controller not included with XL, but can be added on this package via sales code 52B

**NOTE:** Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.

# PACKAGED OPTIONS/EMISSIONS

## SNOW PLOW PREP PACKAGE (473)

### Availability:

- Optional on all Chassis Cabs

### Not available with:

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Packages (47A/47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

### Requires:

- 4x4 (F-350 only)

### Includes:

- Alternator: 6.7L – 332 Amp Alternators (67A)
- Pre-selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)

### Options Available: (Highly recommended for max power output)

- 397 Amp Alternators (67B) (diesel only)
- 240 Amp Alternators (67E) 6.2L Gas Engine

**NOTE 1: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.**

**NOTE 2: Also allows for the attachment of a winch**

**NOTE 3: Highly recommended to add (86M) dual battery on 6.2L and 7.3L gas engines**

## HEAVY-SERVICE FRONT SUSPENSION PACKAGE (67H)

### Availability:

- Optional on all Chassis Cabs

### Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

### Not available with:

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Extra Heavy-Service Suspension Package (67X)

### Includes:

- Heavy-service front springs. (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

**NOTE 1: May result in a deterioration of ride quality.**

**NOTE 2: Vehicle ride height will increase w/the addition of this package**

## EXTRA HEAVY-SERVICE SUSPENSION PACKAGE (67X)

### Availability:

- Optional on all Chassis Cabs

### Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

### Not available with:

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Heavy-Service Front Suspension Package (67H)

### Includes:

- Extra heavy-service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

**NOTE 1: May result in a deterioration of ride quality.**

**NOTE 2: Vehicle ride height will increase w/the addition of this package**

## EXTRA HEAVY DUTY FRONT END SUSPENSION – 7500 GAWR (67P)

### Availability:

- Optional on F-450 or F-550
- Standard on F-600

### Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer

### Not available with:

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X)

### Includes:

- (3) Unique Front Axle
  - 7500 LB GAWR for 4x2 Chassis
  - 7500 LB GAWR for 4x4 Chassis @ 4.30 Ratio
  - 7500 LB GAWR for 4x4 Chassis @ 4.88 Ratio
- Max 7500 lbs. Front Springs/GAWR rating for configuration selected

## AMBULANCE PREP PACKAGE (47A)

### Availability:

- Optional on XL and XLT (Fleet Only)

### Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package to produce an ambulance voids the Ford warranty

### Not available with:

- Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package – High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package w/Special Emissions (47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

### Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- 7.3L Gas engine (99N)

### Includes:

- 397 Amp Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit [fordbbas.com](http://fordbbas.com) for complete details. (F-450, F-550, F-600)
- 5250 to 5990 lbs. Max Front Springs / Front GAWR (F-350) see supplemental Order Guide for complete details
- Operator Commanded Regeneration (OCR) – 6.7L Power Stroke® Diesel engine (99T) only
- 4.10 Limited-slip "Wide track" axle included w/F-350 DRW (X4W) – 6.7L Power Stroke® Diesel engine (99T) only

### Options Available:

- Electronic-locking rear-axle optional w/F-350 SRW
- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

**NOTE: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.**

## PACKAGED OPTIONS/EMISSIONS

### AMBULANCE PREP PACKAGE W/EPA SPECIAL EMERGENCY VEHICLE EMISSIONS (47L)

**Availability:**

- Optional on XL and XLT (Fleet Only)

**Usage:**

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances with special emissions only if equipped w/the Ford Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package w/EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty

**Not available with:**

- Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package – High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package (47A) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

**Requires:**

- 6.7L Power Stroke® Diesel engine (99T)

**Includes:**

- 397 Amp Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit [fordbbas.com](http://fordbbas.com) for complete details. (F-450, F-550, F-600)
- 5250 to 5990 lbs. Max Front Springs / Front GAWR (F-350) see supplemental Order Guide for complete details
- Operator Commanded Regeneration (OCR)
- "Wide track" axle included w/F-350 DRW (X4W)

**Options Available:**

- Electronic-locking rear-axle optional w/F-350 SRW
- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

**NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.**

**NOTE 2: Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation**

**NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%**

**NOTE 4: Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.**

**NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.**

### FIRE/RESCUE PREP PACKAGE W/EPA SPECIAL EMISSIONS – FOR DIESEL ENGINE (47J)

**Availability:**

- Optional on XL and XLT (Fleet Only)

**Usage:**

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford urges fire/rescue vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).

**Not available with:**

- Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X) or Ambulance Prep Packages (47A/47L)

**Requires:**

- 6.7L Power Stroke® Diesel engine (99T)

**Includes:**

- 397 Amp Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit [fordbbas.com](http://fordbbas.com) for complete details.
- Operator Commanded Regeneration (OCR)

**NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.**

**NOTE 2: Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation**

**NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%**

**NOTE 4: Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.**

**NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.**

### PAYLOAD DOWNGRADE PACKAGE (68D)

**Availability:**

- Required on F-350 SRW w/17" wheels/tires
- Optional on F-350 SRW w/18" wheels/tires, F-450 and F-550

**Not available with:**

- 7.3L Gas engine (99N) (F-350 SRW Only)
- 6.7L Power Stroke® Diesel engine (99T) (F-350 SRW Only)

**Requires:**

- 26.5 mid ship fuel tank (65M) on F-350 SRW
- Center High-Mounted Stop Lamp (CHMSL) (59H) for vehicles with 10,000 lbs. or less Gross Vehicle Weight Rating

**Includes:**

- 9,800 lbs. Gross Vehicle Weight Rating (F-350 SRW 17" Only)
- 10,000 lbs. Gross Vehicle Weight Rating (F-350 SRW 18" Only)
- 15,000 lbs. Gross Vehicle Weight Rating (F-450 Only)
- 17,500 lbs. Gross Vehicle Weight Rating (F-550 Only)

### PAYLOAD UPGRADE PACKAGE (68U)

**Availability:**

- Optional on XL and XLT F-550 Chassis Cabs 145" wheelbase with 7.3L Gas engine (99N)

**Requires:**

- 4.88 Limited-slip rear-axle (X8L)

**Includes:**

- Increased GVWR to 19,000 lbs.
- Upgraded frame
- Upgraded rear-axle

**NOTE: See Order Guide Supplemental Reference for further details on GVWR and payload ranges**

## PACKAGED OPTIONS/EMISSIONS

### PAYLOAD PLUS UPGRADE PACKAGE (68M)

**Availability:**

- Optional on F-550

**Not available with:**

- 4.30 Limited-slip rear-axle
- 145" wheelbase on gas engine

**Requires:**

- 4.88 Limited-slip rear-axle (X8L)

**Includes:**

- Increases GVWR from 18,000 lbs. to 19,500 lbs.
- Increases max RGAWR to 14,706
- Low Deflection/High Capacity Rear Springs
- Upgraded frame
- Upgraded rear-axle

**Options Available:**

- Low Deflection Spacer (86S)

**NOTE:** See Order Guide Supplemental Reference for further details on GVWR.

### 16,000 GVWR PACKAGE (68L)

**Availability:**

- Optional on all F-450 Chassis Cabs

**Includes:**

- Provides 16,000 lbs. Gross Vehicle Weight Rating

### LOW DEFLECTION SPACER (86S)

**Availability:**

- Optional on F-450, F-550 and F-600 Chassis Cabs

**Not available with:**

- 4x4 w/145" WB

**Usage:**

- Recommended for rear-biased loading, such as wrecker/retriever applications

**Includes:**

- 2" spacer blocks

### CNG/Propane GASEOUS ENGINE PREP PACKAGE (98F)

**Availability:**

- Optional on all F-350

**Requires:**

- 6.2L Gas Engine (996)

**Includes:**

- Hardened Engine Intake Valves and Valve Seats
- Bi-Fuel intake manifold

**NOTE:** This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide:

[www.ford.com/altfuelbuyersguide](http://www.ford.com/altfuelbuyersguide)

Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements

### CNG/Propane GASEOUS ENGINE PREP PACKAGE (98G)

**Availability:**

- Optional on all XL and XLT F-450, F-550 and F-600

**Requires:**

- 7.3L Gas engine (99N)

**Includes:**

- Hardened Engine Intake Valves and Valve Seats

**NOTE:** This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide:

[www.ford.com/altfuelbuyersguide](http://www.ford.com/altfuelbuyersguide)

Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements

### REAR VIEW CAMERA AND PREP KIT (872)

**Availability:**

- Optional on all Chassis Cabs

**Pre-installed Content Includes:**

- Cab Wiring
- Frame Wiring to the rear most cross member

**Upfitters kit Includes:**

- Camera with mounting bracket
- 20' jumper wire
- Camera mounting and aiming instructions

### Vehicle Special Order (VSO)

FLEET ONLY. See [www.fmcdealer.com](http://www.fmcdealer.com) for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email [ysomail@ford.com](mailto:ysomail@ford.com) or call 1.800.34.FLEET, menu 4 with any VSO questions you may have.

### High Sulfur Diesel Fuel Usage

Vehicles for intended usage with diesel fuel sulfur content greater than 15ppm require Euro II (>500ppm sulfur) or Euro III (<500ppm sulfur) packages to avoid engine functionality issues.

Packages are available through Export Order Guide with the appropriate US EPA exemption or verifiable export usage.

**NOTE:** JP8 fuel is supported and compatible with these packages

### Leaded Fuel Capable

**NOTE:** Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

# PACKAGED OPTIONS/EMISSIONS

### European Certified Headlamps

European certified headlamp package is available for export usage through Export Order Guide.

**NOTE:** Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

### MISCELLANEOUS OPTIONS

|                    |            |
|--------------------|------------|
| COV required ..... | <b>79V</b> |
| Priced DORA.....   | <b>C09</b> |

**PAYLOAD PACKAGE SELECTOR CHART – Refer to Supplemental Reference Section for Payload Information.**

### EMISSIONS STANDARD/OPTIONAL EQUIPMENT

|                                       |            |
|---------------------------------------|------------|
| <b>50-STATE EMISSIONS SYSTEM.....</b> | <b>425</b> |
| Standard on all Vehicles              |            |

### FRONT LICENSE PLATE BRACKET.....

|   |            |
|---|------------|
| <b>FRONT LICENSE PLATE BRACKET.....</b>                                     | <b>153</b> |
| Standard in states requiring two license plates and optional to all others. |            |

**POWERTRAIN****ENGINE HORSEPOWER AND TORQUE RATINGS\***

| ENGINE  | TRANSMISSION  | NOMINAL<br>COMPRESSION<br>RATIO | 50-STATE   |                |
|---|---|---------------------------------|------------|----------------|
|   |   |                                 | HORSEPOWER | TORQUE         |
|   |   |                                 | H.P. @ RPM | FT. LBS. @ RPM |
| <b>ALL</b>                                    |   |                                 |            |                |
| 6.2L 2V Gas SOHC EFI NA V8 (Flex-Fuel)        | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | TBD                             | TBD @ TBD  | TBD @ TBD      |
| 7.3L 2V Gas DEVCT NA PFI V8                   | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | TBD                             | TBD @ TBD  | TBD @ TBD      |
| 6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20 | TorqShift® Ten-Speed Automatic w/SelectShift® Automatic | TBD                             | TBD @ TBD  | TBD @ TBD      |

(1) 10,000 lbs. GVWR and Under

(2) 10,001 lbs. GVWR and above

**FUEL ECONOMY**

TRUCKS WITH GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.