

# SAT 22-03-1008R

Prepared For: ITEM 162 BUILD

[Fleet] 2023 Chevrolet Silverado 2500HD (CC20753) 2WD Double Cab 149" Work Truck





# **Table of Contents**

- Dealership Information
- Price Summary
- · Weight Rating
- Technical Specifications
- · Selected Model and Options
- Standard Equipment

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Reliable Chevrolet**

Prepared By:

Doug Adams Reliable Chevrolet 972-952-1561 dadams@reliablechevrolet.com

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Price Summary**

PRICE SUMMARY

	MSRP
Base Price	\$42,900.00
Total Options	\$0.00
Vehicle Subtotal	\$42,900.00
Destination Charge	\$1,795.00
Grand Total	\$44,695.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# Weight Ratings WEIGHT RATINGS Front Gross Axle Weight Rating: N/A Rear Gross Axle Weight Rating: N/A Gross Vehicle Weight Rating: 10050.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Technical Specifications**

### Powertrain

### Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MYD
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A		
<i>l</i> ileage			
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
Ingine			
Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/400	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170
Cooling System			
Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Vehicle

# [Fleet] 2023 Chevrolet Silverado 2500HD (CC20753) 2WD Double Cab 149" Work Truck ( Complete )

### Emissions Tons/yr of CO2 Emissions @ 15K mi/year N/A EPA Greenhouse Gas Score Chassis Weight Information Standard Weight - Front 0.00 lbs Standard Weight - Rear **Base Curb Weight** N/A Gross Axle Wt Rating - Front Gross Axle Wt Rating - Rear N/A Curb Weight - Front Curb Weight - Rear 2732 lbs **Option Weight - Front Option Weight - Rear** 0.00 lbs Reserve Axle Capacity - Front Reserve Axle Capacity - Rear N/A As Spec'd Curb Weight As Spec'd Payload 3821.00 lbs Maximum Payload Capacity Gross Combined Wt Rating 24000 lbs Gross Axle Weight Rating Curb Weight 6229.00 lbs **Reserve Axle Capacity Total Option Weight** 0.00 lbs **Payload Weight Front** Payload Weight Rear 0 lbs Gross Vehicle Weight Rating Trailering Dead Weight Hitch - Max Trailer Wt. 5000 lbs Dead Weight Hitch - Max Tongue Wt. Wt Distributing Hitch - Max Trailer Wt. 14500 lbs Wt Distributing Hitch - Max Tongue Wt. Fifth Wheel Hitch - Max Trailer Wt. 17050 lbs Fifth Wheel Hitch - Max Tongue Wt. Maximum Trailering Capacity 14500 lbs Frame Frame Type Hydroformed Sect Modulus Rails Only Frame RBM N/A Frame Strength Frame Thickness N/A

### Suspension

Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.

N/A

0.00 lbs

0.00 lbs

6229.00 lbs

3821.00 lbs

10050.00 lbs

N/A 3497 lbs

N/A

N/A

N/A

0 lbs

500 lbs

1450 lbs

4262 lbs

N/A

N/A



Chassis				
Suspension				
Axle Type	- Front	N/A	Axle Type - Rear	N/A
Axle Capa	city - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio	(:1) - Front	N/A	Axle Ratio (:1) - Rear	3.73
Shock Abs	orber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer E	Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
Tires				
Front Tire	Order Code	QHQ	Rear Tire Order Code	QHQ
Spare Tire	Order Code	ZHQ	Front Tire Size	LT245/75R17E
Rear Tire S	Size	LT245/75R17E	Spare Tire Size	LT245/75R17E
Front Tire	Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire	Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolution	s/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels				
Front Whe	el Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Spare Whe	eel Size	17 x -TBD- in	Front Wheel Material	Steel
Rear Whee	el Material	Steel	Spare Wheel Material	Steel
Steering				
Steering T	уре	Pwr	Steering Ratio (:1), Overall	N/A
Steering R	atio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Di	ameter - Curb to Curb	49.5 ft	Turning Diameter - Wall to Wall	N/A
Brakes				
Brake Type	e	Pwr	Brake ABS System	4-Wheel
Brake ABS	System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rea	r (Yes or )	Yes	Front Brake Rotor Diam x Thickness	14.0 x 1.6 in
Rear Brake	e Rotor Diam x Thickness	14.1 x 1.3 in	Drum - Rear (Yes or )	N/A
Rear Drum	n Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



assis		
el Tank		
Fuel Tank Capacity, Approx	36 gal	Aux Fuel
Fuel Tank Location	N/A	Aux Fuel Tan
mensions		
terior Dimensions		
Passenger Capacity	6	Front Head Room
Front Leg Room	44.53 in	Front Shoulder Room
Front Hip Room	61.18 in	Second Head Room
Second Leg Room	35.24 in	Second Shoulder Room
Second Hip Room	60.24 in	
xterior Dimensions		
Wheelbase	149.4 in	Length, Overall w/o rear b
Length, Overall w/rear bumper	N/A	Length, Overall
Width, Max w/o mirrors	81.85 in	Height, Overall
Overhang, Front	N/A	Overhang, Rear w/o bumpe
Front Bumper to Back of Cab	N/A	Cab to Axle
Cab to End of Frame	N/A	Ground to Top of Load Floor
Ground to Top of Frame	N/A	Frame Width, Rear
Ground Clearance, Front	10.19 in	Ground Clearance, Rear
Body Length	0.00 ft	Cab to Body
argo Area Dimensions		
Cargo Box Length @ Floor	82.25 in	Cargo Box Width @ Top, Re
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelho
Cargo Box (Area) Height	21 in	Tailgate Width
Cargo Volume	69.5 ft <sup>3</sup>	Ext'd Cab Cargo Volume

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Selected Mode	l and Options			
	MODEL			MSRP
CC20753	2023 Chevrolet Silverado 2500HD 2WD Double Cab 149" Work	Truck		\$42,900.00
0020755	2023 Chevrolet Silverado 2300 ID 200D Double Cab 149 Work	TUCK		φ42,900.00
COLORS				
CODE	DESCRIPTION			
G7C	Red Hot			
EMISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00
INGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)	0.00 lbs	0.00 lbs	\$0.00
<b>FRANSMISSION</b>				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
MYD	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)	0.00 lbs	0.00 lbs	\$0.00
GVWR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
9N2	GVWR, 10,050 lbs. (4559 kg) (STD) (Included and only available with CC20753 model and (L8T) 6.6L V8 gas engine with 17" wheels.)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



[Fleet] 2023 Ch	nevrolet Silverado 2500HD (CC20753) 2WD Double C	ab 149" Wo	rk Truck 🤇 🗸	Complete)
AXLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GT4	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	\$0.00
PREFERRED EQ	UIPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00
WHEELS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
PYN	Wheels, 17" (43.2 cm) painted steel, Silver (STD)	0.00 lbs	0.00 lbs	\$0.00
TIRES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
QHQ	Tires, LT245/75R17E all-season, blackwall (STD)	0.00 lbs	0.00 lbs	\$0.00
SPARE TIRE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZHQ	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all- season, blackwall tires are ordered.)	0.00 lbs	0.00 lbs	Inc.
PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
G7C	Red Hot	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



[Fleet] 2023 Chevrolet Silverad	o 2500HD (CC20753)	2WD Double Cab	149" Work Truck (	Complete )
---------------------------------	--------------------	----------------	-------------------	------------

SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AE7	Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD)	0.00 lbs	0.00 lbs	\$0.00
SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
H2G	Jet Black, Vinyl seat trim	0.00 lbs	0.00 lbs	\$0.00
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
IOR	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)	0.00 lbs	0.00 lbs	\$0.00
	Options Total	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Standard Equipment**

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	GVWR, 10,050 lbs. (4559 kg) (STD) (Included and only available with CC20753 model and (L8T) 6.6L V8 gas engine with 17" wheels.)
	Air filter, heavy-duty
	Air filtration monitoring
	Auto-locking rear differential
	Rear wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
Exterior	
	Wheels, 17" (43.2 cm) painted steel, Silver (STD)

Tires, LT245/75R17E all-season, blackwall (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17 all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup be delete.)
	Bumpers, front, Black
	Bumpers, rear, Black
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) picku bed delete is ordered.)
	Moldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowti emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side steering wheel
	Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
	Door handles, Black grained
tertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass- through to phone, wired Apple CarPlay and Android Auto capable. (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Entertainment	
	Bluetooth for phone connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD)
	Vinyl seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
	Window, power front, passenger express down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power (Standard on Crew Cab and Double Cab models. On Regular Cab models, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
	USB ports, 2 (first row) located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models. Not available with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)
WARRANTY	
	Warranty Note: <<< Preliminary 2023 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km: (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000 Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.