SAT 22-03-1008R

Prepared For: ITEM 165 BUILD

[Fleet] 2023 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck



Table of Contents

- Dealership Information
- Price Summary
- · Weight Rating
- Technical Specifications
- · Selected Model and Options
- Standard Equipment

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.

Reliable Chevrolet

Prepared By:

Doug Adams
Reliable Chevrolet
972-952-1561
dadams@reliablechevrolet.com

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.

Price Summary

| PRICE SUMMARY | |
|--------------------|-------------|
| | MSRP |
| Base Price | \$44,300.00 |
| Total Options | \$0.00 |
| Vehicle Subtotal | \$44,300.00 |
| Destination Charge | \$1,795.00 |
| Grand Total | \$46,095.00 |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.

Weight Ratings

| WEIGHT RATINGS | |
|---------------------------------|--------------|
| Front Gross Axle Weight Rating: | 4400 lbs |
| Rear Gross Axle Weight Rating: | 7250 lbs |
| Gross Vehicle Weight Rating: | 11100.00 lbs |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.

Technical Specifications

Powertrain Transmission Drivetrain Rear Wheel Drive Trans Order Code MYD Trans Type 6 Trans Description Cont. Automatic Trans Description Cont. Again N/A First Gear Ratio (:1) 4.03 Second Gear Ratio (:1) 2.36 Third Gear Ratio (:1) 1.53 Fourth Gear Ratio (:1) 1.15 Fifth Gear Ratio (:1) 0.85 Sixth Gear Ratio (:1) 0.67 Reverse Ratio (:1) 3.06 Clutch Size Trans Power Take Off N/A N/A N/A Transfer Case Model N/A Final Drive Axle Ratio (:1) Transfer Case Gear Ratio (:1), High N/A Transfer Case Gear Ratio (:1), Low N/A Transfer Case Power Take Off N/A Mileage EPA Fuel Economy Est - Hwy N/A Cruising Range - City N/A EPA Fuel Economy Est - City N/A Fuel Economy Est-Combined N/A Cruising Range - Hwy N/A **Estimated Battery Range** N/A **Engine Engine Order Code** L8T **Engine Type** Gas V8 Displacement 6.6L/-TBD-Fuel System **Direct Injection** SAE Net Horsepower @ RPM 401 @ 5200 SAE Net Torque @ RPM 464 @ 4000 Engine Oil Cooler Yes **Electrical** Cold Cranking Amps @ 0° F (Primary) 720 Cold Cranking Amps @ 0° F (2nd) N/A Cold Cranking Amps @ 0° F (3rd) N/A Maximum Alternator Capacity (amps) 170 **Cooling System Total Cooling System Capacity** N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.



| Vehicle | | | |
|---|----------------------------------|--|--------------------|
| Emissions | | | |
| Tons/yr of CO2 Emissions @ 15K mi/year | N/A | EPA Greenhouse Gas Score | N/A |
| Chassis | | | |
| Weight Information | | | |
| Standard Weight - Front | -7.00 lbs | Standard Weight - Rear | -266.00 lbs |
| Base Curb Weight | N/A | Gross Axle Wt Rating - Front | 4400 lbs |
| Gross Axle Wt Rating - Rear | 7250 lbs | Curb Weight - Front | 3659 lbs |
| Curb Weight - Rear | 3127 lbs | Option Weight - Front | 0.00 lbs |
| Option Weight - Rear | 0.00 lbs | Reserve Axle Capacity - Front | 748.00 lbs |
| Reserve Axle Capacity - Rear | 4389.00 lbs | As Spec'd Curb Weight | 6513.00 lbs |
| As Spec'd Payload | 4587.00 lbs | Maximum Payload Capacity | 4314.00 lbs |
| Gross Combined Wt Rating | 24000 lbs | Gross Axle Weight Rating | 11650.00 lbs |
| Curb Weight | 6786.00 lbs | Reserve Axle Capacity | 5137.00 lbs |
| Total Option Weight | 0.00 lbs | Payload Weight Front | 0 lbs |
| Payload Weight Rear | 0 lbs | Gross Vehicle Weight Rating | 11100.00 lbs |
| Trailering | | | |
| Dead Weight Hitch - Max Trailer Wt. | 5000 lbs | Dead Weight Hitch - Max Tongue Wt. | 500 lbs |
| Wt Distributing Hitch - Max Trailer Wt. | 14500 lbs | Wt Distributing Hitch - Max Tongue Wt. | 1450 lbs |
| Fifth Wheel Hitch - Max Trailer Wt. | 16700 lbs | Fifth Wheel Hitch - Max Tongue Wt. | 4175 lbs |
| Maximum Trailering Capacity | 20000 lbs | | |
| Frame | | | |
| Frame Type | Hydroformed | Sect Modulus Rails Only | N/A |
| Frame RBM | N/A | Frame Strength | N/A |
| Frame Thickness | N/A | | |
| Suspension | | | |
| Suspension Type - Front | Short/Long Arm w/Torsion Bars | Suspension Type - Rear | 3-Stage Multi-Leaf |
| Spring Capacity - Front | N/A | Spring Capacity - Rear | N/A |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.



| nassis | | | |
|-----------------------------------|------------------------|------------------------------------|-------------|
| Suspension | | | |
| Axle Type - Front | Independent | Axle Type - Rear | N/A |
| Axle Capacity - Front | N/A | Axle Capacity - Rear | N/A |
| Axle Ratio (:1) - Front | N/A | Axle Ratio (:1) - Rear | 3.73 |
| Shock Absorber Diameter - Front | 51 mm | Shock Absorber Diameter - Rear | 51 mm |
| Stabilizer Bar Diameter - Front | 1.38 in | Stabilizer Bar Diameter - Rear | N/A |
| ïres | | | |
| Front Tire Order Code | QF6 | Rear Tire Order Code | QF6 |
| Spare Tire Order Code | ZYG | Front Tire Size | LT275/70R18 |
| Rear Tire Size | LT275/70R18 | Spare Tire Size | LT275/70R18 |
| Front Tire Capacity | N/A | Rear Tire Capacity | N/A |
| Spare Tire Capacity | N/A | Revolutions/Mile @ 45 mph - Front | N/A |
| Revolutions/Mile @ 45 mph - Rear | N/A | Revolutions/Mile @ 45 mph - Spare | N/A |
| Vheels | | | |
| Front Wheel Size | 18 x 8 in | Rear Wheel Size | 18 x 8 in |
| Spare Wheel Size | 18 x 8 in | Front Wheel Material | Steel |
| Rear Wheel Material | Steel | Spare Wheel Material | Steel |
| Steering | | | |
| Steering Type | Pwr Recirculating Ball | Steering Ratio (:1), Overall | N/A |
| Steering Ratio (:1), On Center | N/A | Steering Ratio (:1), At Lock | N/A |
| Turning Diameter - Curb to Curb | 53.9 ft | Turning Diameter - Wall to Wall | N/A |
| Brakes | | | |
| Brake Type | Pwr | Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A | Disc - Front (Yes or) | Yes |
| Disc - Rear (Yes or) | Yes | Front Brake Rotor Diam x Thickness | 14 x 1.6 in |
| Rear Brake Rotor Diam x Thickness | 14.1 x 1.3 in | Drum - Rear (Yes or) | N/A |
| Rear Drum Diam x Width | N/A | | |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.

| assis | | | |
|-------------------------------|----------------------|---------------------------------|-----------|
| ıel Tank | | | |
| Fuel Tank Capacity, Approx | 36 gal | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location | N/A | Aux Fuel Tank Location | N/A |
| nensions | | | |
| terior Dimensions | | | |
| Passenger Capacity | 6 | Front Head Room | 43.03 in |
| Front Leg Room | 44.53 in | Front Shoulder Room | 66.02 in |
| Front Hip Room | 61.18 in | Second Head Room | 39.88 in |
| Second Leg Room | 35.24 in | Second Shoulder Room | 64.88 in |
| Second Hip Room | 60.24 in | | |
| cterior Dimensions | | | |
| Wheelbase | 162.48 in | Length, Overall w/o rear bumper | N/A |
| Length, Overall w/rear bumper | N/A | Length, Overall | 256.46 in |
| Width, Max w/o mirrors | 81.85 in | Height, Overall | 80.87 in |
| Overhang, Front | N/A | Overhang, Rear w/o bumper | N/A |
| Front Bumper to Back of Cab | N/A | Cab to Axle | 55.2 in |
| Cab to End of Frame | N/A | Ground to Top of Load Floor | 38.8 in |
| Ground to Top of Frame | N/A | Frame Width, Rear | N/A |
| Ground Clearance, Front | 11.18 in | Ground Clearance, Rear | 11.18 in |
| Body Length | 0.00 ft | Cab to Body | N/A |
| argo Area Dimensions | | | |
| Cargo Box Length @ Floor | 98.27 in | Cargo Box Width @ Top, Rear | N/A |
| Cargo Box Width @ Floor | 71.4 in | Cargo Box Width @ Wheelhousings | 50.55 in |
| Cargo Box (Area) Height | 21 in | Tailgate Width | N/A |
| Cargo Volume | 83.5 ft ³ | Ext'd Cab Cargo Volume | N/A |

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Doug Adams | 972-952-1561 | dadams@reliablechevrolet.com

[Fleet] 2023 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck (✓ Complete)

| Selected Model | and Options | | | |
|----------------|--|-----------------|----------------|-------------|
| MODEL | | | | |
| CODE | MODEL | | | MSRP |
| CC30953 | 2023 Chevrolet Silverado 3500HD 2WD Double Cab 162" Work | Truck | | \$44,300.00 |
| COLORS | | | | |
| CODE | DESCRIPTION | | | |
| GAZ | Summit White | | | |
| BODY CODE | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| E63 | Durabed, pickup bed (STD) | 0.00 lbs | 0.00 lbs | \$0.00 |
| REAR WHEEL COM | NFIGURATION | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| SRW | Single Rear Wheels (STD) | -47.00 lbs | -144.00 lbs | \$0.00 |
| EMISSIONS | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| FE9 | Emissions, Federal requirements | 0.00 lbs | 0.00 lbs | \$0.00 |
| ENGINE | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| L8T | Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD) | 0.00 lbs | 0.00 lbs | \$0.00 |
| TRANSMISSION | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| MYD | Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.) | 0.00 lbs | 0.00 lbs | \$0.00 |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.



Doug Adams | 972-952-1561 | dadams@reliablechevrolet.com

[Fleet] 2023 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck (✓ Complete)

| SVWR | | | | |
|-------------|---|-----------------|----------------|--------|
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| JFN | GVWR, 11,100 lbs. (5035 kg) with single rear wheels (STD) (Included and only available with CC30953 or CK30903 model with (L8T) 6.6L V8 gas engine. Requires single rear wheels.) | 0.00 lbs | 0.00 lbs | Inc. |
| XLE | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| GT4 | Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.) | 0.00 lbs | 0.00 lbs | \$0.00 |
| REFERRED EQ | UIPMENT GROUP | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| 1WT | Work Truck Preferred Equipment Group includes standard equipment | 0.00 lbs | 0.00 lbs | \$0.00 |
| VHEELS | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| PYT | Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.) | 6.00 lbs | -76.00 lbs | \$0.00 |
| TRES | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| QF6 | Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.) | 24.00 lbs | -63.00 lbs | \$0.00 |
| PARE TIRE | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| ZYG | Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models) | 0.00 lbs | 16.00 lbs | \$0.00 |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.



| PAINT | | | | |
|-----------|---|-----------------|----------------|--------|
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| GAZ | Summit White | 0.00 lbs | 0.00 lbs | \$0.00 |
| SEAT TYPE | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| AE7 | Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD) | 4.00 lbs | 2.00 lbs | \$0.00 |
| SEAT TRIM | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| H2G | Jet Black, Vinyl seat trim | 0.00 lbs | 0.00 lbs | \$0.00 |
| RADIO | | | | |
| CODE | DESCRIPTION | FRONT WEIGHT | REAR WEIGHT | MSRP |
| IOR | Audio system, Chevrolet Infotainment 3 system, 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD) | 0.00 lbs | 0.00 lbs | \$0.00 |
| | Options Total | -13.00 lbs | -265.00 lbs | \$0.00 |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.

Standard Equipment

| | P |
|------------|---|
| Package | |
| | Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.) |
| Mechanical | |
| | Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD) |
| | Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.) |
| | Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.) |
| | Durabed, pickup bed (STD) |
| | GVWR, 11,100 lbs. (5035 kg) with single rear wheels (STD) (Included and only available with CC30953 or CK30903 model with (L8T) 6.6L V8 gas engine. Requires single rear wheels.) |
| | Air filter, heavy-duty |
| | Air filtration monitoring |
| | Auto-locking rear differential |
| | Rear wheel drive |
| | Cooling, external engine oil cooler |
| | Cooling, auxiliary external transmission oil cooler |
| | Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.) |
| | Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.) |
| | Recovery hooks, front, frame-mounted, Black |
| | Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section |
| | Suspension Package |
| | Steering, Recirculating ball with smart flow power steering system |
| | Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors |
| | Brake lining wear indicator |
| | Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.) |
| Exterior | |
| | Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.) |
| | Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.) |
| | |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.



Doug Adams | 972-952-1561 | dadams@reliablechevrolet.com

[Fleet] 2023 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck (✓ Complete)



| Exterior | |
|----------|--|
| | Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models) |
| | Single Rear Wheels (STD) |
| | Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.) |
| | Bumpers, front, Black |
| | Bumpers, rear, Black |
| | CornerStep, rear bumper |
| | BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.) |
| | Moldings, beltline, Black |
| | Cargo tie downs (12), fixed, rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.) |
| | Front grille bar with "CHEVROLET" molded in Black includes Black mesh inserts with small Gold bowtie emblem. |
| | Headlamps, halogen reflector with halogen Daytime Running Lamps |
| | Taillamps, with incandescent tail, stop and reverse lights (Note: Trucks equipped with dual rear wheels will feature LED signature tail and stop lamps, with incandescent reverse lamp.) |
| | Lamps, cargo area cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel |
| | Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black |
| | Mirror caps, Black |
| | Glass, solar absorbing, tinted |
| | Door handles, Black grained |
| | Tailgate, standard (Deleted with (ZW9) pickup bed delete.) |
| | Tailgate and bed rail protection cap, top |
| | Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.) |
| | Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.) |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.

| Entertainment | |
|---------------|---|
| | Audio system, Chevrolet Infotainment 3 system, 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD) |
| | Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.) |
| | Bluetooth for phone connectivity to vehicle infotainment system |
| Interior | |
| | Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD) |
| | Seat trim, Vinyl |
| | Seat adjuster, driver 4-way manual |
| | Seat adjuster, passenger 4-way manual |
| | Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.) |
| | Floor covering, rubberized-vinyl (Not available with LPO floor liners.) |
| | Steering wheel, urethane |
| | Steering column, Tilt-Wheel, manual with wheel locking security feature |
| | Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure |
| | Driver Information Center, 3.5" diagonal monochromatic display |
| | Exterior Temperature Display located in radio display |
| | Window, power front, drivers express up/down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.) |
| | Window, power front, passenger express down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.) |
| | Windows, power rear, express down (Not available with Regular Cab models.) |
| | Door locks, power (Standard on Crew Cab and Double Cab models. On Regular Cab models, included and onl available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.) |
| | Power outlet, front auxiliary, 12-volt |
| | USB ports, 2 (first row) located on instrument panel |
| | Air conditioning, single-zone |
| | Air vents, rear, heating/cooling (Not available on Regular Cab models.) |
| | Mirror, inside rearview, manual tilt |
| | Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.



| Safety-Mechanica | al | ı |
|------------------|----|---|
|------------------|----|---|

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)

Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)

Rear Seat Reminder (Requires Crew Cab or Double Cab model.)

Seat Belt Adjustable Guide Loops front row only (Included and only available on Crew Cab and Double Cab models. Not available with (ZW9) pickup bed delete.)

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

Processing-Other

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5

Years/100.000 Miles

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17287. Data Updated: Aug 24, 2022 6:49:00 PM PDT.