ColeR AND
OPTION PRICING FOR
All Model
All Model CREW VAUS
3500 XD CREW VAUS
MXCV46 - MXCV7X

Exterior Paint Overview

Code	Description	Price	Paint	Code	Description	Price	Paint
1243	Calcite yellow	\$675		7701	Pebble grey	\$0	
3432	Sunset red	\$675	0 0	7224	Graphite grey	\$675	0=0
3583	Velvet red	\$0	0_0_	7708	Silver grey	\$675	0 0
3589	Jupiter red	\$0	ê ê	7709	Blue grey	\$0	0=0
5362	Brilliant blue	\$675	0=0	7755	Tenorite grey metallic	\$1,070	0 0)
5389	Steel blue	\$0	0_0_	7992	Selenite grey metallic	\$1,070	
5524	Black blue	\$1,070	0_0	9040	Jet black	\$1,070	0_0_
5890	Cavansite blue metallic	\$1,070	0 0	9136	Grey white	\$675	
5957	Vanda blue	\$675	(-0-)	9147	Arctic white	\$0	
6830	Aqua green	\$0		9197	Obsidian black metallic	\$1,070	0_0_
7160	Stone grey	\$675		9775	Iridiumsilver	\$1,070	
lease see I	NetStar for latest paint availability	v information					

Please see NetStar for latest paint availability information.

Uphoistery

Standard

VF7

Fabric

Maturin Black Upholstery



Optional

VF4

Fabric

Caluma Black Upholstery

Upcharge				
Cargo	\$	60		
Cab Chassis	\$	60		
Crew Van	\$	205		
Passenger Van	\$	430		



Optional

VF6

Leatherette

Black


Upcharge				
Cargo	\$	60		
Cab Chassis	\$	60		
Crew Van	\$	205		
Passenger Van	\$	430		




Seat restrictions

			Fabrics	
Code	Seat	VF7	VF4	VF6
	Standard Seats Front	S	0	0
	Standard Seats Rear	S	n/a	0
SF1/SF2	Power Seats	n/a	0	0
SB1/SB2	Comfort Seats Front	S	0	0
	Comfort Seats Rear	n/a	0	0

Front and rear fabric always have to match.





Suspension Matrix

		Cargo Van	/ Crew Va	ın	
Standard	1500	2500	3500 3500XD		4500
Stantuard	Base Sus	pension		CB8	CB8 + A50
HOR WAR		A50			
	CB1 (add to sa	tandard)			
Options	CB7 (moved to	option)	-		
Ориона	CB8 (replacing	standard)	S		
		CB4 (Recommended for RV) - only Ecyl Diesel			/l Diesel
	CT1				
Specialized	CE8 (not with 4x4 models)				
Options	B01 (not with 3500/3500XD/4500 144"WB)				
Options	X2R (not with 3500/3500XD/4500 144"WB)				

		Passenger	
	1500	250	0
Standard	144" WB	144" WB	170" WB
	Base Suspen	sion + CB1 + CT1	Base Suspension + CB1 + CT1 + A5

	Cab Chassis	AD THE RESERVE	
Standard	3500XD	4500	
Statistary	CB8	CB8 + A50	
Options		B4	
Options	A50		
	CE8 (not on :	144"WB models)	
Specialized Options	B01 (not with 3500XD/4500 144"WB)		
	X2R (not with 3500XD/45	500 144"WB)	

Suspension Details

A STATE			Standard Suspensions and Options		
Code	Title		Details		
A50	A50 Front axle reinforced		creased load capacity of the front axle, where heavier bodies and equipment can be fitted. The higher capacity fron heavier cabs and heavier special equipment (e.g. for fire-fighting vehicles and ambulances).		
		Description	Ride comfort due to reduced roll stabilization.		
No Factory Code	Base Standard Factory Suspension	Benefit	The Base Standard Factory suspension, has an adapted front suspension for a lower and more comfortable entry. With the removal of the rear stabilization bar it allows for an overall comfortable ride with reduced roll.		
		Description	Roll Stabilization with height body damping		
CB7 Stabilization Level I	Benefit	CB7 compensates for rolling behavior due to higher center of gravity of loads or bodies. Torsion bars with an increased diameter are added to the front and rear axels. Furthermore, shock absorbers with an adapted characteristic are installed.			
		Description	Enhanced roll stabilization with higher body damping compared to CB7		
CB8 Stabilization Level II	Benefit	Additional roll stabilization and body damping compared to CB7. Increases torsion bar diameters at the front and rear axles and provides an adapted shock absorber characteristic. Furthermore, rear axle springs with increased rigidity are installed.			
CB4	Stabilization Level III	Description	Designed for vans with a intense rolling behavior due to a much heavier load and higher center of gravity. (i.e. recreational vehicles)		
CB4	- Stabilization Level III	Benefit	CB4 comes with larger diameter stabilizers, shock absorbers and with charateristics that are adapted for an increased rebound and compression curve. Furthermore, the leaf springs are increased in rigidity.		
CB1	Suspension for comfort and load protection	Enhanced com	fort due to adapted damper characteristics and the use of progressive spring characteristics.		
CT1	Rear spring vibration absorbers	Includes vibration absorbers fitted on the left and right rear spring and lowers the resonant vibrations of the rear springs, thus hindering noise development.			

Specialized Suspension Options						
Code	Title		Explanation			
CE8	Raised rear body mounts	Raised body o	Raised body on rear axle (35mm/1.4")			
B01 ESP for increased Center of Gravity	Description	Adjusted braking and handling characteristics for vehicles with increased center of gravity.				
	Benefit	With code B01, the ESP® is optimized to reduce the vehicles tilt tendency with a total center of gravity of more than 1000 mm [39,4 inches]. It is essential to ensure that the vehicle is equipped with the right suspension and tires. With B01 it is required to also add CB8 or CB4.				
X2R	Conversion to RV requirement	MBUX Timed S	Switch-off extended to 6 hours and B01 is automatically added to this code.			

Rear view camera/head unit plausibility

		CA/	PV/CV		
	Standard	Option A	Option A + JB7	Option A + JB6	Option A + JB8
Radio/HU	E10	E3M/E4M	E3M/E4M	E3M/E4M	E3M/E4M
Camera	FR3	FR8	integrated camera	integrated 360 degree camera	integrated 360 degree camera
Pre-wiring Camera	n/a	n/a	n/a	n/a	n/a
Camera Display	Interior rear view mirror	7/10.25" Screen	7/10.25" Screen	7/10.25" Screen	7/10.25" Screen

Options shown above lead to an upcharge.

CC VIII CC						
	Standard	Option A	Option B			
Radio/HU	E10	E10	E3M/E4M			
After-Sales Camera	-	Any analog* Camera	Mercedes-Benz Camera** (digital)			
Pre-wiring	-	FV1	FR7			
Rear-View Display		Interior rear view				
		mirror	7/10.25" Screen			

Options shown above lead to an upcharge.

Cargo Van Floor Variations

Standard	V93	Without factory installed flooring
Options	V43	Wood floor with 6 D-rings
	VK8	Floor covering, plastic

Note: see restrictions in combination with metallic paint

Special Rule for cargo vans with metallic paint

Paint Code		5890/7755/7992/9197/9775
	V43	Wood floor with 6 D-rings
	VK8	Floor covering, plastic
Must have one of	ZZ9	No floor covering; requires customer floor installation Package contains: V93 - No factory installed flooring VL4 - Metallic painted floor

Note: Fleet only

Additional comments ZZ9 Package

While applying the required clear coat layer to the metallic painted cargo floor, imperfections could occur. Therefore, we strongly recommend to install flooring in the cargo area for vehicles with a metallic paint.

Please be aware that potential paint appearance, contamination or imperfections of the uncovered cargo floor are not considered a defect and are therefore not reimbursable for repairs.

^{*}only cameras with analog signal works

 $^{^{**}}$ only the Mercedes-Benz rear view camera works (digital signal)

Tire & Wheel Overview

		1500/2500) Models
		Standard Tire	RH8
		Standard Wheel	RS3
		Optional Wheel	RL5
		Brand O	ptions
		RMO All-season tires	RM1 M+S tires
RD9	Tire brand, unspecified	5	0
RF8	Michelin	0	n/a
RF1	Continental	n/a	0
RHO	Kumho	0	n/a

Single tire Steel Alloy

To order any of the tire brands above code RM9 has to be added to order.

			3500/3500XD M	odels	
		Standard: Dua	l Rear Wheel	Optional: Sup	er Single
		Standard Tire	RH7	Standard Tire	R9A
		Standard Wheel	RS6	Standard Wheel	RS5
		Brand O	ptions	Brand Opt	-
		RMO All-season tires	RM1 M+S tires	RM0 All-season tires	
RD9	Tire brand, unspecified	0	0	S	n/a
RF8	Michelin	0	n/a	n/a	n/a
RF1	Continental	0	0	1 0	n/a
RHO	Kumho	n/a	n/a	n/a	n/a

To order any of the tire brands above code RM9 has to be added to order.

Standard is DRW, Option is Super Single

		4500 M	lodels
		Standard Tire	RH7
		Standard Wheel	RS6
		Brand O	ptions
		RMO All-season tires	RM1 M+S tires
RD9	Tire brand, unspecified	S	0
RF8	Michelin	0	n/a
RF1	Continental	0	0
RHO	Kumho	n/a	n/a

Dual Rear Wheel

To order any of the tire brands above code RM9 has to be added to order.

	144" 6C 144" 6C 4x4		170" 6C	170" 6C 4x4
	MXCV46	MXCV4X	MXCV76	MXCV7X 907.655
	907.653	907.653	907.655	
ngine				
Cyl Engine/7-Speed Trans.	5	5	S	5
04 AGM battery 12V 92 AH 850 A	S	S	S	S
42 Automatic transmission, 7G-tronic	S	S	S	S
H8 SULEV emissions	S	S	S	S
G5 3.0L V6 turbo diesel engine	S	S	S	S
46 Alternator 14 V/220 A	S	S	S	S
30 4x4 Package		\$8,200		\$8,200
75 Door-mounted assist handles, driver & passenger		S		S
63 4x4 - High range transfer case w/ low gear	-	S	11-30	S
res - choose while ordering				
34 Dual Rear Wheel	50	\$0	\$0	50
H7 Tires LT 215/85 R16	S	S	S	S
56 5.5 J x 16 steel wheels	5	S	S	S
9 Unspecified tire brand	5	S	S	5
31 Super Single Tire	\$385		\$385	
PA 285/65 R 16 C super single tires	0		0	
5 Steel wheels: 8.5Jx16 Rr; 6.5Jx16 Pr	0		0	
D9 Unspecified tire brand	0		0	
2 Tire pressure monitoring sensors	0		0	
ating and Trim Packages	0		O.	
7S Standard Rear Seats	5	S	S	S
52 3-seater bench rear, 1st row (narrow)	S	S	S	S
74 Wall-side armrest	S	S	S	S
75 Aisle-side armrest	S	S	S	S
in have VF7/VF6 only; with X68 must have VF6	3	3	3	3
V Standard Trim Crew Van Package	S	S	S	S
15 Half height load compartment trim	S	S	S	
Wheel house covering	S	S	\$	S
3 Wood floor with 6 D-rings	S	S	S	S
AS production only	3	3	3	S
uipment				
2 Axle ratio 3.923	0	S	0	
3 Axle ratio 4.182	S		O S	S
3 Active Brake Assist	S		S	
Hold Function	S	S	S	S
8 Stabilization Level II	5	S		5
L Multifunction steering wheel	S		S	
		5	S	S
1 Adjustable steering wheel (angle) 3 High roof	5	S	S	S
Omission bulkhead	0	0	S	S
	S	S	S	S
7 Hill Start Assist	S	S	S	S
O Standard radio	S	S	S	S
U USB-C socket, 5 V	S	S	S	S
O Starter battery disconnect	S	S	S	5
J Pre-installation for switch panel	S		5	
O Trailer hitch prep. wiring	\$	S	S	\$
8 Preinstallation PSM	S	S	5	5
5 Ultracapacitor discharge module	5	S	S	\$
1 Body Builder Connector	\$	S	S	S
0 Jump start terminal	S	S	5	S
V6 Pre-installation for Mercedes me Remote Services	S	S	S	S
5 Emergency Call System	S	S	S	5
6 Breakdown management	S	S	S	S
3 Laminated glass rear	S	S	S	\$
9 Heated & electrically adjustable systems as a second	S	S	S	S
8 Heated & electrically adjustable exterior mirrors 3 Cupholder rear compartment	5			

3500XD CREW VAN - 6cyl Diesel Standard Equipment

		144" 6C 144" 6C 4x4	144" 6C 4x4	170" 6C MXCV76	170" 6C 4x4 MXCV7X
		MXCV46	MXCV4X		
		907.653	907.653	907.655	907.655
FF5	Shelf above windshield	S	S	S	S
FG8	Cupholder front	S	S	S	S
FI1	Remote key (315 mhz) w/central locking	S	S	S	S
FJ4	Storage compartment underneath cockpit	S	S	S	S
FR3	Rear view camera (rear-view mirror display)	5	S	S	S
H00	Warm/cool air duct to rear compartment	S	S	S	S
H21	Windshield with filter band	S	S	S	S
H22	Rear window defroster	S	S	S	S
HH2	Heater, auxiliary electric hot air	S	S	S	S
HH9	Air Condition, Front	S	5	S	S
IH7	Head Unit, North America	S	S	S	S
J11	Speedometer, miles and km/h	S	S	S	S
J55	Seat belt warning for co-driver seat	S	S	S	S
158	Seat belt reminder driver	S	S	S	S
J65	Outside temperature gauge	S	S	S	S
JA8	Crosswind Assist	S	S	S	S
ЈН3	Communication module (LTE) for dig. services	S	S	S	S
JI9	Service interval 20.000 miles	S	S	S	S
K56	Red diesel filler cap	S	S	S	S
K60	Exhaust straight to rear	S	S	S	S
KB7	24.5 gallon fuel tank	S	S	S	S
KL1	Aux fuel sending unit w/ fuel tap	S	S	S	S
KL5	Fuel filter with water separator	S	S	S	S
KP6	3rd generation SCR emission control system	S	S	S	S
L94	Parking lights deletion	S	S	S	S
LA2	Headlight assistant	S	S	S	S
LB5	3rd brake light	S	S	S	S
MS1	Cruise control	S	S	S	S
P47	Front mudflaps	S	Š	S	S
P48	Rear mudflaps	S	S	S	S
Q11	Longitudinal member reinforcement	S	S	S	S
R65	Spare tire bracket below frame	S	S	S	S
R87	Spare tire	S	S	S	S
RMO	All-season tires	S	S	S	S
502	Standard driver seat	S	S	S	S
504	Standard front passenger seat	S	S	S	S
522	Armrest for driver's seat	S	S	S	S
	Armrest for front passenger seat	S	S	S	S
SA5	Front airbag, driver	S	S	S	S
SA6	Front airbag, passenger	S	S	S	S
H1	Thorax-pelvis sidebag, driver	S	S	S	S
SH2	Thorax-pelvis sidebag, co-driver	S	S	S	S
SH9	Airbag, driver/passenger window	S	S	S	S
k2	Seat occupancy sensor, driver's seat	S	S	S	S
16	Sliding door, passenger side	S	S	S	S
74	Assist handle, B-pillar	S	S	S	S
122	Pre-inst. for seating configuration Crew Van	S	S	S	S
_	Roof trim	S	S	S	\$
	Floor anchors for rear seat bench	S	S	S	S
	Storage compart. w/ net in rear doors	S	S	S	S
	2nd row, fixed window, driver side	S	S	S	S
	2nd row, fixed window, passenger side	S	S	S	S
V61	Windows in rear doors	S	S	S	S
	Black tinting (90%) for rear windows	S	S	S	S
	Witout load uprating/derating 5,000 kg	S	S	S	S
43	Jack, hydraulic	S	S	S	S

		144" 6C	144" 6C 4x4	170" 6C	170" 6C 4x4
		MXCV46	MXCV4X	MXCV76	MXCV7X
		907.653	907.653	907.655	907.655
A50	Front axle reinforced	\$346		\$346	
AP2	Addtl. bar for driveshaft & exhaust extension	\$69	\$69	\$69	\$69
AR2	Axle ratio 3.923	\$0	S	\$0	S
	not with AR3				
B01	ESP for increased Center of Gravity above 39.4"			SO	\$0
	must have CB4/CB8/X30; not with RHO/CB7				
C72	Bumpers front/rear primed	\$268	\$268	\$268	\$268
	must have CN2/X67, not with CM0				
CL3	Leather steering wheel	\$187	\$187	\$187	\$187
	must have (CO2/E3M)/CO3 + (ET4/MS1)				
CMO		\$587	\$587	\$587	\$587
	must have (CN2/X67) + (JA7/C01) + JB7 + (7755/9197/9775)				
CM9	Primed side moldings	\$364	\$364	\$364	\$364
003	High roof	\$2,900	\$2,900	S	S
	D03 must be added for Duesseldorf production				
013	Mounting rails for roof rack	\$300	\$300	\$300	\$300
1B	Tray for smartphones incl. wireless charging	\$156	\$156	\$156	\$156
	must have CO2/E3M + H1I				
1E	Navigation	\$728	\$728	\$728	\$728
	must have CO2/E3M, not with CO3				
15	Sirius XM, satellite radio	\$255	\$255	\$255	\$255
Tanan'	must have CO2/E3M/CO3				
1R	Additional Fuses (40/80/150/100 Ampere)	\$50	\$50	\$50	\$50
	SoP and Plausibility TBD				
1Y	Additional Fuses (40/80/80/100 Ampere)	\$50	\$50	\$50	\$50
	SoP and Plausibility TBD				
2A	Access point for BB special signals in cockpit	\$29	\$29	\$29	\$29
21	Additional battery, co-driver seat base	\$248	\$248	\$248	\$248
	Must have E36; not with E2M; CHS production only				
36	Cutoff relay for additional battery	\$110	\$110	\$110	\$110
	standard with E2I/E2M				
3M	MBUX Multimedia System with 7" touchscreen	\$474	\$474	\$474	\$474
5M	not with CO2/CO3; must have JK5+(JB7/FR8)				Tokania i
	Extension of PSM standard contact Parametric special module (PSM)	\$58	\$58	\$58	\$58
נט	not with ED8	\$317	\$317	\$317	\$317
E3	115 V socket	C4.75	£425 F	4.55	4
	12 V power outlet, rear compartment	\$125	\$125	\$125	\$125
S5	Charging package, dashboard	\$92 \$82	\$92	\$92	\$92
T4	Active Distance Assist DISTRONIC	\$263	\$82	\$82	\$82
	must have CO2/CO3/E3M; not with ZH4	Ş203	\$205	\$263	\$263
49	Electrically heated windshield	\$218	\$218	\$218	\$218
	no restrictions	Ψ210	9210	\$210	3210
61	Interior rear view mirror	\$36	\$36	\$36	\$36
	must have E3M/C02/C03	750	750	930	930
E9	Additional DIN-slot	\$81	\$81	\$81	\$81
F8	Overhead storage slot, front center	\$105	\$105	\$105	\$105
j1	Hinged lid for storage compartment	\$93	\$93	\$93	\$93
_	Rear view camera (head unit display)	\$336	\$336	\$336	\$336
	must have CO2/E3M; not with FR3/JB7; 3500XD not with JB8		7	1	7000
Y1	Security alarm w. interior motion sensor	\$584	\$584	\$584	\$584
	must have LC4/C00	1777	7	ATTACAS.	78.2
Y7	Optional 3-button keys	\$36	\$36	\$36	\$36
7 9	Keys, two additional masters	\$121	\$121	\$121	\$121
	Heat insulation, rear compartment	\$156	\$156	\$156	\$156
	must have V25/VA3/VA1/C07/X66		,	7-50	7.500
	Heat insulation, front compartment	\$187	\$187	\$187	\$187
	if + D50/D51 must have V07				1-1-1

		144" 6C	144" 6C 4x4	170" 6C	170" 6C 4x
		MXCV46	MXCV4X	MXCV76	MXCV7X
		907.653	907.653	907.655	907.655
H12	Fuel-fired pre-heater/booster (17K BTU)	\$1,116	\$1,116	\$1,116	\$1,116
	not with HZ9	41,110	71,110	31,110	31,110
H13	Rear cabin heater and vents	\$786	\$786	\$786	\$786
	must have V43 + (H12/HZ9); not with VK8	7700	\$700	\$100	7700
H15	Heated front passenger seat	\$284	\$284	\$284	\$284
	must have H16; not with X68		7-0.	V20 1	7201
H16	Heated driver's seat	\$284	\$284	\$284	\$284
	must have H15; not with X68			7	y zo i
H88	Rear heater prep	\$405	\$405	\$405	\$405
	must have H12/HZ9; not with H13/T19				
H1I	Front-to-rear outlet in instrument panel	\$0	\$0	\$0	\$0
	must have FJ1/C01				
HH4	Thermotronic automatic climate control	\$337	\$337	\$337	\$337
	must have JF1; if +H13 must have H08/HK4				
HZ9	Fuel-fired heater booster (18,000 BTU)	\$676	\$676	\$676	\$676
	not with H12				
151	Fuel gauge, optimized for aux. fuel tap	\$72	\$72	\$72	\$72
	not with HZ9/H12				
152	Engine oil level display at cold start	\$0	\$0	\$0	\$0
A7	Blind Spot Assist	\$450	\$450	\$450	\$450
	must have F68; not with C01				
IB4	Active Lane Keeping Assist	\$288	\$288	\$288	\$288
	standard with CO2/CA2				
B7	Parking Package	\$615	\$615	\$615	\$615
F-1	must have E3M/C02/C03; not with W75/W76/JB6				
F1	Rain sensor	\$106	\$106	\$106	\$106
K5	Instrument cluster with color display	\$144	\$144	\$144	\$144
W0	not with CO3 Backup alarm	1 1			
W2	Deactivation lamp monitoring failure	\$99	\$99	\$99	\$99
	Attention Assist	\$27	\$27	\$27	\$27
51	Misfueling prevention for Diesel	\$49	\$49	\$49	\$49
$\overline{}$	DEF fluid filler cap - lockable	\$49	\$49	\$49	\$49
	Fog lamp with cornering light function	\$27	\$27	\$27	\$27
_	Illuminated front exits	\$199 \$151	\$199	\$199	\$199
	Comfort overhead control panel	\$93	\$151 \$93	\$151 \$93	\$151
	Speed limitation 65 mph	\$60	\$60	\$60	\$93 \$60
$\overline{}$	not with MD3	, ,00	200	300	300
/D3	Top speed limitation 75 mph	\$60	\$60	\$60	\$60
	not with M20	700	900	900	200
162	Front engine bracket for additional alternator	\$467	\$467	\$467	\$467
	not with HK4/N63		7.01	Ų.U.	PHO I
163	Front engine bracket for auxiliary A/C compressor	\$467	\$467	\$467	\$467
	not with HK4/N62		7.00		7 101
(A2	Trailer cross member 7,500 lbs capacity	\$186	\$186	\$186	\$186
	not with W73/W75/W76/Q24/Q67				
(A9	Half-sided step rear (for trailer hitch)	\$101	\$101	\$101	\$101
$\overline{}$	must have QA2; not with W73/W75/W76				
91	Spare tire deletion	-\$110	-\$110	-\$110	-\$110
	must have R92; not with R87				
$\overline{}$	Spare tire carrier deletion	\$0	\$0	\$0	\$0
$\overline{}$	must have R91; not with R65				
	Rims painted jet black	\$81	\$81	\$81	\$81
_	not with RL5/RM2				
_	Tire brand Continental	\$0	\$0	\$0	\$0
-	must have RM1 + RM9				
	Tire brand Michelin	\$0	\$0	\$0	\$0
	must have RM9; not with RM1				

	•	144" 6C	144" 6C 4x4	170" 6C	170" 6C 4x4
		MXCV46	MXCV4X	MXCV76	MXCV7X
_		907.653	907.653	907.655	907.655
RHO	Tire brand Kumho	\$0	\$0	\$0	\$0
20.44	must have RM9; not with RM1		-		
RM1	M+S winter tires	\$169	\$169	\$169	\$169
DMA	must have RF1/RD9; not with RF8/RH0/X31				10,443
RM2	Rims painted arctic white	\$81	\$81	\$81	\$81
RM9	not with R98/RL5 Specially requested tires				
MVIS	must have RF1/RF8/RH0; not with RD9	\$101	\$101	\$101	\$101
S28	Armrest, driver and passenger door				
T12	Sliding door two stage opening	\$51	\$51	\$51	\$51
122	not with T55	\$82	\$82	\$82	\$82
T50	Electric closing assist right sliding door				
.50	must have D03; not with T55/T93	\$335	\$335	\$335	\$335
T55	Electric sliding door right				
133		\$831	\$831	\$831	\$831
T57	must have D03 + (FY7+T16); not with T12/T50 Electric sliding step				
		\$1,071	\$1,071	\$1,071	\$1,071
	must have D03 + ED5; not with T93				
	Opening limiter electrically operated sliding door must have T55	\$120	\$120	\$120	\$120
_					
T85	Door-mounted assist handles, driver & passenger	\$59	S	\$59	S
	Assist handle, left rear door	\$32	\$32	\$32	\$32
	Assist handles, right rear door	\$32	\$32	\$32	\$32
	Wood floor with 6 D-rings	\$422	\$422	\$422	\$422
/OF	not with P93/V93/VL4/VK8/C07; standard with D93/H13/V24/V5	2/VC5/VV2/ZE6			
	Cigarette lighter & ash cup, front	\$39	\$39	\$39	\$39
	Door sill - protective edge	\$71	\$71	\$71	\$71
	must have V43/X66; not with T19/T93/VK8/VV2/V93/C07				
	Floor covering, plastic	\$370	\$370	\$370	\$370
	not with V43/P93/T19/T93/V52/VC5/X66			-	
	Rear doors, opening to side wall	\$360	\$360	\$360	\$360
	90 Degree fixation point- Rear Doors	\$80	\$80	\$80	\$80
	SoP and Plausibility TBD				
	Bumper step, rear, grey	\$187	\$187	\$187	\$187
	not with QA2/W75/W76				, , , , ,
	tep, wide, at rear end	\$308	- 10	\$308	
r	not with JB6/JB7/Q24/QA9; must have R91+R92			3-2-2-7/2	
	Bumper step, rear, spring-loaded	-	- 1	\$601	Alle Gills
r.	nust have R91+R92; not with JB6/JB7/X30/Q24				
/78 F	leated rear window(s) w/ washers/wipers	\$335	\$335	\$335	\$335
^	Must have H22+VA7 / if D51 must have F61; not with W61			11/1	4000
	Peletion of Sprinter badge, left rear door	\$0	\$0	\$0	\$0
	Peletion of model badge, right rear door	\$0	\$0	\$0	\$0
	coustic package	\$87	\$87	\$87	\$87
	landard with CO2/CO3.			70.	ÇO7
	irst-aid kit	\$27	\$27	\$27	\$27
	Vheel chocks	\$38	\$38	\$38	\$38
15 E	mergency flashlight	\$27	\$27	\$27	527
	aint preservative	\$187	\$187	\$212	\$212
59 Si	urface protection for stock vehicles	\$315	\$315	\$315	\$315
	argo straps, D-rings	\$81	\$81	\$81	\$315

144" 6C	144" 6C 4x4	170" 6C	170" 6C 4x4
MXCV46	MXCV4X	MXCV76	MXCV7X
907.653	907.653	907.655	907.655
\$300	\$200	ćann	1 4200
	3300 V	The second second	\$300
	^		Х
^			X
X	X	X	X
X	X	X	X
X	X	Y	Х
X	X	X	X
	MXCV46 907.653 \$300 X X X X X	MXCV46 MXCV4X 907.653 907.653 907.653 \$300 \$300	MXCV46 MXCV4X MXCV76 907.653 907.653 907.655 \$300 \$300 X X X X X X X X X

COS Comfort Package (Seat addition)	\$381	\$381	\$381	\$381
B1 Comfort driver's seat	7352	7301	3301	\$391
B2 Comfort passenger seat	X	X	X	X
nust have COO	X	X	X	X

K68	Comfort Plus Package	\$1,923	64.000	44.000	
H15	Heated front passenger seat	31,323	\$1,923	\$1,923	\$1,923
	Heated driver's seat	X	X	X	X
		X	X	X	
SF1	Driver's seat electrically adjustable	V	, , , , , , , , , , , , , , , , , , ,	, A	^
SF2	Co-driver's seat electrically adjustable	^		X	X
nuct	have COO and VF4 OR VF6, CA/CC only: not with S23	X	X	X	X

C01 Driver Convenience Package		4===			
	12 V power outlet, driver seat base	\$760	\$760	\$760	\$760
F64	Electrically felding and in	X	X	X	Х
	Electrically folding exterior mirrors	X	X	X	Х
	Hinged lid for storage compartment	X	Х	X	y
FJ5	Hinged Lid for Storage Compartments left and right	X	X	v	
	Keys, two additional masters	Y	~	^ V	X
JA7	Blind Spot Assist	· · ·		X	X
IW8	Attention Assist	^	X	X	Х
		X	X	X	X

CO2 Premium Package	5983	\$983	écon.	
CL3 Leather steering wheel	7383	2202	\$983	\$983
MBUX Multimedia System with 7" touchscreen	X	X	X	X
FM3 Wet Wiper System	X	X	X	X
	X	X	X	Y
B4 Active Lane Keeping Assist	X	Y	V	, , ,
K5 Instrument cluster with color display			^	X
Ordering availability restricted, see NetStar for availability and	^	X	X	X

CA2 CO2 in combination with CO3	\$604	\$604	\$604	0000
CL3 Leather steering wheel	+001	3004	\$604	\$604
M3 Wet Wiper System	X	X	X	X
B4 Active Lane Keeping Assist	X	X	X	X
	X	X	X	Y
K5 Instrument cluster with color display	X	X	v	, <u>, , , , , , , , , , , , , , , , , , </u>
Ordering availability restricted, see NetStar for availability ar	ad rantustic and the same	^		Х

144" 6C	144" 6C 4x4	170" 6C	170" 6C 4x4
MXCV46	MXCV4X	MXCV76	MXCV7X
907.653	907.653	907.655	907.655

	Premium Plus Package	\$1,793	\$1,793	\$1,793	64 700
18	Tray for smartphones incl. wireless charging		74,733		\$1,793
	Navigation	^	X	X	X
Y2	Intelligent navigation	X	X	X	Х
	MBUX Multimedia System with 10.25" touchscreen	X	X	X	Х
X9	Free map data updates for 3 years	X	X	X	Х
_	riee map data updates for 3 years	X	Х	X	X
_	Front-to-rear outlet in instrument panel	X	v		
49	Traffic Sign Assist	2	^	X	X
	Acoustic package	X	X	X	X
	have (CA2+JB7) OR (JB4+JK5+FM3+JB7); not with FR8 and CO2	X	X	X	X

	Chrome Grille Package	\$290	ć200	4444	
CN2	Radiator grille frame in vehicle color	\$290	\$290	\$290	\$290
		X	X	X	Х
_	Chrome plated radiator grille (MB only) trictions	X	X	X	Y

X13	X13 Exterior Lighting Package	\$1,608	44 400		
	Fog lamp with cornering light function	\$1,608	\$1,608	\$1,608	\$1,608
	Partial LED tail lights	X	X	X	X
_		X	X	X	Х
	High beam assist	X	X	Y	V
LG7	LED high performance headlamps	x	v	^	^
no res	trictions		^	X	X

X72 Crew Van Comfort Package	¢220]	4		
Convenice head restraints for pass. compartment	\$220	\$220	\$220	\$220
Sliding door two stage opening	X	X	X	X
	X	X	X	Y
The second desire assist right shall guoof	X	X	V	
JY1 3-seater comfort bench rear, 1st row (narrow)	V	- A	^	Х
can have VF4/VF6 only	^	_ X	X	X