S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

 \blacksquare = Included in Equipment Group \Box = Included in Equipment Group but upgradeable

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free	Ref.	Description	LS			LT			
Flow RPO Code	Only RPO Code		1LS CG23406	1LS CG33406	1LS CG33706	1LT CG23406	1LT CG33406	1LT CG33706	
	AK5	Airbags, frontal, front driver and right front passenger 1 - Includes passenger-side airbag deactivation switch. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹						
	ASF	Airbags, seat-mounted side-impact for driver and right-front passenger and roof-rail mounted head-curtain provides coverage for outboard seating positions for first 3-rows only. Enhanced-technology glass is provided for fourth row with (ZX5) 12-passenger seating and fourth and fifth rows with (ZP3) 15-passenger seating 1 - Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	s¹	s¹	s ¹	s ¹	S ¹	S ¹	
	C99	Airbag deactivation switch, frontal passenger-side 1 - Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.	S ¹						
	C60	Air conditioning, single-zone manual	s	S	S	s	S	S	
	C69	Air conditioning, rear	s	S	S	S	S	S	
		Assist handles, driver and right-front passenger	s	S	S	S	S	S	
	U0F	Audio system, AM/FM stereo with MP3 player, seek- and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers 1 - Not available with (U2K) SiriusXM Radio or (WP9) Communications Package. 2 - Not available with (U2K) SiriusXM Radio.	s¹	S ²					
		Child seat anchors, all three passenger rear seats have two anchors for outboard seating positions and tethers for two seating positions. See the Owner's Manual for more information	Ø	S	Ø	S	S	S	
	U80	Compass, 8-point digital located in the Driver Information Center	S	S	S	S	S	S	
		Console, engine cover with open storage bin	S	S	S				
	ZQ2	Power Convenience Package, includes (A31) power windows and (AU3) power door locks	S	S	S	S	S	S	

^{*} Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Model.

Free	Ref.	Description	LS			LT		
Flow RPO Code	Only RPO Code		1LS CG23406	1LS CG33406	1LS CG33706	1LT CG23406	1LT CG33406	1LT CG33706
ZQ3		Driver Convenience Package, includes (N33) Tilt-Wheel and (K34) cruise control 1 - Included with (WP9) Communications Package, (WPD) Safety Package or (ZL3) Enhanced Convenience Package.	A ¹	S	S	Ø	S	Ø
	K34	Cruise control 1 - Included and only available with (ZQ3) Driver Convenience Package, tilt-wheel and cruise control.	A ¹	S	S	S	S	S
		Cup holders, 3 on the engine console cover	S	S	S	S	S	S
		Defogger, front and side windows	s	s	s	S	s	S
	AU3	Door locks, power with lock-out protection 1 - NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.	S ¹	S ¹	s ¹	S	S	S
		Driver Information Center, includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.	S	S	S	S	S	S
	B38	Floor covering, full-length Black rubberized-vinyl	s	s	s			
		Headliner, cloth	S	s	S	S	s	S
	C36	Heater, rear auxiliary	S	s	S	S	S	S
		Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure	S	S	S	S	S	S
		Lighting , interior with 2 dome lights, defeat switch and door handle-activated switches	S	S	S	S	S	Ø
	TR9	Lighting, auxiliary with reading and underhood lights	S	s	S	S	S	s
	DRJ	Mirror, inside rearview, with Rear Vision Camera display	S	S	S	S	S	S
	UE1	OnStar and Chevrolet connected services capable 1 - Terms and limitations apply. See onstar.com or dealer for details.	s¹	s¹	s¹	S ¹	s¹	S ¹
	VV4	Wi-Fi Hotspot capable 1 - Included and only available with (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.	s ¹	s¹	s¹	S ¹	s¹	s¹
		Chevrolet Connected Access capable 1 - Included and only available with (UE1) OnStar. Subject to terms. See onstar.com or dealer for details.	s¹	S ¹	S ¹	S ¹	S ¹	s¹
	KI4	Power outlet, 120-volt	S	S	S	S	S	s
		Power outlets, 2 auxiliary on engine console cover with covers, 12-volt	S	S	S	S	S	S
	UVC	Rear Vision Camera 1 - Display is included with (DRJ) Inside rearview mirror.	s¹	s¹	s¹	s¹	s ¹	s¹

Free	Ref.	Description	LS			LT			
Flow RPO Code	Only RPO Code		1LS CG23406	1LS CG33406	1LS CG33706	1LT CG23406	1LT CG33406	1LT CG33706	
	AR7	Seats, front bucket with vinyl trim and head restraints, includes inboard armrests 1 - Requires (93W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.	S ¹	s¹	S ¹				
	ZX5	Seating, 12-passenger, (2-3-3-4 seating configuration), 4-passenger seat is a 50/50 split, 2-piece configuration	S	S	S	S	S	S	
	N33	Steering column, Tilt-Wheel 1 - Included and only available with (ZQ3) Driver Convenience Package.	A ¹	S	S	S	S	S	
		Steering wheel, steel sleeve column with theft-deterrent locking feature, Black	S	S	S	S	S	S	
		Theft-deterrent system, vehicle, PASS-Key III	s	s	s	s	S	s	
	UJM	Tire Pressure Monitoring System (does not apply to spare tire)	s	S	S	S	S	S	
		Tow/haul mode selector, instrument panel-mounted	S	s	S	S	s	S	
	DH6	Visors, driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side	S	S	S	S	S	S	
		Warning tones, headlamp on and key-in-ignition	S	S	S	S	S	S	
	A31	Windows, power 1 - Included with (ZQ2) Power Convenience Package.	s¹	s¹	s¹	s¹	s¹	s¹	
	ZW9	Body, standard	S	S	S	S	s	S	
		Bumpers, front and rear painted Black with step-pad	s	s	S				
		Daytime Running Lamps	s	s	S	S	s	S	
	E24	Door, swing-out passenger-side, 60/40 split	s	s	S	S	S	S	
		Door beams, steel-side	S	S	S	S	S	S	
		Glass, enhanced-technology, rearmost side windows. 3- layer special glass is designed to help reduce the risk of ejection during a crash	S	S	S	S	S	S	
	AJ1	Glass, Solar-Ray deep-tinted (all windows except light- tinted glass on windshield and driver- and front passenger-side glass)	S	S	S	S	S	S	
	A18	Glass, swing-out rear cargo door windows	s	S	S	S	S	s	
	A19	Glass, swing-out side door windows	S	S	S	S	S	S	
	ZW6	Glass, full-body window package 1 - Includes (A18) swing-out rear cargo door window glass and (A19) swing-out side door window glass.	S ¹						

Free	Ref.	Ref. Description	LS			LT		
Flow RPO Code	Only RPO Code		1LS CG23406	1LS CG33406	1LS CG33706	1LT CG23406	1LT CG33406	1LT CG33706
		Grille, Black composite	S	S	S			
		Headlamps, dual halogen composite	s	s	s	s	s	s
	VK3	License plate kit, front	S	S	S	S	s	S
	DE5	Mirrors, outside heated power-adjustable, Black, manual-folding	S	S	S	S	S	S
	ZY1	Paint, solid	S	S	S	S	s	S
	XLP	Tires, front LT245/75R16E all-season, blackwall	S	S	S	S	S	S
	YLP	Tires, rear LT245/75R16E all-season, blackwall	S	S	S	S	s	S
	ZLP	Tire, spare LT245/75R16 all-season, blackwall	S	S	S	S	s	S
	QB5	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel, includes Gray center caps and steel spare	S	S	S	S	S	S
		Wipers, front intermittent wet-arm with pulse washers	S	S	S	S	S	S
	KG4	Alternator, 150 amps	S	S	S	S	S	S
		Battery , 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power	S	S	S	S	S	S
		Brakes, 4-wheel antilock, 4-wheel disc	S	S	S	S	S	S
		Brake/transmission shift interlock, for automatic transmissions	S	S	S	S	S	S
	KC4	Cooling, external engine oil cooler 1 - Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.	S ¹	s¹	s¹	s¹	s¹	S ¹
	LV1	Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) 1 - Reference the Engine/Axle page for availability.	s¹	s¹	s¹	s¹	s¹	s¹
		Exhaust, aluminized stainless-steel muffler and tailpipe	S	S	S	s	s	S
		Frame, ladder-type	S	S	S	S	S	S
		Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)	S	S	S	S	S	S
	C6P	GVWR, 8600 lbs. (3901 kg) 1 - Reference the Engine/Axle page for availability.	s¹			s¹		
	C6Y	GVWR, 9600 lbs. (4354 kg) 1 - Reference the Engine/Axle page for availability.		s¹	s¹		s¹	s¹
		Oil life monitor	S	S	S	S	S	S

Free	Ref.	Description	LS			LT			
Flow RPO Code	Only RPO Code		1LS CG23406	1LS CG33406	1LS CG33706	1LT CG23406	1LT CG33406	1LT CG33706	
	GU6	Rear axle, 3.42 ratio 1 - Reference the Engine/Axle page for availability.	s¹	s¹	s¹	s¹	s¹	s¹	
	JL4	StabiliTrak, traction assistance and vehicle stability enhancement system	S	s	S	S	S	S	
		Steering, power	S	s	S	s	s	s	
		Suspension, front independent with coil springs and stabilizer bar	S	S	S	S	S	S	
		Suspension, rear hypoid drive axle with multi-leaf springs	S	S	Ø	S	S	S	
		Hill Start Assist	S	S	S	S	S	S	
	M5U	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking and Tap-Up/Tap-Down Driver Shift Control 1 - Requires (LV1) 4.3L gas V6 engine. Reference the Engine/Axle page for availability.	S ¹						