Dynapac MF2500CS w. SwingApp



Mobile feeders



Technical data

\$,	Masses	
	Transport mass	54,000 lbs
WWW. THEFT	Dimensions	
	Transport length	47 ft
	Transport width	8.44 ft
	Transport height	10 ft
	Front ramp angle	10 deg
	Material hopper	
	Capacity	212 cu. ft.
	Dumping height, center	20.67 in
(Propulsion	
	Operating speed, max	82 ft/min
	Transport speed, max	2.5 mph

Engine	
Manufacturer/Model	Cummins QSB 6.7-C225
Rated power, SAE J1995	164 kW (220 hp) @ 2,200 rpm
Electrical system	24 V
Emissions according to	T4f
Fuel tank capacity	79 gal

Engine				
Rated power [engine 2, hp]	225 hp			
Rated power [engine 2, kW]	168 kW			
Rated power [engine 2, rpm]	2,200 rpm			
Rated power, SAE J1995	168 kW (225 hp) @ 2200 rpm			
Electrical system	24 V			
Emissions according to	T4f			
Fuel tank capacity	79.26 gal			


Conveyor	
Conveyor type	Rubber belt on two chains, mounted with metal stiffeners
Conveyor speed	Constantly variable
Conveyor width	47.24 in
Feeding height (max/min)	130 in /43 in
Feed capacity	4000 t/h
Feed capacity, optional swing conveyor	2000 t/h


Dynapac MF2500CS w. SwingApp



Mobile feeders

Technical data





Dimensions	
A. Axle track	154 in
B1. Width, max.	132 in
B2. Width, standard	8.44 ft
B3. Width, wheel track	82 in
C1. Track width	22 in
H1. Height, max.	157 in
H2. Height, transport	120 in
H3. Height	22.44 in
L1. Length	47 ft
L3. Length, hopper	90.16 in