

2021 - Effective December 1, 2020 - Half/Pack® High- Compaction Front Loader - Sales Order Form**Base Units Half/Pack® High- Compaction Front Loader**

- ☐ 20 Cubic Yard
- ☐ 23 Cubic Yard
- ☐ 28 Cubic Yard
- ☐ 32 Cubic Yard
- ☐ Add Sumps to Body
- ☐ Service Hoist Kit
- ☐ Service Hoist Lite (Quick Disconnect and Cylinders Only, No Pump or Reservoir)
- ☐ Hopper Size

CHASSIS MUST CONFORM WITH HEIL'S MOST CURRENT CHASSIS SPECIFICATIONS FOUND AT WWW.HEIL.COM

Mounting Options

- ☐ Full Factory Mount for Service Hoist or Serviceable Eject - Includes Body Props and Rear Pivot
- ☐ Mount at Dealer Destination

Power Take Off / Pump Options

- ☐ Front Mount Vane Pump
- ☐ Operate at Idle (OAI) Front Mount Tandem Vane Pump
- ☐ Clutch Shift - Extended Shaft PTO with Single Vane Pump
- ☐ Constant Drive - Extended Shaft PTO with Single Vane Pump

Commercial Gripper Option

- ☐ Commercial Gripper attachment to the fork cross shaft to service 32-96 gallon residential containers (Commercial Grabbers add 6.5" of overall height when arms are fully raised and forks fully tucked). ***By selection this option you are confirming that understand the unit will be over 13' 6" when the arms are fully raised and the forks are fully tucked*** This item requires form SF0748A - Over Height Acknowledgment letter to be signed and turned at the time your order is placed.

Adjustable Fork's Options

- ☐ Hydraulically Adjustable Side Pocket Forks in lieu of standard Fork Cross Shaft
- ☐ Hydraulically Adjustable Bottom Pocket Forks in lieu of standard Fork Cross Shaft ***Will not work in conjunction with Curotto Commercial Gripper attachments* By selection this option you are confirming that understand the unit will be over 13' 6" when the arms are fully raised and the forks are fully tucked*** This item requires form SF0748A - Over Height Acknowledgment letter to be signed and turned at the time your order is placed.

Control Options

- ☐ Left Hand Dual Axis Joystick - Air Controlled
- ☐ Left Hand 2 Lever In-Cab Air Controls in lieu of Joystick
- ☐ StreetSide mounted Outside 4 Button Electric Push Button Controls for Arms, Forks, and Packer circuits
- ☐ StreetSide mounted Outside Dual Lever controls and 4 Button Electric Push Button Controls for Pump Enable, Arms, Forks, and Packer circuits. Includes Throttle advance.
- ☐ Upgrade to 12" In Cab Display in lieu of 7" Std (Non- 3rd Eye Camera Units Only) - See 3rd Eye below for 12" Display with camera options)

Lighting and Electrical Accessories

- ☐ Single LED Windscreen Mounted Container Light
- ☐ Multi-Function Lights
- ☐ Body Side Backing Assist Lights - LED
- ☐ Dual Oval Flat LED Strobes Mounted Mid-T/G - in-cab switch, pump on, and reverse activated
- ☐ Dual Cab Guard Mounted Flood Lights
- ☐ Preco™ Back Up Alarm
- ☐ Dual LED Cab Mounted Oval Strobe Lights
- ☐ Whelen Strobe Lights Kit
- ☐ Cab Shield Mounted LED Light Facing reward toward hopper opening

AWTI™ Radar Systems

- ☐ AWTI™ Radar System used in conjunction with 3rd Eye Cameras - **Must Select Camera Kit From 3rd Eye Camera Options**

Camera Systems

All camera systems are mounted with protective camera brackets and twin tailgate flood lights. Swivel monitor bracket will be provided for dual drive chassis

3rd Eye® Camera Systems & 3rd® Eye Digital**Note: Camera systems will accommodate a maximum of 5 cameras.****Not including driver and forward facing**

- ☐ Base 3rd Eye® Single Camera System with 7" Monitor and Single Camera Mounted on Tailgate
- ☐ Upgraded base 3rd Eye® Single Camera System with 12" Monitor and Single Camera Mounted on Tailgate
- ☐ Add on 3rd Eye® Camera (LH Cab) - Camera System Price Adder (Only available if base camera is selected)
- ☐ Add on 3rd Eye® Camera (RH Cab) - Camera System Price Adder (Only available if base camera is selected)
- ☐ Add on 3rd Eye® Camera (LH Alley) - Camera System Price Adder (Only available if base camera is selected)
- ☐ Add on 3rd Eye® Camera (RH Alley) - Camera System Price Adder (Only available if base camera is selected)
- ☐ Add on 3rd Eye® Camera (Hopper) - Camera System Price Adder (Only available if base camera is selected)
- ☐ 3rd Eye® Digital System: Includes (Driver and Forward Facing Camera (Window Unit), and Gateway - (In-Cab Monitor Not Included) - ***Digital monitoring service not included and must be purchased and activated though 3rd Eye post delivery ***

2021 - Effective December 1, 2020 - Half/Pack® High- Compaction Front Loader - Sales Order Form**Load Cell Scale Systems**

- ☐ Heil Optimum Payload System (HOPS) using Air-Weigh Axle Scales
- ☐ Air-Weigh™ Axle Scale System without Interlock

Auxiliary Axles Options

* NOTE: All axles MUST BE installed with tires so chassis can be re-certified to new GAWR and GVWR ratings

Watson & Chalin™ Options

- ☐ Watson & Chalin™ Self Steering Pusher Axle: 13,500 pound capacity, hub piloted or 20" spoke wheel hubs, automatic slack adjusters, type 16 air chambers, steering stabilizer kit and reverse lift kit -
- ☐ Watson & Chalin™ Self Steering Tag Axle: 13,500 pound capacity, hub piloted or 20" spoke wheel hubs, automatic slack adjusters, type 16 air chambers, steering stabilizer kit and reverse lift kit, includes Tag Axle Spill Shield
- ☐ Watson & Chalin™ Rigid Pusher Axle: 25,000 pound capacity, hub piloted or 20" spoke wheel hubs, 30/30 brake chambers, automatic slack adjusters, 1,300 cubic inch air tank and regulator kit
- ☐ Watson & Chalin™ Rigid Tag Axle: 25,000 pound capacity, hub piloted or 20" spoke wheel hubs, 30/30 brake chambers, automatic slack adjusters, 1,300 cubic inch air tank and regulator kit, includes Tag Axle Spill Shield

Hendrickson™ Options

- ☐ Hendrickson™ Pusher Axle-13,500 pound capacity, Non-Steerable
- ☐ Hendrickson™ Pusher Axle-13,500 pound capacity, Steerable
- ☐ Hendrickson™ Tag Axle-13,500 pound capacity, Steerable, includes Tag Axle Spill Shield
- ☐ Hendrickson™ Tag Axle-13,500 pound capacity, Non-Steerable, includes Tag Axle Spill Shield
- ☐ Hendrickson™ Steerable Pusher Axle: 20,000 pound capacity
- ☐ Hendrickson™ Steerable Tag Axle: 20,000 pound capacity, includes Tag Axle Spill Shield

* Note: All auxiliary applications must be approved by Heil prior to order acceptance

Auxiliary Axle Tire Options

- ☐ 255/70R-22.5 - Qty(2) load range H, 5,510 pound single max load at 120 psi with Steel Wheels
- ☐ 275/70R-22.5 - Qty(2) load range H, 7,000 pound single max load at 120 psi with Steel Wheels
- ☐ Upgrade to Polished Aluminum Wheels (Set of Two)

Body Options

- ☐ Rodent Resistant Loom - Weaved Loom Completely Encapsulating ALL Body Side Harnesses Reducing Downtime from Chewed Wires
- ☐ Sliding Top Door - Aluminum - May not be compatible with roof mounted CNG system
- ☐ Tailgate Mounted Aluminum Roof Access Ladder (Only one selection allowed) **Not Available with CNrG Tailgate option**
- ☐ Tailgate Mounted Steel Roof Access Ladder (only one selection allowed) ***Not available with CNrG Tailgate Option***
- ☐ CNrG Tailgate Mounted Aluminum Roof Access Ladder (only one selection allowed) *** Not Available with STD Tailgate***
- ☐ Curbside Mounted Roof Access Ladder (Only one selection allowed) ***Not Available on 23yd body with Top Door***
- ☐ Hopper Floor Liner (3/16" - AR400)
- ☐ Hopper Floor Liner (1/4" - AR400)
- ☐ Body Floor Liner (3/16" - AR400)
- ☐ Body Side Wall Liners (3/16 - AR400)
- ☐ Drain Plug for 3" hopper drain
- ☐ Packer Mounted Retainer Teeth
- ☐ Body Roof Retainer Teeth - 2 Rows at the front of the body - Minimizes Spring Back In Cardboard and Recycling Application
- ☐ Packer Follower - Reduces Garbage/Recycle Behind the Packer
- ☐ High Pressure Filter Kit
- ☐ High Pressure Filter Monitor
- ☐ 60 Gallon Washout Tank - side mounted - **Not available with pusher axle**
- ☐ 60 Gallon Washout Tank - rear mounted - **Not available with tag axle**
- ☐ Second 20 lb. Fire Extinguisher (Will be mounted to Curb side Hopper, if unable will be mounted under body)
- ☐ Tool Box Bumper Mount - Steel - 18"x18"x24"
- ☐ Tool Box Bumper Mount - Aluminum - 18"x18"x24"
- ☐ Tool Box Bumper Mount - Poly - 18"x18"x24"
- ☐ Extendable Broom Kit - Mounted Curbside of Body **(Not Available on 20/23 Yd)**
- ☐ Extendable Broom Kit - Mounted Under Body
- ☐ Street Side of Body Mounted Shovel Bracket Kit
- ☐ Fork Stop Kit - Increases overall height 20" when forks are in the full dump position
- ☐ Cab Protector Extension Raise - Manual Jack
- ☐ Aluminum Cab Protector
- ☐ Aluminum Cab Protector Extension For Autocar Chassis

2021 - Effective December 1, 2020 - Half/Pack® High- Compaction Front Loader - Sales Order Form

<input type="checkbox"/>	Rear Caution Decal
<input type="checkbox"/>	Wheel Chock Holder Kit - Dual (Mounted Under Body)
<input type="checkbox"/>	Wheel Chock Holder Kit - Dual (Mounted on Curbside Body)
<input type="checkbox"/>	Cable Fall Protection Kit
<input type="checkbox"/>	D-Ring Fall Protection
<input type="checkbox"/>	Hydraulic Oil Tank Quick Disconnect Kit - For use with filter buggy
<input type="checkbox"/>	Butterfly Style Quick Disconnects In Lieu of Service Loop Plumbing
<input type="checkbox"/>	Hydraulic Raise Cab Protector Kit
<input type="checkbox"/>	Spill Kit including mounting brackets - (Mounted on Front Head)
<input type="checkbox"/>	Spill Kit (In Toolbox) *Requires additional purchase of a tool box*
<input type="checkbox"/>	Hydraulic Oil Tank Heater - 500 watts
<input type="checkbox"/>	Bolt On Fender Extension Kit - Keeps Body Clean of Road Spray
<input type="checkbox"/>	California Back Up Alarm
<input type="checkbox"/>	Infinity Series Packer/Eject Cylinders with scrapers and hardened rods to 50 HRC - Includes Five (5) Year Packer/Eject Cylinder Only Warranty *(This Option is Required if purchasing extended warranty's below)*

2021 - Effective December 1, 2020 - Half/Pack® High- Compaction Front Loader - Sales Order Form	
CNRG Tailgate Mounted CNG- NFPT - 52 -2019 Compliant - Includes Installation Fee	
<input type="checkbox"/>	60 DGE CNrG System
<input type="checkbox"/>	75 DGE CNrG System
<input type="checkbox"/>	90 DGE CNrG System
<input type="checkbox"/>	105 DGE CNrG System
FET Exempt CNrG Tailgate Mounted CNG For 20YD Bodies Only- Includes Installation Fee	
<input type="checkbox"/>	60 DGE CNG System
<input type="checkbox"/>	75 DGE CNG System
<input type="checkbox"/>	90 DGE CNG System
<input type="checkbox"/>	105 DGE CNG System
CNRG Options	
<input type="checkbox"/>	Front Bumper Fill with Kill Cap
<input type="checkbox"/>	Remote Fill, StreetSide Rear Fill Port
<input type="checkbox"/>	Remote Fill, Curbside Rear Fill Port
<input type="checkbox"/>	Defuel Transfer Hose - 35 ft.
<input type="checkbox"/>	1/4 Turn Shutoff Valve - Isolates CNrG Tanks from Remainder of CNG system
CNG Installation - Top of Body Installation	
<input type="checkbox"/>	CNG Installation Charge - Includes brackets, temporary tank rental, hardware, and mounting of CNG system
Extended Complete Body Warranty Options	
<input type="checkbox"/>	Two (2) Year (Months 13-24) (Maximum 4,000 hrs. of Operation) Complete Heil Body Warranty- Requires additional purchase of Infinity
<input type="checkbox"/>	Three (3) Year (Months 13-36) (Maximum 6,000 hrs. of Operation) Complete Heil Body Warranty Requires additional purchase of
<input type="checkbox"/>	Four (4) Year (Months 13-48) (Maximum 8,000 hrs. of Operation) Complete Heil Body Warranty Requires additional purchase of
<input type="checkbox"/>	Five (5) Year (Months 13-60) (Maximum 10,000 hrs. of Operation) Complete Heil Body Warranty Requires additional purchase
Extended Cylinder Warranty Options	
<input type="checkbox"/>	Two (2) Year (Months 13-24) (Maximum 4,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty Requires additional purchase of
<input type="checkbox"/>	Three (3) Year (Months 13-36) (Maximum 6,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty - Requires additional purchase of
<input type="checkbox"/>	Four (4) Year (Months 13-48) (Maximum 8,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty - Requires additional purchase of
<input type="checkbox"/>	Five (5) Year (Months 13-60) (Maximum 10,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty - Requires additional
Extended Hydraulic Pump and Valve Warranty Options	
<input type="checkbox"/>	Two (2) Year (Months 13-24) (Maximum 4,000 hours of operation) Hydraulic Pump and Valve warranty *Not needed if purchasing
<input type="checkbox"/>	Three (3) Year (Months 13-36) (Maximum 6,000 hours of operation) Hydraulic Pump and Valve warranty *Not needed if purchasing
<input type="checkbox"/>	Four (4) Year (Months 13-48) (Maximum 8,000 hours of operation) Hydraulic Pump and Valve warranty *Not needed if purchasing
<input type="checkbox"/>	Five (5) Year (Months 13-60) (Maximum 10,000 hours of operation) Hydraulic Pump and Valve warranty *Not needed if purchasing
Paint Options	
NOTE: LIST PAINT CODES ON PAINT DIAGRAM	
<input type="checkbox"/>	Customized Paint Color - Paint Color Code NOT included in the Color Smart Brochure
<input type="checkbox"/>	Two Tone Paint
<input type="checkbox"/>	Paint Striping - first stripe
<input type="checkbox"/>	Paint Striping - each additional stripe
<input type="checkbox"/>	Metallic Paint
<input type="checkbox"/>	Clear coat Finish
<input type="checkbox"/>	Anti-Graffiti Clear coat Finish
<input type="checkbox"/>	Prime Paint Only - deduct
<input type="checkbox"/>	Heil CleanShield™ by BrandArmor™ Cab protector decal.