AR-FA RAILTRAC®



AR-FA (Anthony RailTrac[®] Full Access) includes all the same low maintenance features of the AR series, but with folding 2-piece aluminum platforms. These folding platforms allow for an exceptionally large load area while still retaining full access to the rear door, even on lower bed heights. Ar-FA is the versatile choice for anyone in need of a medium rail lift.

RECOMMENDED APPLICATIONS

LIGHT/MEDIUM DUTY





KEY ADVANTAGES

- Full Rear Door Access
- Grease Free
- Low Pressure Hydraulics
- EZ Mount[™] Installation



STANDARD MODELS						
MODEL	AR-FA-25-50-94	AR-FA-25-50-100	AR-FA-25-60-94	AR-FA-25-60-100		
Capacity (lbs.)	2500	2500	2500	2500		
Bed Height (Min-Max)	34" - 58"	34" - 58"	39" - 58"	39" - 58"		
MODEL WIDTH	PLAT	FORM WIDTH				
90" (92" Body)	86"					
94" (96" Body)	90"					
100" (102" Body)	96"					
AVAILABLE PLATFORI	MS					

Two Piece Aluminum 50" or 60" + 12" Fixed

Platform flip is 3" narrower than main to allow for folding clearance Min bed height to allow full door access when platform folded For mounting requirements, visit anthonyliftgates.com/mountingrequirements

AR-DT RAILTRAC®



AR-DT with optional galvanized finish

AR-DT (Anthony RailTrac[®] Dump-Through) is a medium rail liftgate with all the low maintenance features of the AR series, but with a special dumpthrough platform which pivots to allow material to pass through the liftgate. With an AR-DT, a dump bed vehicle can do more than just haul and dump bulk materials. It can lift and lower heavy items like plants and equipment, too – a must-have for landscapers.

KEY ADVANTAGES

- Spring-Assist Open/Close
- Grease Free
- Low Pressure Hydraulics
- Special Dump-Through Platform

RECOMMENDED APPLICATIONS

LIGHT/MEDIUM DUTY







STANDARD MODELS				
MODEL	AR-1200-DT	AR-1800-DT	AR-2000-DT	
Capacity (lbs.)	1200	1800	2000	
Bed Height (Min-Max)	36" - 58"	36" - 58"	36" - 58"	
MODEL WIDTH	Pl	ATFORM WIDTH		
90" (92" Body)	86)"		
94" (96" Body)	90)"		
AVAILABLE PLATFORI	MS			
Direction - Charle Durang Theory - the Direction - 2011 + 011				

Pivoting Steel Dump-Through Platform 36" + 6"

For mounting requirements, visit anthonyliftgates.com/mountingrequirements

PCR RAILTRAC®



PCR (Power Close RailTrac[®]) is a classic medium rail liftgate, with the added convenience of a power open-close platform.

Its durable roller chain drive allows all hydraulic components to be guarded safely within the liftgate housing. Lift cycle friction is minimized by advanced anti-wear pads which eliminate the need to lubricate or replace rollers, common in competitive models.

RECOMMENDED APPLICATIONS

LIGHT/MEDIUM DUTY



PCR MODELS

PCR

Standard PCR models available with a selection of steel and aluminum platforms.

PCR-GB

PCR-GB is a medium duty rail lift specially designed for gas bottle delivery. It includes all the great low maintenance advantages of the PCR series, but with a unique gas bottle handling platform, built to safely handle bottled gas containers.

MADE IN THE U.S.A.

Every Anthony liftgate is precision fabricated in Pontiac, IL.



KEY ADVANTAGES

- Power Open/Close
- Grease Free
- Low Pressure Hydraulics
- Integrated Tail Lights

STANDARD MODELS			
MODEL	PCR-1800		PCR-2500
Capacity (lbs.)	1800		2500
Bed Height (Min-Max)	30" - 58"		30" - 58"
MODEL WIDTH		PLATFORM WI	DTH
94" (96" Body)		90"	
100" (102" Body)		96"	
AVAILABLE PLATFORM	٨S		
Single Piece Steel 36" o	r 42" + 6" Fixed		
Single Piece Steel 36" o	r 42" + 12" ARR		
Single Piece Aluminum	55" or 60" + 12	" Fixed	
GAS BOTTLE MODEL	S		
MODEL		PCR-2500-GB	
Capacity (lbs.)		2500	
Rod Hoight (Min Max)		20" 50"	

Bed Height (Min-Max)28" - 58"MODEL WIDTHPLATFORM WIDTH94" (96" Body)90"100" (102" Body)96"AVAILABLE PLATFORM

30" Deep Steel Bar Grate Platform + 20" Aluminum Flip Ramp and Gas Bottle Handling Rails

For mounting requirements, visit anthonyliftgates .com/mountingrequirements

YEAR WARRANTY

MRT RAILTRAC®

MRT (Magnum RailTrac[®]) is a premium line of heavy duty rail lifts designed to deliver maximum performance in the most demanding applications. Whether it's delivery of auto parts, beverages, food, or any other rigorous process, MRT can help maximize uptime and minimize operating expenses.

At the heart of every MRT is its self-lubricating V-track slide system which eliminates the need for lubrication and costly roller replacement. MRT's powerful and efficient synchronized dual-motor drive system lifts at low pressures, with the added security of seamless emergency backup. LevelGuard [™] helps to prevent cylinder damage from the platform being lowered onto uneven ground.

Anthony is the industry leader in corrosion resistance, with models available in premium polymer, hot dip galvanized, or stainless steel finish. MRT has a rugged and attractive solution for every climate.

RECOMMENDED APPLICATIONS

MEDIUM/HEAVY DUTY



CORROSION RESISTANT FINISHES

Choose from standard Anthony premium polymer finish, or optional galvanized or stainless steel finishes.





STANDARD MODELS						
MODEL	MRT-3500	MRT-45	00	MRT-5500	MRT-6500	
Capacity (lbs.)	3500	4500		5500	6500	
Bed Height (Min-Max)	38" - 58"	38" - 58"	1	38" - 58"	38" - 58"	
MODEL WIDTH			PLATFORI	M WIDTH		
96" Wide Model			80"			
100" Wide Model	100" Wide Model 86"					
AVAILABLE PLATFORMS						
Two Piece Steel 60" or 72" + 12" Pop-Up Ramp						
Two Piece Steel 60" or 72" + 12" Fixed						
Two Piece, Steel or Aluminum 72" or 84" + 16" ARR						

Cart stops available on ramped platforms, additional platforms available For mounting requirements, visit anthonyliftgates.com/mountingrequirements

MRT-SL RAILTRAC®

MRT-SL (Magnum RailTrac[®] Side Load) was specifically designed for food delivery. It includes all the great low maintenance advantages of the MRT series, but with a patented, full-size, three-side loadable platform, which allows a driver to load and unload in tight spaces or directly to a curb.

KEY ADVANTAGES

- Patented 3 Side Loadable Platform
- Standard Dual motors
- Grease Free
- Low Pressure Hydraulics
- Service-Free V-Trac sliders
- Level Guard[™]

RECOMMENDED APPLICATIONS

MEDIUM/HEAVY DUTY





STANDARD MODELS						
MODEL	MRT-SL-3500	MRT-SL-4500	MRT-SL-5500			
Capacity (lbs.)	3500	4500	5500			
Bed Height (Min-Max)	49" - 58"	49" - 58"	49" - 58"			
MODEL WIDTH		PLATFORM WIDTH				
96" Wide Model		80"				
100" Wide Model		86"				
AVAILABLE PLATFOR	MS					

2

84" + (1) 16" Rear Ramp and (2) 30" Wide + 33.5" Deep Curb/Road Side Ramps For mounting requirements, visit anthonyliftgates.com/mountingrequirements

MRT-GB RAILTRAC®

MRT-GB (Magnum RailTrac[®] Gas Bottle) is a heavy duty rail lift specially designed for gas bottle delivery. It includes all the great low maintenance advantages of the MRT series, but with a unique gas bottle handling platform, built to safely handle bottled gas containers.

KEY ADVANTAGES

- Standard Dual Motors
- Grease Free
- Low Pressure Hydraulics
- Service-Free V-Trac Sliders
- Level Guard[™]

RECOMMENDED APPLICATIONS

MEDIUM/HEAVY DUTY



STANDARD MODELS			
MODEL	MRT-GB-3500	MRT-GB-4500	
Capacity (lbs.)	3500	4500	S YEAF
Bed Height (Min-Max)	38" - 58"	38" - 58"	
MODEL WIDTH	PLATFORM	WIDTH	
96" Wide Model	80"		
100" Wide Model	86"		
AVAILABLE PLATFORMS			
39" Deep Steel Bar Grate F Handling Rails			

For mounting requirements, visit anthonyliftgates.com/mountingrequirements

ALB PICKUP & UTILITY BODY



The Anthony ALB (Anthony Load Blazer) is, hands-down, the industry's toughest pickup and service body liftgate. Its dual-cylinder direct drive system lifts with no cables, plus its grease free design means years of smooth operation with no required lubrication.

ALB features an exclusive stabilizer beam which reduces side-to-side platform motion and doubles as a driver step for easy access to the truck bed. For a pickup gate that's truly built for work, there's no substitute for an Anthony ALB.

RECOMMENDED APPLICATIONS

LIGHT/MEDIUM DUTY







SIMPLY RELIABLE.

Spend more time trucking and less time maintaining your equipment.

Simple design is one of the best ways to maximize reliability. That's why Anthony liftgates are designed simple -- increased reliability and superior ease of service. In fact, many models can be serviced with nothing more than a few common hand tools.



AR RAILTRAC®



AR (Anthony RailTrac[®]) is a classic medium rail liftgate, with spring- assisted platform operation and an extensive list of available configurations.

Its durable roller chain drive allows all hydraulic components to be guarded safely within the liftgate housing. Lift cycle friction is minimized by advanced anti-wear pads which eliminate the need to lubricate or replace rollers, common in competitive models. Plus, AR offers a huge variety of steel and aluminum platforms, and three corrosion resistance finishes, including stainless steel.

RECOMMENDED APPLICATIONS

LIGHT/MEDIUM DUTY



MARINE DUTY CONTROLS

Inside every Anthony toggle control is a premium-quality, IP-67 rated, stainless steel switch. Its terminals are fully encased in a thick epoxy coating which guards against dust, moisture intrusion, and loose electrical connections that can lead to unwelcome downtime.



KEY ADVANTAGESSpring-Assist Open/Close

- Grease Free •
- Low Pressure Hydraulics Highly Customizable •
- •

AR-1800 with aluminum platform and optional stainless finish



STANDARD MODELS					
MODEL	AR-1200	AR-1800	AR-2000	AR-2500	
Capacity (lbs.)	1200	1800	2000	2500	
Bed Height (Min-Max)	28" - 58"	28" - 58"	28" - 58"	28" - 58"	
MODEL WIDTH		PLATFOF	RM WIDTH		
90" (92" Body)		86"			
94" (96" Body)		90"			
100" (102" Body)		96"			
AVAILABLE PLATFORMS					
Single Piece Steel 36" or 42" + 6" Fixed					
Single Piece Steel 36" or 42" + 12" Fixed					
Single Piece Aluminum 33", 39", 44", 50", 60" + 12" Fixed					
Single Piece Aluminum 33", 39", 44", 50", 60" + 12" ARR					

Cart stops available on any platform 78" wide models available

For mounting requirements, visit anthonyliftgates.com/mountingrequirements