



**North Carolina Sheriff's Association
 Heavy Equipment Procurement Program
 Bid 22-06-0426R
 Group: Hydro Excavating/Industrial Vacuum Trailer
 Model: Pacific Tek**

LP-PV250-D1HW-T	250 gallon-Low profile (max. 74" height) trailer mounted PV250 power vac, 26.5 HP EFI gas engine Drive One, 580 CFM blower, 3" x 25' vacuum hose & 5' pickup wand, electric clutch engaged pressure washer 2500 PSI @ 3 GPM, 100-gallon water tank, 50' hose reel, Anti-freeze kit, air gap, LED traffic director, trailer tandem axle trailer (#10-PH-12) w/ Torflex Axle Upgrade, electric brakes, 9,990# GVWR, powder coated Pacific Tek Safety Yellow
PV100-T	100-gallon angle mounted debris tank, 26.5 HP EFI gas engine, 380 CFM blower, 3" x 25' vacuum hose and 5' pick-up wand attachment, trailer-single axle 3500# GVWR, electric brakes, powder coated Pacific Tek Safety Yellow
PV1200-DHOT4-D1W-T	1200-gallon debris tank, Drive One 49 HP Tier 4 Diesel liquid-cooled engine, 1000 CFM Blower, 4" x 15' and 4" x 10' vacuum hose and 5' pick-up wand, electric clutch engaged pressure washer 3500 PSI @ 4 GPM, 200-gallon water tank, Anti-freeze kit, air gap, LED traffic director, trailer-20,000# GVWR, double 10,000# axles, electric brakes, powder coated Pacific Tek Safety Yellow
PV150-T	150-gallon angle mounted debris tank, 26.5 HP EFI gas engine, 580 CFM blower, 3" x 25' vacuum hose & 5' pick-up wand, trailer -single axle 3500# GVWR, electric brakes, powder coated Pacific Tek Safety Yellow
PV250-D1W-T	250-gallon debris tank, Drive One -26.5 HP gas engine, 580 CFM blower, 3" x 25' vacuum hose and 5' pick-up wand attachment, electric clutch-engaged pressure washer 2500 PSI @ 3 GPM, 100-gallon water tank, 50' hose reel, Anti-freeze kit, LED traffic director, trailer-7000# GVWR-single 7000# rated axle, electric brakes, powder coated Pacific Tek Safety Yellow
PV350-D1W-T	350-gallon debris tank, Drive One 38 HP EFI gas engine, 580 CFM blower, 3" x 25' vacuum hose and 5' pick-up wand, electric clutch engaged pressure washer 2500 PSI @ 3 GPM, 100-gallon water tank, 50' hose reel, Anti-freeze kit, air gap, LED traffic director, Trailer-9,990# GVWR, tandem 6,000# rated axles, electric brakes, powder coated Pacific Tek Safety Yellow
PV500-D1W-T	500-gallon debris tank, Drive One 38 HP EFI gas engine, 580 CFM blower, 3" x 25' vacuum hose and 5' pick-up wand, electric clutch engaged pressure washer 2500 PSI @ 3 GPM, 100-gallon water tank, 50' hose reel, Anti-freeze kit, air gap, LED traffic director, Trailer-12,000# GVWR, 6,000# axles, electric brakes, powder coated Pacific Tek Safety Yellow
PV66-T	66-gallon angle mounted debris tank, 14 HP EFI gas engine, 380 CFM blower, 3" x 25' vacuum hose & 5' pick-up wand, trailer -single axle 3500# GVWR, electric brakes, powder coated Pacific Tek Safety Yellow
PV800-D1W-T	800-gallon debris tank, Drive One 38 HP EFI gas engine, 580 CFM blower, 3" x 25' vacuum hose and 5' pick-up wand, electric clutch engaged pressure washer 2500 PSI @ 3 GPM, 100-gallon water tank, 50' hose reel, Anti-freeze kit, air gap, LED traffic director, Trailer- 14,000# GVWR, 7,000# axles, electric brakes, powder coated Pacific Tek Safety Yellow
PV220-D1W-T	220-gallon angle mounted debris tank, Drive One 26.5 HP EFI gas engine, 580 CFM blower, 3" x 25' vacuum hose & 5' pick-up wand, electric clutch engaged pressure washer 3000 PSI @ 3 GPM, 100-gallon water tank, 50' hose reel, Anti-freeze kit, air gap, trailer-7000# GVWR-single 7000# rated axle, electric brakes, powder coated Pacific Tek Safety Yellow



Pacific Tek™

“POWER VAC®”

Compact Vacuum Excavation Systems

HOME OF THE ORIGINAL “ANGLE TANK SERIES”



The Pacific Tek “Compact Vacuum Excavator”

Available as a trailer or skid mount

PV100-S



PV150-D1W-S



Skid Mounted Vac:

- Complete system designed to bolt on to a flatbed pickup truck using factory-supplied angle mount brackets.
- Optional pressure washer system on same skid or separate skid with option for a hot water heater (h)
- Offers great value for utility departments and contractors.

PV250-D1WH-S



Compact Vac Trailer:

- Vacuum System on a small single or tandem axle trailer.
- Standard trailer configuration includes a Vacuum Excavator with optional pressure washer system.
- Other add-ons include flood lights, remote start, hydraulic tool circuit, traffic director, & hot water heater.

*Standard configurations shown, additional options available. Just ask your local dealer. Model # is debris tank capacity.

PV150-D1W-T



PV66-D1W-T



PV100-T



Skid Mounted units fit nicely in the back of a truck flatbed and just need to be secured.




Accessories:



VACUUM HOSES:
3" by 25': Part # 51-11042
3" by 50': Part # 51-11057



Small Filter (PV100-PV220):
Part # 51-11001
Large Filter (PV250-PV1200):
Part # 53-13002



1": Part # 62-02024

1½": Part # 62-02025

2": Part # 62-02026



Duckbill Attachment:
Part # 59-19024



DSB Digging Tool:
3" Part # 56-16041
4" Part # 56-16042



Crackhead Attachment:
Part # CH-3



Proudly Made in the USA Since 1993

204 S 69th Avenue, Phoenix AZ 85043
(800) 884-5551 | (714) 835-3088 | Fax (714) 835-3091

For more information contact:



20.7-PT-SMALLVAC



Pacific Tek

MANUFACTURER OF
CLEAN UP AND EXCAVATION "POWER VAC®" VACUUMS
FOR THE CONSTRUCTION, REHABILITATION
AND UTILITY INDUSTRIES



Made in America



PV500-GHO-W-B-R-T

Configure Your System:

- Step 1: Select Capacity (Gallons) **Debris Tank**
 Step 2: Select **Output/Blower capacity** (CFM)
 Step 3: Select **Capacity Water tank(s)** - 100 or 200 gal


- Step 4: Select Options Package: **Bronze/Silver/Gold**
 Step 5: Select equipment **Mounting Option: Skid or Trailer**

Debris Tank Volume: (US Gallons)	Output/Blower Capacity:	Water Tank:	Standard:	Features:	Optional:	Mounting Options:	Example:
PV350	Gas Standard Output = GSO	100 gallons = W	Sight Glass (Blister)		Telescoping Boom ("B")	Skid = "S"	Pacific-Tek Model #:
PV500	(580 CFM)	200 gallons = W200	Powder Coated		Pedestal Telescoping Boom ("Bp")	Trailer = "T"	PV350-GSO-D1-W-S
PV800	Gas High Output = "GHO"	(All water tanks have an air gap)	Hydraulic Hatch Door		Hydraulic Boom ("Bh")		PV500-GHO-W200-B-T
PV1200	(1000 CFM)		3-stage Filtration System		Reverse Flow		PV800-GHO-W-B-R-T
	Diesel Standard Output = "DSO"		Traffic Director		Flood Lights		PV1200-DHOT4F-W200-Bh-T
	(580 CFM)		Anti-Freeze Kit		Tool Box		
	Diesel High Output = "DHOT4F"		(for pressure washer systems)		Water Heater		
	(1000 CFM)				Auxiliary Hydraulic Tool Circuit		
	Tier 4 Final (Emissions Compliant)				Sewer Jetter (12 GPM @ 3000 psi)		

POWER VAC® OPTIONS

PV800-DHOT4F-Wh-T

Options: Tool Box, Hot Water
 Heater, Flood Lights, Sewer
 Jetter 12 GPM @ 3000 PSI



- ① LED Traffic Director
- ② Sewer Jetter (12 GPM @ 3000 PSI)
- ③ Tool Box
- ④ 100 Gallon Fresh Water
(200 Gallon Optional Upgrade)
- ⑤ Flood Light Set
- ⑥ Water Heater



Power Vacs at work
(Potholing)



Applications:

- Dewatering holes/pits/vaults
- Debris/mud removal
- Potholing
- Keyholing
- Street repair
- Slot trenching
- Clean up after emergency
rehabilitation
- Cleaning valve cans & vaults
- Suck up HDD drilling mud
- Industrial machine cleaning
- Storm drain cleanout
- Mulch and gravel removal
- Salt and sand removal
- Soil and wastewater removal
- Fragile landscape maintenance
e.g. Golf Courses
- Car wash sump pit cleaning



SKID SYSTEMS FOR TRUCK MOUNTING



PV500-GHO-W-Bp-S
for Truck Flatbed

OPTIONS/UPGRADES



Vacuum Reverse Flow



12 GPM @ 3000 PSI
Sewer Jetter



LED Light Kit

PARTS & ACCESSORIES



DSB Wand
4": DSB-6-4
3": DSB-6-3



Vacuum Filter
Small Filter: 51-11001
Large Filter: 53-13002



**Heavy Duty Hose
w/ Camlocks**
10': 56-16055
15': 56-16056



Duckbill
59-19024



Wireless Pendant
PNT12V4902
59-19060



Crackhead
CH-3



PV Dig Nozzle
3000 PSI: 61-01015
4000 PSI: 61-01016



Since 1993



Made in America

204 S 69th Avenue, Phoenix AZ 85043

(800) 884-5551 | (714) 835-3088 | Fax (714) 835-3091

www.pacific-tek.com

For more information:



20.7-PT-VAC.BRO