RALEIGH, NC 27619 Phone: 919-459-6471 Prepared by:
David Foster
TRIPLE T FREIGHTLINER
2715 US HIGHWAY 421 NORTH
WILMINGTON, NC 28401
Phone: 910-763-6281

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-24D	SD PRL-24D (EFF:01/19/21)			
Data Version				
DRL-012	SPECPRO21 DATA RELEASE VER 012			
Vehicle Configurati	on			
001-177	114SD CONVENTIONAL CHASSIS	7,934	6,476	
004-222	2022 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK	480	-480	
019-002	STRAIGHT TRUCK PROVISION			
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-002	TRUCK CONFIGURATION			
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			
A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT			
AA4-003	DRY BULK COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-1AD	FREIGHTLINER LEVEL I WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 10000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 16000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 26000.0 lbs			



POB 20049 RALEIGH, NC 27619 Phone: 919-459-6471

	Data Code	Description	Weight Front	Weight Rear	
Truck	Service				
	AA3-005	FLATBED/PLATFORM/STAKE BODY			
*	AF3-999	CUSTOM MFR'S/BODY TYPE IDENTIFICATION			
	٦	ГВD			
Engine)				
	101-3BK	CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM	-850	-70	
Electro	onic Paramet	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
Engine	e Equipment				
	99C-021	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION			
	99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED			
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			
	292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES			
	290-017	BATTERY BOX FRAME MOUNTED			
	281-001	STANDARD BATTERY JUMPERS			
	282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			
	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
	289-001	NON-POLISHED BATTERY BOX COVER			
	180-100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH			
	183-008	TORQUE LIMITING CLUTCH BRAKE			
	181-001	ZERK FITTING AT CLUTCH RELEASE BEARING			
	182-002	MECHANICAL CLUTCH CONTROL			
	107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			



RALEIGH, NC 27619 Phone: 919-459-6471 Prepared by:
David Foster
TRIPLE T FREIGHTLINER
2715 US HIGHWAY 421 NORTH
WILMINGTON, NC 28401
Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear	
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-003	CUMMINS SPIN ON FUEL FILTER			
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			
266-017	1300 SQUARE INCH ALUMINUM RADIATOR	-20		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
270-016	RADIATOR DRAIN VALVE			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	-35		
Transmission				
342-399	EATON FULLER FR-9210B TRANSMISSION	60	20	
Transmission Equip	pment			
347-002	ALUMINUM CLUTCH HOUSING			
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL			



AND DRAIN

POB 20049 RALEIGH, NC 27619 Phone: 919-459-6471

370-998		-30		
35T-003	SYNTHETIC TRANSMISSION LUBE	-30		
	ment			
Front Ayle and Equip				
I Tolli Axie aliu Equipi	DETDOIT DA E 40 0 0 40 000 # EE4 -4 - 1/D/0 -4			
	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS			
409-006	FRONT OIL SEALS			
	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			
	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			
406-001	STANDARD KING PIN BUSHINGS			
536-050	TRW THP-60 POWER STEERING			
539-003	POWER STEERING PUMP			
	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			
Front Suspension				
	12,000# MONO TAPERLEAF FRONT SUSPENSION			
	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
62G-998	NO FRONT SUSPENSION OPTIONS			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equipm	nent			
	RS-23-161 23,000# R-SERIES SINGLE REAR AXLE		-2,250	
421-321	3.21 REAR AXLE RATIO			
	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-10	-10	
J	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			



POB 20049 RALEIGH, NC 27619 Phone: 919-459-6471

Data Code	Description	Weight Front	Weight Rear	
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS			
440-006	REAR OIL SEALS			
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20	
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
622-001	23,000# FLAT LEAF SPRING REAR SUSPENSION WITH RADIUS ROD		-460	
621-001	SPRING SUSPENSION - NO AXLE SPACERS			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
623-005	FORE/AFT CONTROL RODS			
Brake System				
490-100	WABCO 4S/4M ABS			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			
479-015	AIR DRYER FRAME MOUNTED			
460-001	STEEL AIR BRAKE RESERVOIRS			
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
Trailer Connections				
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			
Wheelbase & Frame				
545-472	4725MM (186 INCH) WHEELBASE			
546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	140	-40	
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			



POB 20049 RALEIGH, NC 27619 Phone: 919-459-6471

Data Code	Description	Weight Front	Weight Rear
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 120.47 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 117.47 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 279.13		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 63.24 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 148.43 in		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 114.45 in		
553-001	SQUARE END OF FRAME		
550-001	FRONT CLOSING CROSSMEMBER		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-001	STANDARD SUSPENSION CROSSMEMBER		
Chassis Equipment			
556-1CP	14 INCH PAINTED STEEL CUTOFF BUMPER	-45	
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
Fuel Tanks			
204-151	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH		
218-006	25 INCH DIAMETER FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10	
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires			
093-1V4	CONTINENTAL HSR2 11R22.5 14 PLY RADIAL FRONT TIRES	16	
094-1RB	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES		44



Prepared for: KAYLYN MITMAN NC SHERIFFS ASSC 323 W JONES STREET ST 505 POB 20049 RALEIGH, NC 27619 Phone: 919-459-6471

	Data Code	Description	Weight Front	Weight Rear	
Hubs					
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels	3				
	502-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS	26		
	505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		52	
Cab Ex	cterior				
	829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
	650-008	AIR CAB MOUNTING			
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
	667-004	FRONT FENDERS SET-BACK AXLE			
	678-001	LH AND RH GRAB HANDLES			
	646-041	STATIONARY BLACK GRILLE			
	65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE			
	644-004	FIBERGLASS HOOD			
	727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED			
	726-001	SINGLE ELECTRIC HORN			
	728-001	SINGLE HORN SHIELD			
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
	78G-002	KEY QUANTITY OF 2			
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
	312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS			
	302-001	(5) AMBER MARKER LIGHTS			
	294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
	300-015	STANDARD FRONT TURN SIGNAL LAMPS			
	744-1BH	DUAL WEST COAST MOLDED-IN COLOR MIRRORS			
	797-001	DOOR MOUNTED MIRRORS			
	796-001	102 INCH EQUIPMENT WIDTH			
	729-001	STANDARD SIDE/REAR REFLECTORS			
	768-043	63X14 INCH TINTED REAR WINDOW			
	661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			



POB 20049 RALEIGH, NC 27619 Phone: 919-459-6471

	Data Code	Description	Weight Front	Weight Rear
	654-003	MANUAL DOOR WINDOW REGULATORS		
	663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD		
	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		
Cab In	terior			
	707-1AK	OPAL GRAY VINYL INTERIOR		
	706-013	MOLDED PLASTIC DOOR PANEL		
	708-013	MOLDED PLASTIC DOOR PANEL		
	772-006	BLACK MATS WITH SINGLE INSULATION		
	785-004	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER		
	691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
	742-007	(2) CUP HOLDERS LH AND RH DASH		
	680-007	GRAY/CHARCOAL WING DASH		
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
	701-001	STANDARD HVAC DUCTING		
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
	170-015	STANDARD HEATER PLUMBING		
	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
	702-002	BINARY CONTROL, R-134A		
	739-033	STANDARD INSULATION		
	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
	324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS		
	655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS		
	284-023	(1) 12 VOLT POWER SUPPLY IN DASH		
	756-1J1	BASIC HIGH BACK NON SUSPENSION DRIVER SEAT WITH FORE AND AFT ADJUSTMENT		
	760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT		
	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
	758-036	VINYL WITH VINYL INSERT DRIVER SEAT		
	761-036	VINYL WITH VINYL INSERT PASSENGER SEAT		
	763-101	BLACK SEAT BELTS		
	532-001	FIXED STEERING COLUMN		



POB 20049 RALEIGH, NC 27619 Phone: 919-459-6471

Data	a Code	Description	Weight Front	Weight Rear
540-	015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
765-	002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
Instruments	& Contr	ols		
732-	004	GRAY DRIVER INSTRUMENT PANEL		
734-	004	GRAY CENTER INSTRUMENT PANEL		
870-	001	BLACK GAUGE BEZELS		
486-	001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
840-	002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
198-	025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
149-	017	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)		
156-	007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-	042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED		
160-	038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-	001	2 INCH ELECTRIC FUEL GAUGE		
856-	001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
830-	017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
852-	002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
810-	027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-	001	STANDARD VEHICLE SPEED SENSOR		
812-	001	ELECTRONIC 3000 RPM TACHOMETER		
813-	998	NO VEHICLE PERFORMANCE MONITOR	-5	
162-	002	IGNITION SWITCH CONTROLLED ENGINE STOP		
836-	015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-	800	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-	001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
882-	009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		



RALEIGH, NC 27619 Phone: 919-459-6471 Prepared by:
David Foster
TRIPLE T FREIGHTLINER
2715 US HIGHWAY 421 NORTH
WILMINGTON, NC 28401
Phone: 910-763-6281

	Data Code	Description	Weight Front	Weight Rear	
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			
Design	1				
	065-000	PAINT: ONE SOLID COLOR			
Color					
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
	964-020	STANDARD BLACK BUMPER PAINT			
	963-003	STANDARD E COAT/UNDERCOATING			
Certific	cation / Comp	liance			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Raw Po	erformance Da	ata			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 117.47 in			
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 114.45 in			
Sales I	Programs				
		NO SALES PROGRAMS HAVE BEEN SELECTED			

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	7691 lbs	3262 lbs	10953 lbs
Total Weight ⁺	7691 lbs	3262 lbs	10953 lbs

TOTAL VEHICLE SUMMARY



Prepared for: KAYLYN MITMAN NC SHERIFFS ASSC 323 W JONES STREET ST 505 POB 20049 RALEIGH, NC 27619

RALEIGH, NC 27619 Phone: 919-459-6471 Prepared by:
David Foster
TRIPLE T FREIGHTLINER
2715 US HIGHWAY 421 NORTH
WILMINGTON, NC 28401
Phone: 910-763-6281

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

