Prepared by: David Foster TRIPLE T FREIGHTLINER 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone: 910-763-6281

## SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-24M	M2 PRL-24M (EFF:01/19/21)			
Data Version				
DRL-012	SPECPRO21 DATA RELEASE VER 012			
Vehicle Configurat	ion			
001-172	M2 106 CONVENTIONAL CHASSIS	5,709	3,503	
004-222	2022 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-002	STRAIGHT TRUCK PROVISION			
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-002	TRUCK CONFIGURATION			
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			
A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT			
AA4-001	GENERAL FREIGHT COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-091	MEDIUM TRUCK WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 8000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 17500.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 25500.0 lbs			



	Data Code	Description	Weight Front	Weight Rear	
Truc	k Service				
	AA3-001	DRY VAN BODY			
*	AF3-999	CUSTOM MFR'S/BODY TYPE IDENTIFICATION			
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in			
Engi	ine				
	101-21N	CUM B6.7 200 HP @ 2400 RPM, 2600 GOV, 520 LB-FT @ 1600 RPM			
Elec	tronic Paramet	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-002	PTO MODE ENGINE RPM LIMIT - 700 RPM			
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			
	79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED			
	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			
	79Q-002	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM			
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
	80G-002	PTO MINIMUM RPM - 700			
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
Engi	ine Equipment				
	99C-021	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION			
	99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			
	292-205	(2) DTNA GENUINE, FLOODED STARTING, MIN 1900CCA, 350RC, THREADED STUD BATTERIES			
	290-017	BATTERY BOX FRAME MOUNTED			

Application Version 11.6.103 Data Version PRL-24M.012 NCSA 22-23MY M2106 B6.7 ENGINE



Prepared by: David Foster TRIPLE T FREIGHTLINER 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear	
 281-001	STANDARD BATTERY JUMPERS			
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-001	NON-POLISHED BATTERY BOX COVER			
180-063	EATON FULLER 365MM CERAMIC 1 PLATE MAINTENANCE FREE WEAR-THROUGH CLUTCH			
182-005	HYDRAULIC CLUTCH CONTROL			
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			
131-013	AIR COMPRESSOR DISCHARGE LINE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-003	CUMMINS SPIN ON FUEL FILTER			
118-001	FULL FLOW OIL FILTER			
266-100	700 SQUARE INCH ALUMINUM RADIATOR			
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			



Prepared by: David Foster TRIPLE T FREIGHTLINER 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear	
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
134-001	ALUMINUM FLYWHEEL HOUSING			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH			
Transmission				
342-1CA	EATON FULLER FS-5406A TRANSMISSION	40	20	
Transmission Equ	ipment			
347-002	ALUMINUM CLUTCH HOUSING			
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN			
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			
370-998	NO TRANSMISSION OIL COOLER	-15		
35T-003	SYNTHETIC TRANSMISSION LUBE			
Front Axle and Eq	uipment			
400-1EW	DETROIT DA-F-8.0-3 8,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			
409-006	FRONT OIL SEALS			
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			
536-050	TRW THP-60 POWER STEERING			
539-003	POWER STEERING PUMP			
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			
Front Suspension				
620-032	8,000# TAPERLEAF FRONT SUSPENSION	-30		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equ	ipment			
420-1C6	DETROIT DA-RS-17.5-2 17,500# R-SERIES SINGLE REAR AXLE		-170	
Application Version 1			04/16/2021 2	2:17 P
Data Version PRL-24 NCSA 22-23MY M21	06 B6.7 ENGINE		Page	1 of 1

Prepared by: David Foster TRIPLE T FREIGHTLINER 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone: 910-763-6281

	Data Code	Description	Weight Front	Weight Rear
	421-391	3.91 REAR AXLE RATIO		
	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
	386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES		
	423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
	433-002	NON-ASBESTOS REAR BRAKE LINING		
	434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS		
	451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		
	440-006	REAR OIL SEALS		
	426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		
	428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
	41T-001	MINERAL SAE 80/90 REAR AXLE LUBE		
Rear Su	spension			
	622-284	AIRLINER 21,000# REAR SUSPENSION		
	621-007	AIRLINER HIGH POSITION RIDE HEIGHT		
	431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
	910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
	623-002	TRANSVERSE CONTROL RODS		
	439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)		
Brake S	ystem			
	018-002	AIR BRAKE PACKAGE		
	490-100	WABCO 4S/4M ABS		
	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
	904-001	FIBER BRAID PARKING BRAKE HOSE		
	412-001	STANDARD BRAKE SYSTEM VALVES		
	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
	413-002	STD U.S. FRONT BRAKE VALVE		
	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
	480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		



Data Code	Description	Weight Front	Weight Rear	
479-015	AIR DRYER FRAME MOUNTED			
460-001	STEEL AIR BRAKE RESERVOIRS			
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
<b>Trailer Connections</b>				
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			
Wheelbase & Frame				
545-472	4725MM (186 INCH) WHEELBASE			
546-020	1/4X3.00X10.00 INCH STEEL FRAME (6.35MMX254.0MM/0.250X10.00 INCH) 50KSI	-40	-70	
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 120.47 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 117.47 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 287.99			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 86.95 in			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 106.63 in			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 114.45 in			
553-001	SQUARE END OF FRAME			
550-001	FRONT CLOSING CROSSMEMBER			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-001	STANDARD REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER			
Chassis Equipment				
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS			
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			

## Fuel Tanks

Application Version 11.6.103 Data Version PRL-24M.012 NCSA 22-23MY M2106 B6.7 ENGINE



	Data Code	Description	Weight Front	Weight Rear	
	204-216	28 GALLON/106 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH			
	218-005	RECTANGULAR FUEL TANK(S)			
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
	212-007	FUEL TANK(S) FORWARD			
	664-001	PLAIN STEP FINISH			
	205-001	FUEL TANK CAP(S)			
	122-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5		
	216-020	EQUIFLO INBOARD FUEL SYSTEM			
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires					
	093-1V4	CONTINENTAL HSR2 11R22.5 14 PLY RADIAL FRONT TIRES	16		
	094-1RB	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES		44	
Hubs					
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels	5				
	502-523	MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 6.19 INSET 5-HAND STEEL DISC FRONT WHEELS	18		
	505-523	MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		36	
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
Cab Ex	terior				
	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
	650-009	RUBBER CAB MOUNTS			
	678-001	LH AND RH GRAB HANDLES			
	646-045	MOLD-IN COLOR GRILLE			
	65X-011	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE			
	644-004	FIBERGLASS HOOD			
	726-001	SINGLE ELECTRIC HORN			



	Data Code	Description	Weight Front	Weight Rear	
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
	78G-002	KEY QUANTITY OF 2			
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
	312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			
	302-001	(5) AMBER MARKER LIGHTS			
	294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
	300-015	STANDARD FRONT TURN SIGNAL LAMPS			
	744-1BH	DUAL WEST COAST MOLDED-IN COLOR MIRRORS			
	797-001	DOOR MOUNTED MIRRORS			
	796-001	102 INCH EQUIPMENT WIDTH			
	729-001	STANDARD SIDE/REAR REFLECTORS			
	768-043	63X14 INCH TINTED REAR WINDOW			
	661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			
	654-003	MANUAL DOOR WINDOW REGULATORS			
	663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD			
	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			
Cab Int	erior				
	707-1AK	OPAL GRAY VINYL INTERIOR			
	706-013	MOLDED PLASTIC DOOR PANEL			
	708-013	MOLDED PLASTIC DOOR PANEL			
	772-006	BLACK MATS WITH SINGLE INSULATION			
	691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			
	694-010	IN DASH STORAGE BIN			
	742-007	(2) CUP HOLDERS LH AND RH DASH			
	680-006	GRAY/CHARCOAL FLAT DASH			
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER			
	701-001	STANDARD HVAC DUCTING			
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
	170-015	STANDARD HEATER PLUMBING			
	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
	702-002	BINARY CONTROL, R-134A			
	739-033	STANDARD INSULATION			



	Data Code	Description	Weight Front	Weight Rear
	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
	324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS		
	655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS		
	756-1J1	BASIC HIGH BACK NON SUSPENSION DRIVER SEAT WITH FORE AND AFT ADJUSTMENT		
	760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT		
	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
	758-036	VINYL WITH VINYL INSERT DRIVER SEAT		
	761-036	VINYL WITH VINYL INSERT PASSENGER SEAT		
	763-101	BLACK SEAT BELTS		
	532-001	FIXED STEERING COLUMN		
	540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
Instrum	ents & Contr	ols		
	732-004	GRAY DRIVER INSTRUMENT PANEL		
	734-004	GRAY CENTER INSTRUMENT PANEL		
	870-001	BLACK GAUGE BEZELS		
	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
	840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
	198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
	149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL		
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
	811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED		
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
	844-001	2 INCH ELECTRIC FUEL GAUGE		
	148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE		
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		

Application Version 11.6.103 Data Version PRL-24M.012 NCSA 22-23MY M2106 B6.7 ENGINE



	Data Code	Description	Weight Front	Weight Rear
	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
	817-001	STANDARD VEHICLE SPEED SENSOR		
	812-001	ELECTRONIC 3000 RPM TACHOMETER		
	162-011	IDLE LIMITER, ELECTRONIC ENGINE		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX		
	963-003	STANDARD E COAT/UNDERCOATING		
Certifica	ation / Compl	iance		
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		
Raw Pe	rformance Da	ita		
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 117.47 in		
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 114.45 in		

Application Version 11.6.103 Data Version PRL-24M.012 NCSA 22-23MY M2106 B6.7 ENGINE FREIGHTLINER

Prepared by: David Foster TRIPLE T FREIGHTLINER 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear	
Sales Programs				
	NO SALES PROGRAMS HAVE BEEN SELECTED			
	TOTAL VEHICLE SU	MMARY	(	

Weight Summary					
	Weight	Weight	Total		
	Front	Rear	Weight		
Factory Weight <sup>+</sup>	5693 lbs	3363 lbs	9056 lbs		
Total Weight <sup>+</sup>	5693 lbs	3363 lbs	9056 lbs		

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

