

Prepared for:  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

Prepared by:  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

## S P E C I F I C A T I O N   P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
<b>Price Level</b>			
PRL-24X	WST 49X STAR PRL-24X (EFF:01/19/21)		
<b>Data Version</b>			
DRL-012	SPECPRO21 DATA RELEASE VER 012		
<b>Vehicle Configuration</b>			
001-472	WESTERN STAR 49X	9,175	6,500
004-222	2022 MODEL YEAR SPECIFIED		
002-004	SET BACK AXLE - TRUCK		
019-004	STRAIGHT TRUCK PROVISION, NON-TOWING		
003-001	LH PRIMARY STEERING LOCATION		
<b>General Service</b>			
AA1-002	TRUCK CONFIGURATION		
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
A85-011	CONSTRUCTION SERVICE		
A84-1CO	CONSTRUCTION BUSINESS SEGMENT		
AA4-010	DIRT/SAND/ROCK COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-1A5	WESTERN STAR VOCATIONAL WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs		
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 52000.0 lbs		

**Prepared for:**  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

**Prepared by:**  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
<b>Truck Service</b>			
AA3-004	END DUMP BODY		
AF3-998	NO MFR'S/BODY TYPE IDENTIFICATION		
<b>Engine</b>			
101-3DV	CUM X12 350 HP @ 1800 RPM, 1350 LB-FT @ 1000 RPM, 1800 GOV RPM	-670	-55
<b>Electronic Parameters</b>			
79A-070	70 MPH ROAD SPEED LIMIT		
<b>Engine Equipment</b>			
99C-021	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION		
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
014-116	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	-10	
292-222	(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES		
290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB		
282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-006	PLASTIC BATTERY BOX COVER		
107-048	CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE		
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE		

Prepared for:  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

Prepared by:  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH		
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-027	8 GALLON DIESEL EXHAUST FLUID TANK		
23Z-005	UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER		
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD		
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH		
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10	
110-003	CUMMINS SPIN ON FUEL FILTER		
118-001	FULL FLOW OIL FILTER		
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
132-998	NO AIR INTAKE WARMER	-10	
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH		

#### Transmission

342-412	EATON FULLER FR-14210B TRANSMISSION	-30	-10
---------	-------------------------------------	-----	-----

#### Transmission Equipment

180-100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH	-50	
183-008	TORQUE LIMITING CLUTCH BRAKE		
181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING		
182-005	HYDRAULIC CLUTCH CONTROL		

Prepared for:  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

Prepared by:  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
347-002	ALUMINUM CLUTCH HOUSING		
363-998	NO PTO MOUNTING LOCATION SPECIFIED		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE		
370-002	AIR TO OIL TRANSMISSION COOLER		
35T-003	SYNTHETIC TRANSMISSION LUBE		
<b>Front Axle and Equipment</b>			
400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
418-058	CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS		
402-1A4	MERITOR EX-L OPTIMIZED AXIAL AIR DISC FRONT BRAKES		
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-004	FRONT DISC BRAKE ROTORS		
427-001	FRONT BRAKE DUST SHIELDS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS		
536-102	SINGLE POWER STEERING GEAR, BENDIX, 12- 13.3K		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		
<b>Front Suspension</b>			
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
410-001	FRONT SHOCK ABSORBERS		
<b>Rear Axle and Equipment</b>			
420-1T8	DETROIT DA-RT-40.0-4S HH 40,000# R-SERIES TANDEM REAR AXLE		
450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS		
421-264	2.64 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-083	RPL35 MERITOR MAIN DRIVELINE	55	55

**Prepared for:**  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

**Prepared by:**  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
388-044	RPL25 MERITOR INTERAXLE DRIVELINE		20
878-045	(1) INTERAXLE LOCK VALVE FOR TANDEM DRIVE AXLES		
87A-012	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH WITH IAD FEEDBACK		
423-1A4	MERITOR EX-L OPTIMIZED AXIAL AIR DISC REAR BRAKES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-003	STANDARD BRAKE CHAMBER LOCATION		
451-005	REAR DISC BRAKE ROTORS		
425-002	REAR BRAKE DUST SHIELDS		
440-006	REAR OIL SEALS		
426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS		
41T-006	FE 75W-85 REAR AXLE LUBE		
42T-001	STANDARD REAR AXLE BREATHER(S)		

#### Rear Suspension

622-005	AIRLINER 40,000# REAR SUSPENSION
621-118	7.9 INCH NOMINAL RIDE HEIGHT (415MM GLOBAL REFERENCE HEIGHT)
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP
624-016	51 INCH AXLE SPACING
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE
87D-012	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH INDICATOR LIGHT
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE
623-002	TRANSVERSE CONTROL RODS
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)

#### Brake System

490-100	WABCO 4S/4M ABS
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-040	WABCO SYSTEM SAVER 1200 HEATED AIR DRYER WITH PRESSURE CONTROL VALVE

Prepared for:  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

Prepared by:  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER		
479-012	AIR DRYER MOUNTED UNDER HOOD		
460-001	STEEL AIR BRAKE RESERVOIRS		
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)		
<b>Trailer Connections</b>			
303-998	NO ADDITIONAL TRAILER CABLE RECEPTACLE		
<b>Wheelbase &amp; Frame</b>			
545-532	5325MM (210 INCH) WHEELBASE		
546-108	8.0MM X 82.0MM X 281.0MM STEEL FRAME (0.32X3.23X11.06 INCH) 120 KSI		
552-017	1475MM (58 INCH) REAR FRAME OVERHANG		
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH	-10	20
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 134.65 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 312.9		
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN : 40.57 in		
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN : 38.73 in		
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN : 40.05 in		
ZF4-99D	FRAME HEIGHT TOP REAR LADEN : 38.48 in		
553-001	SQUARE END OF FRAME		
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-001	STANDARD SUSPENSION CROSSMEMBER		
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER		
<b>Chassis Equipment</b>			
025-001	UNPOLISHED ALUMINUM WST EQUIPMENT COVERS		
556-127	BRIGHT STEEL 1/8 INCH VOCATIONAL BUMPER		
558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE, STORED ON CHASSIS FRAME		
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
551-032	CLASS 10.9 THREADED METRIC FASTENERS; REAR SUSPENSION HANGER TO BE HUCK-SPIN		
44Z-002	EXTERIOR HARNESES WRAPPED IN ABRASION TAPE		

Prepared for:  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

Prepared by:  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
61B-998	NO TOOL/STORAGE BOX #1 MOUNTING LOCATION		
61C-998	NO TOOL/STORAGE BOX #2 MOUNTING LOCATION		
489-998	NO TIRE PRESSURE CONTROL/SENSOR		
605-998	CHASSIS,MISC CUSTOM REQUIREMENTS-NONE		
924-998	NO ADDITIONAL LH MID-CHASSIS ROUTING & CLIPPING BRACKETS		
928-998	NO ADDITIONAL RH MID-CHAS ROUTING & CLIPPING BRACKETS		
<b>Fifth Wheel</b>			
581-998	NO FIFTH WHEEL RAMP		
<b>Fuel Tanks</b>			
204-152	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH		
218-006	25 INCH DIAMETER FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		-30
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
221-998	NO FUEL COOLER	-10	
<b>Tires</b>			
093-1YG	BRIDGESTONE R284 ECOPIA 11R22.5 14 PLY RADIAL FRONT TIRES	6	
094-1RB	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES		88
<b>Wheels</b>			
502-693	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT 5.80 INSET ALUMINUM DISC FRONT WHEELS	-56	
505-693	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-224
511-998	NO SPARE WHEEL		
51A-998	NO ADDITIONAL SPARE WHEEL		
52L-998	NO POLISHED, BRIGHT STANDARD POLISH, BRUSHED OR BRIGHT LVL ONE SPARE WHEEL		
<b>Cab Exterior</b>			

Prepared for:  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

Prepared by:  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
829-116	121 INCH BBC ALUMINUM CONVENTIONAL CAB		
82A-028	STAINLESS STEEL CAB ACCENT MOLDING		
704-998	NO BAGGAGE DOOR		
695-998	NO SLEEPER DOOR		
667-001	FRONT FENDERS		
678-066	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES AND LH AND RH EXTERIOR NON-SLIP GRAB HANDLES		
65X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS		
640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB		
644-048	X-SERIES VOCATIONAL HOOD		
67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT		
652-016	WESTERN STAR NAMEPLATES		
727-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS		
726-001	SINGLE ELECTRIC HORN		
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
78G-002	KEY QUANTITY OF 2		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS		
302-072	ROOF MOUNTED LED MARKER LIGHTS		
311-001	DAYTIME RUNNING LIGHTS		
294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS		
300-043	LED SIDE TURN SIGNAL		
596-998	NO LOAD LOCK CARRIERS		
744-106	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BLACK C-BAR		
796-001	102 INCH EQUIPMENT WIDTH		
743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS		
74A-001	RH DOWN VIEW MIRROR		
729-001	STANDARD SIDE/REAR REFLECTORS		
787-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS	2	
677-098	UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER		
776-998	NO SLEEPER VENT		

**Prepared for:**  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

**Prepared by:**  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
768-064	SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH		
76Z-998	NO SIDE SLEEPER CAP WINDOWS		
663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD		
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		
<b>Cab Interior</b>			
055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE		
707-1C3	CHARCOAL BLACK VINYL BASE LEVEL INTERIOR		
70K-016	CARBON WITH BASE BLACK ACCENT		
772-001	BLACK MATS		
785-014	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY		
691-001	FORWARD ROOF MOUNTED CONSOLE		
68L-998	NO AUX ELECTRICAL VAULT CLEAR SPACE REQUEST		
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
741-015	(2) COAT HOOKS ON BACKWALL OF CAB		
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
742-998	NO CUP/THERMOS HOLDER		
720-998	NO FIRE EXTINGUISHER		
170-015	STANDARD HEATER PLUMBING		
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
739-033	STANDARD INSULATION		
322-998	NO BAGGAGE COMPARTMENT LIGHT		
324-1B3	STANDARD LED CAB LIGHTING		
325-998	NO SLEEPER INTERIOR LAMP		
655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION		
64C-003	BLACK DOOR HANDLES		
337-998	NO AC 120V CAB WIRING AND AC OUTLET		
756-1J5	BASIC 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT		
760-294	BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT		

**Prepared for:**  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

**Prepared by:**  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS		
758-135	BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO		
761-135	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH EMBROIDERED LOGO		
763-1AA	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS		
725-998	NO SUPPLEMENTAL RESTRAINT SYSTEM		
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

#### Instruments & Controls

81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY
185-009	EXTRA GRIP FOOT CLUTCH PEDAL PAD, NON- ADJUSTABLE SUSPENDED PEDALS
106-002	ELECTRONIC ACCELERATOR CONTROL
734-018	STANDARD CENTER INSTRUMENT PANEL
870-001	BLACK GAUGE BEZELS
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY
160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
854-001	ENGINE OIL TEMPERATURE GAUGE
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER

**Prepared for:**  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

**Prepared by:**  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
830-031	ENGINE, TRIP AND PTO HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-998	NO PTO CONTROLS		
736-998	NO OBSTACLE DETECTION SYSTEM		
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL		
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939		
747-001	DASH MOUNTED RADIO		
750-041	STANDARD SPEAKER SYSTEM		
753-998	NO AM/FM RADIO ANTENNA		
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
751-001	SINGLE REMOTE SPEAKER WITH LEAD FOR 2- WAY RADIO		
752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD		
75W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS		
75B-998	NO ANTENNA-RADIO,UHF/VHF		
737-998	NO TELEVISION ANTENNA/PROVISION		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
812-032	ELECTRONIC 2500 RPM TACHOMETER		
813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
4C1-998	NO HARDWIRE SWITCH #1		
4C2-998	NO HARDWIRE SWITCH #2		
4C3-998	NO HARDWIRE SWITCH #3		
4C4-998	NO HARDWIRE SWITCH #4		
4E1-998	NO SW RCPTS & WRG, ALTN CSL LOC		
81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY		
842-001	2 INCH TURBO AIR PRESSURE GAUGE		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		

**Prepared for:**  
 KAYLYN MITMAN  
 NC SHERIFFS ASSC  
 323 W JONES STREET ST 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

**Prepared by:**  
 David Foster  
 TRIPLE T FREIGHTLINER  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone: 910-763-6281

Data Code	Description	Weight Front	Weight Rear
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		

### Design

065-000	PAINT: ONE SOLID COLOR
---------	------------------------

### Color

980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT

### Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

### Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

## TOTAL VEHICLE SUMMARY

### Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	8402 lbs	6364 lbs	14766 lbs
Total Weight <sup>+</sup>	8402 lbs	6364 lbs	14766 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

**Prepared for:**

KAYLYN MITMAN  
NC SHERIFFS ASSC  
323 W JONES STREET ST 505  
POB 20049  
RALEIGH, NC 27619  
Phone: 919-459-6471

**Prepared by:**

David Foster  
TRIPLE T FREIGHTLINER  
2715 US HIGHWAY 421 NORTH  
WILMINGTON, NC 28401  
Phone: 910-763-6281

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.