

Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

A proposal for
NC SHERIFF'S ASSOCIATION

Prepared by
Excel Truck Group
Tony Lyerly

Apr 23, 2021

Freightliner 114SD

Components shown may not reflect all spec'd

options and are not to scale



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description
Price Level	
PRL-24D	SD PRL-24D (EFF:01/19/21)
Data Version	
DRL-014	SPECPRO21 DATA RELEASE VER 014
Vehicle Configuration	
001-177	114SD CONVENTIONAL CHASSIS
004-222	2022 MODEL YEAR SPECIFIED
002-003	SET FORWARD AXLE - TRUCK
019-002	STRAIGHT TRUCK PROVISION
003-001	LH PRIMARY STEERING LOCATION
General Service	
AA1-002	TRUCK CONFIGURATION
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)
A85-001	REFUSE SERVICE
A84-1SA	SANITATION BUSINESS SEGMENT
AA4-003	DRY BULK COMMODITY
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
AB1-008	MAXIMUM 8% EXPECTED GRADE
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
995-1AD	FREIGHTLINER LEVEL I WARRANTY
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 35000.0 lbs
Truck Service	
AA3-005	FLATBED/PLATFORM/STAKE BODY
AF3-999	CUSTOM MFR'S/BODY TYPE IDENTIFICATION



Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description
Engine	
101-3DE	CUM X12 350 HP @ 1900 RPM, 1450 LB-FT @ 1000 RPM, 2000 GOV RPM, REFUSE
Electronic Parameters	
79A-075	75 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH
Engine Equipment	
99C-021	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES
290-017	BATTERY BOX FRAME MOUNTED
281-001	STANDARD BATTERY JUMPERS
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-001	NON-POLISHED BATTERY BOX COVER
180-100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH
183-008	TORQUE LIMITING CLUTCH BRAKE
181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING
182-005	HYDRAULIC CLUTCH CONTROL
107-048	CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM

Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
239-001	STANDARD EXHAUST SYSTEM LENGTH
237-052	RH STANDARD HORIZONTAL TAILPIPE
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
110-003	CUMMINS SPIN ON FUEL FILTER
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER
266-057	1500 SQUARE INCH ALUMINUM RADIATOR
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-016	RADIATOR DRAIN VALVE
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH

Transmission

342-412 **EATON FULLER FR-14210B TRANSMISSION**

Transmission Equipment

347-002 ALUMINUM CLUTCH HOUSING
 341-017 MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN
 345-001 PAINTED SHIFT LEVER, SOLID LINKAGE



Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
35T-003	SYNTHETIC TRANSMISSION LUBE

Front Axle and Equipment

400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
406-001	STANDARD KING PIN BUSHINGS
536-050	TRW THP-60 POWER STEERING
539-003	POWER STEERING PUMP
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE

Front Suspension

620-1E9	12,000# MONO TAPERLEAF FRONT SUSPENSION
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
62G-998	NO FRONT SUSPENSION OPTIONS
410-001	FRONT SHOCK ABSORBERS

Rear Axle and Equipment

420-1W3	DETROIT DA-RS-23.0-6S 23,000# R-SERIES SINGLE REAR AXLE
421-430	4.30 REAR AXLE RATIO
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)



Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS
440-006	REAR OIL SEALS
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS
41T-006	FE 75W-85 REAR AXLE LUBE
42T-001	STANDARD REAR AXLE BREATHER(S)

Rear Suspension

N	622-1MF	21,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION
	621-001	SPRING SUSPENSION - NO AXLE SPACERS
	431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP

Brake System

	490-100	WABCO 4S/4M ABS
	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
	904-001	FIBER BRAID PARKING BRAKE HOSE
	412-001	STANDARD BRAKE SYSTEM VALVES
	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM
	413-002	STD U.S. FRONT BRAKE VALVE
	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
	480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER
	479-015	AIR DRYER FRAME MOUNTED
	460-095	STEEL AIR BRAKE RESERVOIRS MOUNTED PERPENDICULAR RH UNDER CAB
	477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS

Trailer Connections

	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT
--	---------	------------------------------------

Wheelbase & Frame

	545-472	4725MM (186 INCH) WHEELBASE
	546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI
	552-030	1600MM (63 INCH) REAR FRAME OVERHANG
	55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 102.56 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 99.56 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 265.98
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 66.7 in
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 144.41 in
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 96.54 in
553-001	SQUARE END OF FRAME
550-001	FRONT CLOSING CROSSMEMBER
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-001	STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment

556-1AG	16.5 INCH PAINTED STEEL STRAIGHT BUMPER
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS

Fuel Tanks

204-151	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH
218-006	25 INCH DIAMETER FUEL TANK(S)
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
212-007	FUEL TANK(S) FORWARD
664-001	PLAIN STEP FINISH
205-001	FUEL TANK CAP(S)
122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR
216-020	EQUIFLO INBOARD FUEL SYSTEM
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
221-001	FUEL COOLER

Tires

093-1V4	CONTINENTAL HSR2 11R22.5 14 PLY RADIAL FRONT TIRES
---------	--



Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description
094-1RB	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES
Hubs	
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
Wheels	
502-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS
Cab Exterior	
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
650-008	AIR CAB MOUNTING
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
667-001	FRONT FENDERS
678-001	LH AND RH GRAB HANDLES
646-041	STATIONARY BLACK GRILLE
65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE
644-004	FIBERGLASS HOOD
727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED
726-001	SINGLE ELECTRIC HORN
728-001	SINGLE HORN SHIELD
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
78G-002	KEY QUANTITY OF 2
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS
302-001	(5) AMBER MARKER LIGHTS
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1BH	DUAL WEST COAST MOLDED-IN COLOR MIRRORS
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
729-001	STANDARD SIDE/REAR REFLECTORS



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
677-053	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN SHIELDING
768-043	63X14 INCH TINTED REAR WINDOW
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS
654-003	MANUAL DOOR WINDOW REGULATORS
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR

Cab Interior

707-1AK	OPAL GRAY VINYL INTERIOR
706-013	MOLDED PLASTIC DOOR PANEL
708-013	MOLDED PLASTIC DOOR PANEL
772-006	BLACK MATS WITH SINGLE INSULATION
785-004	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING
742-007	(2) CUP HOLDERS LH AND RH DASH
680-007	GRAY/CHARCOAL WING DASH
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-015	STANDARD HEATER PLUMBING
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR
702-002	BINARY CONTROL, R-134A
739-033	STANDARD INSULATION
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-014	DOMelight WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
284-023	(1) 12 VOLT POWER SUPPLY IN DASH
756-1J1	BASIC HIGH BACK NON SUSPENSION DRIVER SEAT WITH FORE AND AFT ADJUSTMENT



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS
758-036	VINYL WITH VINYL INSERT DRIVER SEAT
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT
763-101	BLACK SEAT BELTS
532-001	FIXED STEERING COLUMN
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

732-004	GRAY DRIVER INSTRUMENT PANEL
734-004	GRAY CENTER INSTRUMENT PANEL
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
149-017	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
813-998	NO VEHICLE PERFORMANCE MONITOR



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

065-000	PAINT: ONE SOLID COLOR
---------	------------------------

Color

980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
964-020	STANDARD BLACK BUMPER PAINT
963-003	STANDARD E COAT/UNDERCOATING

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

Raw Performance Data

AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 99.56 in
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 96.54 in

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED



Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

