

Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

A proposal for
NC SHERIFF'S ASSOCIATION

Prepared by
Excel Truck Group
Tony Lyerly

Apr 23, 2021

Freightliner SD



Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description
Price Level	
PRL-24D	SD PRL-24D (EFF:01/19/21)
Data Version	
DRL-014	SPECPRO21 DATA RELEASE VER 014
Vehicle Configuration	
001-241	122SD CONVENTIONAL CHASSIS
004-222	2022 MODEL YEAR SPECIFIED
002-004	SET BACK AXLE - TRUCK
019-002	STRAIGHT TRUCK PROVISION
003-001	LH PRIMARY STEERING LOCATION
General Service	
AA1-002	TRUCK CONFIGURATION
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)
A85-005	LINEHAUL/LONG HAUL SERVICE
A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT
AA4-001	GENERAL FREIGHT COMMODITY
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
AB1-008	MAXIMUM 8% EXPECTED GRADE
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
995-1AD	FREIGHTLINER LEVEL I WARRANTY
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 52000.0 lbs
Truck Service	
AA3-001	DRY VAN BODY
AF3-1V4	GODWIN MANUFACTURING COMPANY



Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in

Engine

101-2X4	DETROIT DD13 12.8L 370 HP @ 1625 RPM, 1900 GOV RPM, 1250 LB-FT @ 975 RPM
---------	--

Electronic Parameters

79A-070	70 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79G-006	5 MINUTES IDLE SHUTDOWN WITH CLUTCH AND SERVICE BRAKE OVERRIDE
79M-002	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED
79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED
79T-001	PTO MODE RPM INCREMENT - 25 RPM
79W-001	ONE REMOTE PTO SPEED
79X-005	PTO SPEED 1 SETTING - 900 RPM
80D-001	SOFT CRUISE CONTROL ENABLED

Engine Equipment

99C-017	2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
014-1CP	DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED HIGH CAPACITY AIR CLEANER
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES
290-1D3	STEEL BATTERY BOX WITH ENCLOSED TRAY
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-006	PLASTIC BATTERY BOX COVER
180-100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
183-008	TORQUE LIMITING CLUTCH BRAKE
181-001	ZERK FITTING AT CLUTCH RELEASE BEARING
107-044	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE
131-013	AIR COMPRESSOR DISCHARGE LINE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
128-002	JACOBS COMPRESSION BRAKE
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
239-001	STANDARD EXHAUST SYSTEM LENGTH
237-052	RH STANDARD HORIZONTAL TAILPIPE
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR
118-001	FULL FLOW OIL FILTER
266-057	1500 SQUARE INCH ALUMINUM RADIATOR
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE
134-001	ALUMINUM FLYWHEEL HOUSING
155-075	MITSUBISHI 12V MOD 3.175-DP60 STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission



Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description
342-415	EATON FULLER FRO-14210C TRANSMISSION
Transmission Equipment	
347-001	CAST IRON CLUTCH HOUSING
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
35T-003	SYNTHETIC TRANSMISSION LUBE
Front Axle and Equipment	
400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
406-001	STANDARD KING PIN BUSHINGS
536-050	TRW THP-60 POWER STEERING
539-003	POWER STEERING PUMP
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE
Front Suspension	
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
62G-998	NO FRONT SUSPENSION OPTIONS
410-001	FRONT SHOCK ABSORBERS
Rear Axle and Equipment	
420-1T8	DETROIT DA-RT-40.0-4S HH 40,000# R-SERIES TANDEM REAR AXLE
421-323	3.23 REAR AXLE RATIO

Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH
423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS
451-023	CONMET CAST IRON REAR BRAKE DRUMS
440-006	REAR OIL SEALS
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS
41T-006	FE 75W-85 REAR AXLE LUBE

Rear Suspension

622-005	AIRLINER 40,000# REAR SUSPENSION
621-007	AIRLINER HIGH POSITION RIDE HEIGHT
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP
624-016	51 INCH AXLE SPACING
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE
623-002	TRANSVERSE CONTROL RODS
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)

Brake System

490-101	WABCO 4S/4M ABS WITH TRACTION CONTROL, WITH ATC OFF-ROAD SWITCH
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES
413-002	STD U.S. FRONT BRAKE VALVE



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
460-001	STEEL AIR BRAKE RESERVOIRS
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS

Trailer Connections

481-998	NO TRAILER AIR HOSE
310-998	NO TRAILER ELECTRICAL CABLE

Wheelbase & Frame

545-482	4825MM (190 INCH) WHEELBASE
546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI
552-012	1450MM (57 INCH) REAR FRAME OVERHANG
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 113.58 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 110.58 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 277.17
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 23.93 in
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 152.76 in
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 107.62 in
553-001	SQUARE END OF FRAME
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-001	STANDARD SUSPENSION CROSSMEMBER
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER

Chassis Equipment

674-998	NO LH OR RH BACK OF CAB ACCESS
592-998	NO DECK PLATE
556-071	12 INCH PAINTED STEEL BUMPER
557-003	CENTER STEP CUTOUT IN BUMPER
574-003	SINGLE LICENSE PLATE BRACKET BELOW BUMPER
585-998	NO MUDFLAP BRACKETS



Prepared for:
Jason Bennett
NC SHERIFF'S ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Tony Lyerly
Excel Truck Group
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description
590-998	NO REAR MUDFLAPS
586-031	FRONT CAB MOUNTED MUDFLAPS AND HOOD MOUNTED SPLASH SHIELDS
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS

Fifth Wheel

578-998	NO FIFTH WHEEL
---------	----------------

Fuel Tanks

204-151	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH
218-006	25 INCH DIAMETER FUEL TANK(S)
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
212-008	FUEL TANK(S) AFT
664-001	PLAIN STEP FINISH
205-001	FUEL TANK CAP(S)
216-020	EQUIFLO INBOARD FUEL SYSTEM
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE

Tires

*	093-2C5	HANKOOK AL11 11R22.5 14 PLY RADIAL FRONT TIRES
	094-2C6	HANKOOK DL11 11R22.5 14 PLY RADIAL REAR TIRES

Hubs

418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS

Wheels

502-1F2	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS
505-1F2	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC REAR WHEELS

Cab Exterior

829-057	122 INCH BBC ALUMINUM CONVENTIONAL CAB
653-004	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
651-004	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
650-008	AIR CAB MOUNTING



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
667-001	FRONT FENDERS
678-003	LH AND RH INTERIOR GRAB HANDLES
645-003	BRIGHT FINISH BEZEL WITH STYLIZED TILT HANDLE
646-006	STAINLESS STEEL GRILLE
65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE
644-068	FIBERGLASS HOOD WITH REINFORCED FENDERS
652-025	122SD NAMEPLATE
690-010	ENGINE COMPARTMENT PREMIUM NOISE ABATEMENT AND INSULATION
727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED
726-001	SINGLE ELECTRIC HORN
728-001	SINGLE HORN SHIELD
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
78G-002	KEY QUANTITY OF 2
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-050	HALOGEN COMPOSITE HEADLAMPS
302-047	LED AERODYNAMIC MARKER LIGHTS
311-001	DAYTIME RUNNING LIGHTS
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-007	DUAL WEST COAST STAINLESS STEEL MIRRORS
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-1AC	LH AND RH 8 INCH STAINLESS STEEL CONVEX MIRRORS MOUNTED BELOW PRIMARY MIRRORS
74A-001	RH DOWN VIEW MIRROR
729-001	STANDARD SIDE/REAR REFLECTORS
677-053	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN SHIELDING
768-032	20X36 INCH TINTED REAR WINDOW
661-006	TINTED DOOR GLASS
654-011	RH AND LH ELECTRIC POWERED WINDOWS
663-014	2-PIECE TINTED CURVED BONDED WINDSHIELD



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR
Cab Interior	
707-1BP	OASIS TAN CHAPARRAL VINYL INTERIOR
70K-001	CLASSIC SLATE GRAY HARD TRIM
706-047	LH DOOR TRIM WITH ADDITIONAL ARCTIC SEAL PACKAGE
708-047	RH DOOR TRIM WITH ADDITIONAL ARCTIC SEAL PACKAGE
772-022	CAB BLACK FLOOR MATS WITH PREMIUM NOISE ABATEMENT AND INSULATION
691-006	FORWARD ROOF MOUNTED CONSOLE WITH DOORS RH AND LH
693-025	LH AND RH DOOR MAP POCKETS
741-019	COAT HOOK(S) IN CAB
742-030	(3) CUP HOLDERS, LH, CENTER AND RH DASH
680-024	AGATE/SLATE GRAY WING DASH
700-014	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL
701-002	HVAC DUCTING WITH MAIN FRESH AIR FILTER
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-015	STANDARD HEATER PLUMBING
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER
702-002	BINARY CONTROL, R-134A
739-023	CAB PREMIUM NOISE ABATEMENT AND INSULATION
285-003	CIRCUIT FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-1A4	DOOR ACTIVATED DOME/RED MAP LIGHTS LH AND RH OVERHEAD, COURTESY LIGHTS IN EACH DOOR, UPPER REAR DOME LIGHT AND FOOT WELL LIGHTS LH AND RH WITH DASH SWITCHES
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
284-092	(3) 12 VOLT POWER RECEPTACLES MOUNTED IN DASH



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
756-1DD	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT
760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT
758-036	VINYL WITH VINYL INSERT DRIVER SEAT
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT
763-011	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

870-001	BLACK GAUGE BEZELS
732-046	BANDON DRIFTWOOD DRIVER INSTRUMENT PANEL
734-046	BANDON DRIFTWOOD CENTER INSTRUMENT PANEL
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
149-017	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-040	ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, WHITE FACE GAUGES, DIAGNOSTICS AND DATA LINKED
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
845-011	FUEL FILTER RESTRICTION INDICATOR
148-085	EMISSIONS LIMITED IDLE ADJUST
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
679-001	OVERHEAD INSTRUMENT PANEL
746-136	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939
747-001	DASH MOUNTED RADIO
750-002	(2) RADIO SPEAKERS IN CAB
753-012	AM/FM ANTENNA MOUNTED ON LH SIDE REAR ROOF CORNER
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION
752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
813-1B4	VT-HU CONNECTIVITY PLATFORM HARDWARE
8D1-002	2 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, DETROIT CONNECT PORTAL ACCESS) FOR VT-HU CONNECTIVITY PLATFORM
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-003	MARKER LIGHT/HEADLIGHT SWITCH WITH SEPARATE INTERRUPTER FOR CLEARANCE LIGHTS
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-005	GROTE TURN SIGNAL SWITCH WITH DIMMER
298-045	12 BULB 25 AMP HEAVY DUTY ELECTRONIC FLASHER

Design



Prepared for:
 Jason Bennett
 NC SHERIFF'S ASSOCIATION
 PO BOX 20049
 RALEIGH, NC 27619
 Phone: 919.459.6471



Prepared by:
 Tony Lyerly
 Excel Truck Group
 4633 EQUIPMENT DRIVE
 CHARLOTTE, NC 28269
 Phone: 704-597-1110

Data Code	Description
065-000	PAINT: ONE SOLID COLOR
Color	
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
964-020	STANDARD BLACK BUMPER PAINT
Certification / Compliance	
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
Raw Performance Data	
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 110.58 in
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 107.62 in
Sales Programs	
NO SALES PROGRAMS HAVE BEEN SELECTED	

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Contact a Sales Representative @ EXCEL Truck Group for additional options/configurations & pricing

