

TOL-TS80 TRACK STACKER

TRAIN WAGON OFF-LOADER. THE EDGE TRAIN OFF-LOADER TRACK STACKER (TOL-TS) IS DESIGNED TO UNLOAD TRAIN WAGONS SAFELY AND EFFICIENTLY WHILST MAKING VAST IMPROVEMENTS ON PRODUCTION RATES AND REDUCING CYCLE TIMES.

[REQUEST A QUOTE](#)



With the ability to operate in the harshest of environments, the EDGE train off loader offers operators' reliability and consistent throughput at the specified performance indicated through extended working periods. By incorporating the flexibility and manoeuvrability of our track stockpiler series with a unique innovative design; the train off loader minimises the need to double handle material and vastly improves turnaround times. Providing huge flexibility, the TOL-TS enables operators to stockpile material as a conventional track stockpiler and to receive loads directly from train vessels or alternatively; load train wagons utilising its hydraulic fold down head section.

TOL-TRACK STACKER FEATURES

[REQUEST FREE QUOTE](#)

[DOWNLOAD BROCHURE](#)



- Hopper Capacity of 10.7m³ (13.9yd³) with hydraulic variable feed in height
- Variable speed 1200mm wide (48") discharge conveyor ranging from 50ft to 80ft
- Hydraulic conveyor head fold down for more accurate material discharge and reduce dust creation
- Discharge heights of up to 7029mm (23'1") to Discharge heights of up to 7m (23'1")
- Fuel consumption from 5 litres per hour (1.3 USG)
- Eliminate double handling of material with wheel loader
- Environmental benefits – reduced dust, emissions and noise
- Variable power-source options; diesel/hydraulic powerunit, dual power and diesel genset

WEIGHT

14 TONNES (15.4UST)

TRANSPORT LENGTH

12M (39'8")

WORKING WIDTH

2.3M (7'6")

WORKING HEIGHT

7.3M (23'1")

TRANSPORT WIDTH

2.3M (7'6")

TRANSPORT HEIGHT

2.7M (8'2")

WORKING LENGTH

25.4M (83'6")

APPLICATIONS

- Aggregates
- Coal
- Compost
- Conical Stockpiling

- Train Wagon Loading
- Train Wagon Unloading
- Sand + gravel
- Scrap metal
- Wood waste

OPTIONS

- Conveyor lengths from 50ft (15m) to 80ft (24m)
- Power source options: Diesel/Hydraulic, Electric/Hydraulic, Dual Power, Diesel Genset
- Higher Horsepower Engines available
- Radio remote control for all functions
- Full , 1/2 and quarter length rubber conveyor skirting available
- Various feedboot liners

PRODUCT GALLERY

CLICK TO VIEW