Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
Phone: 919.459.6471



Prepared by:
Maury Rice
CAROLINA FREIGHTLINER OF
RALEIGH, LLC
3500 YONKERS ROAD
RALEIGH, NC 27604
Phone:

SPECIFICATION PROPOSAL

	Description	Weight Front	Weight Rear	Retail Price
Price Level				
	SD PRL-24D (EFF:01/19/21)			STD
Data Version				
	SPECPRO21 DATA RELEASE VER 014			N/C
Vehicle Configuration	on			
	108SD CONVENTIONAL CHASSIS	6,829	3,748	\$123,710.00
	2022 MODEL YEAR SPECIFIED			N/C
	SET BACK AXLE - TRUCK			STD
	STRAIGHT TRUCK PROVISION			STD
	LH PRIMARY STEERING LOCATION			STD
General Service				
	TRUCK CONFIGURATION			STD
	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
	CONSTRUCTION SERVICE			STD
	CONSTRUCTION BUSINESS SEGMENT			STD
	DRY BULK COMMODITY			STD
	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
	MAXIMUM 8% EXPECTED GRADE			STD
	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
	FREIGHTLINER SD VOCATIONAL WARRANTY			STD
	EXPECTED FRONT AXLE(S) LOAD: 10000.0 lbs			
	EXPECTED REAR DRIVE AXLE(S) LOAD: 17000.0 lbs			
	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 27000.0 lbs			



Prepared for: Jason Bennett NC SHERIFFS ASSOCIATION PO BOX 20049 RALEIGH, NC 27619 Phone: 919.459.6471



	Description	Weight Front	Weight Rear	Retail Price
Truck Service				
	FLATBED/PLATFORM/STAKE BODY			STD
	3-V DISTRIBUTING INC			N/C
Engine				
	CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM			STD
Electronic Paramete	ers			
	75 MPH ROAD SPEED LIMIT			N/C
	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			N/C
	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED			N/C
	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
	PTO MINIMUM RPM - 700			N/C
	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
Engine Equipment				
	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION			STD
	NO 2008 CARB EMISSION CERTIFICATION			N/C
	STANDARD OIL PAN			STD
	ENGINE MOUNTED OIL CHECK AND FILL			STD
	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES			STD
	BATTERY BOX FRAME MOUNTED			STD
	STANDARD BATTERY JUMPERS			STD
	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			STD
	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
	NON-POLISHED BATTERY BOX COVER			STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX 20049
PALED LANG 20049

RALEIGH, NC 27619 Phone: 919.459.6471



Description	Weight Front	Weight Rear	Retail Price
EATON FULLER 14 INCH DAMPENED CERAMIC CLUTCH, 2 PLATE, STAMPED COVER SOLO (ADJUSTMENT FREE)			N/C
TORQUE LIMITING CLUTCH BRAKE			N/C
ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING			N/C
HYDRAULIC CLUTCH CONTROL			N/C
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		STD
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			STD
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
STANDARD EXHAUST SYSTEM LENGTH			STD
RH STANDARD HORIZONTAL TAILPIPE			STD
13 GALLON DIESEL EXHAUST FLUID TANK			STD
100 PERCENT DIESEL EXHAUST FLUID FILL			STD
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE			STD
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
CUMMINS SPIN ON FUEL FILTER			STD
COMBINATION FULL FLOW/BYPASS OIL FILTER			STD
1115 SQUARE INCH ALUMINUM RADIATOR			STD
ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
RADIATOR DRAIN VALVE			STD
ELECTRIC GRID AIR INTAKE WARMER			STD



RALEIGH, NC 27619 Phone: 919.459.6471



	Description	Weight Front	Weight Rear	Retail Price
	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			STD
Transmission				
	EATON FULLER RT-8709B TRANSMISSION	90	30	(\$6,315.00)
Transmission Eq	uipment			
	CAST IRON CLUTCH HOUSING	40	10	N/C
	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN			N/C
	PAINTED SHIFT LEVER, SOLID LINKAGE			N/C
	NO TRANSMISSION OIL COOLER	-15		N/C
	SYNTHETIC TRANSMISSION LUBE			N/C
Front Axle and Ed	quipment			
	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			N/C
	MERITOR 15X4 Q+ CAM FRONT BRAKES			STD
	NON-ASBESTOS FRONT BRAKE LINING			STD
	CAST IRON OUTBOARD FRONT BRAKE DRUMS			STD
	FRONT OIL SEALS			STD
	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			STD
	STANDARD KING PIN BUSHINGS			STD
	TRW THP-60 POWER STEERING			STD
	POWER STEERING PUMP			STD
	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
	MINERAL SAE 80/90 FRONT AXLE LUBE			STD
Front Suspension	1			
	12,000# MONO TAPERLEAF FRONT SUSPENSION			STD
	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
	NO FRONT SUSPENSION OPTIONS			STD
	FRONT SHOCK ABSORBERS			STD
Rear Axle and Eq	uipment			
	DETROIT DA-RS-17.5-4 17,500# R-SERIES SINGLE REAR AXLE		-15	(\$168.00)



RALEIGH, NC 27619 Phone: 919.459.6471



	Description	Weight Front	Weight Rear	Retail Price
	3.58 REAR AXLE RATIO			N/C
	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20	\$104.00
	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			STD
	NON-ASBESTOS REAR BRAKE LINING			STD
	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			STD
	CAST IRON OUTBOARD REAR BRAKE DRUMS			STD
	REAR OIL SEALS			STD
	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			STD
	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			STD
	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			STD
	STANDARD REAR AXLE BREATHER(S)			STD
Rear Suspension				
	20,000# FLAT LEAF SPRING REAR SUSPENSION WITH RADIUS ROD		-30	\$66.00
	SPRING SUSPENSION - NO AXLE SPACERS			N/C
	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			STD
	FORE/AFT CONTROL RODS			STD
Brake System				
	WABCO 4S/4M ABS			STD
	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
	FIBER BRAID PARKING BRAKE HOSE			STD
	STANDARD BRAKE SYSTEM VALVES			STD
	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
	STD U.S. FRONT BRAKE VALVE			STD
	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			STD
	AIR DRYER FRAME MOUNTED			STD
	STEEL AIR BRAKE RESERVOIRS			STD



RALEIGH, NC 27619 Phone: 919.459.6471



	Description	Weight Front	Weight Rear	Retail Price
	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			STD
Trailer Connections				
	UPGRADED CHASSIS MULTIPLEXING UNIT			STD
Wheelbase & Frame				
	4025MM (158 INCH) WHEELBASE			STD
	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI			STD
	1600MM (63 INCH) REAR FRAME OVERHANG			STD
	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			N/C
	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 92.91 in			
	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 89.91 in			
	CALC'D FRAME LENGTH - OVERALL: 260.83			
	CALCULATED FRAME SPACE LH SIDE: 29.15 in			N/C
	CALCULATED FRAME SPACE RH SIDE: 120.87 in			N/C
	CALC'D SPACE AVAILABLE FOR DECKPLATE : 86.45 in			
	SQUARE END OF FRAME			STD
	FRONT CLOSING CROSSMEMBER			STD
	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
	STANDARD REARMOST CROSSMEMBER			STD
	STANDARD SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
	14 INCH PAINTED STEEL BUMPER	20		STD
	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
Fuel Tanks				
	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH			STD
	25 INCH DIAMETER FUEL TANK(S)			STD
	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
	FUEL TANK(S) FORWARD			STD



RALEIGH, NC 27619 Phone: 919.459.6471



	Description	Weight Front	Weight Rear	Retail Price
	PLAIN STEP FINISH			STD
	FUEL TANK CAP(S)			STD
	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	-5		STD
	EQUIFLO INBOARD FUEL SYSTEM			STD
	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires				
	BRIDGESTONE ECOPIA R268 295/75R22.5 14 PLY RADIAL FRONT TIRES	10		(\$204.00)
	BRIDGESTONE M726ELA 295/75R22.5 14 PLY RADIAL REAR TIRES		48	(\$296.00)
Hubs				
	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD
Wheels				
	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS	26		STD
	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		52	STD
Cab Exterior				
	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
	AIR CAB MOUNTING			STD
	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
	FRONT FENDERS SET-BACK AXLE			STD
	LH AND RH GRAB HANDLES			STD
	STATIONARY BLACK GRILLE			STD
	BLACK HOOD MOUNTED AIR INTAKE GRILLE			STD
	FIBERGLASS HOOD			STD
	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED			STD
	SINGLE ELECTRIC HORN			STD
	SINGLE HORN SHIELD			STD
	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
	KEY QUANTITY OF 2			STD
	REAR LICENSE PLATE MOUNT END OF FRAME			STD



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION PO BOX 20049 RALEIGH, NC 27619

Phone: 919.459.6471



	Description	Weight Front	Weight Rear	Retail Price
	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS			STD
	(5) AMBER MARKER LIGHTS			STD
	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
	STANDARD FRONT TURN SIGNAL LAMPS			STD
	DUAL WEST COAST MOLDED-IN COLOR MIRRORS			STD
	DOOR MOUNTED MIRRORS			STD
	102 INCH EQUIPMENT WIDTH			STD
	STANDARD SIDE/REAR REFLECTORS			STD
	63X14 INCH TINTED REAR WINDOW			STD
	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			STD
	MANUAL DOOR WINDOW REGULATORS			STD
	1-PIECE SOLAR GREEN GLASS WINDSHELD			STD
	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR			STD
Cab Interior				
	OPAL GRAY VINYL INTERIOR			STD
	MOLDED PLASTIC DOOR PANEL			STD
	MOLDED PLASTIC DOOR PANEL			STD
	BLACK MATS WITH SINGLE INSULATION			STD
	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER			STD
	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			STD
	IN DASH STORAGE BIN			STD
	(2) CUP HOLDERS LH AND RH DASH			STD
	GRAY/CHARCOAL FLAT DASH			STD
	HEATER, DEFROSTER AND AIR CONDITIONER			STD
	STANDARD HVAC DUCTING			STD
	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
	STANDARD HEATER PLUMBING			STD
	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			STD
	BINARY CONTROL, R-134A			STD
	STANDARD INSULATION			STD



RALEIGH, NC 27619 Phone: 919.459.6471



	Description	Weight Front	Weight Rear	Retail Price
	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS			STD
	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
	(1) 12 VOLT POWER SUPPLY IN DASH			STD
	BASIC HIGH BACK NON SUSPENSION DRIVER SEAT WITH FORE AND AFT ADJUSTMENT			STD
	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT			STD
	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
	VINYL WITH VINYL INSERT DRIVER SEAT			STD
	VINYL WITH VINYL INSERT PASSENGER SEAT			STD
	BLACK SEAT BELTS			STD
	FIXED STEERING COLUMN			STD
	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
Instruments & Contr	rols			
	GRAY DRIVER INSTRUMENT PANEL			STD
	GRAY CENTER INSTRUMENT PANEL			STD
	BLACK GAUGE BEZELS			STD
	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			STD
	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			STD
	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
	2 INCH ELECTRIC FUEL GAUGE			STD
	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			STD



Prepared for: Jason Bennett

Jason Bennett NC SHERIFFS ASSOCIATION PO BOX 20049 RALEIGH, NC 27619 Phone: 919.459.6471



	Description	Weight Front	Weight Rear	Retail Price
	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
	STANDARD VEHICLE SPEED SENSOR			STD
	ELECTRONIC 3000 RPM TACHOMETER			STD
	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			STD
	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			STD
	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD
Design				
	PAINT: ONE SOLID COLOR			STD
Color				
	CAB COLOR A: L0006EY WHITE ELITE EY			STD
	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
	STANDARD BLACK BUMPER PAINT			STD
	STANDARD E COAT/UNDERCOATING			STD
Certification / Co	ompliance			
	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Raw Performand	ce Data			



Prepared for: Jason Bennett NC SHERIFFS ASSOCIATION PO BOX 20049 RALEIGH, NC 27619

Phone: 919.459.6471



Prepared by:
Maury Rice
CAROLINA FREIGHTLINER OF
RALEIGH, LLC
3500 YONKERS ROAD
RALEIGH, NC 27604
Phone:

Weight Weight
Description Front Rear Retail Price

CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 89.91 in CALC'D SPACE AVAILABLE FOR DECKPLATE: 86.45 in

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$116,897.00

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	7035 lbs	3863 lbs	10898 lbs
Total Weight ⁺	7035 lbs	3863 lbs	10898 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

GHG21 ENHANCEMENT PRICE \$510.00
CUMMINS TARIFF CHARGE - \$205
STANDARD DESTINATION CHARGE \$2,200.00

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.



Prepared for: Jason Bennett NC SHERIFFS ASSOCIATION PO BOX 20049 RALEIGH, NC 27619

Phone: 919.459.6471



Prepared by:
Maury Rice
CAROLINA FREIGHTLINER OF
RALEIGH, LLC
3500 YONKERS ROAD
RALEIGH, NC 27604
Phone:

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

CONTACT DEALER FOR ADDITIONAL PRICING AND OPTIONS @ 919-219-5163

